

CHHATTISGARH STATE POWER TRANSMISSION CO. LTD.

**OFFICE OF CHIEF ENGINEER (STORE & PURCHASE)
CHHATTISGARH STATE POWER TRANSMISSION CO. LTD.
Third Floor, SLDC Building, Dangania, Raipur (C.G.)-492013**

Phone: 0771- 2574236/40 Fax: 0771- 2574246
Website- www.cspc.co.in, email- nk.bisen@cspc.co.in

TENDER SPECIFICATION**TR-20/S&P/53**

**For
SUPPLY OF ABT METER
(Through E-Bidding)
RFx No-8100020539**

**LAST DATE & TIME OF SUBMISSION OF TENDER
05.04.2021 (TIME 15:00 HRS.)**

**DUE DATE OF OPENING OF TENDER
05.04.2021 (TIME 15:30 HRS.)**

**Cost of Tender:-i) Rs.1120/- (Incl 12% GST) (if purchased
from O/o CE(S&P)
ii) Rs.1180/- (Incl 18% GST) (if downloaded
from website)**

INDEX

Sr. No.	PARTICULARS	PAGE No.
1	Tender Form	03
2	NIT	04-05
3	Special Instruction to bidders for submission of bid through SAP –SRM module(e-bidding)	06-07
4	Section - I - Special Instructions & General Instructions to Bidders.	08-28
5	Section – II - Technical Specifications of HF Coaxial Cable	29-39
6	SCHEDULES	
(a)	SCHEDULE I - Schedule of price and quantity	40
b)	SCHEDULE- II - GTP of ABT Meter	41
(c)	SCHEDULE III- Bidders experience	42
(d)	SCHEDULE – IV- Manufacturer’s details	43
(e)	SCHEDULE V - Commercial information	44-45
(f)	SCHEDULE VI A – Commercial Deviation	46
(g)	SCHEDULE VI B – Technical Deviation	47
(h)	SCHEDULE VII – General Information	48
7	ANNEXURE – I Pre- contract Integrity Pact	49-53
8	ANNEXURE – II Proforma for Bank Guarantee against Security Deposit	54

TENDER FORM**CHHATTISGARH STATE POWER TRANSMISSION CO. LTD.**

Tender document SL.No.....

ISSUED to M/s -----

Cost of Tender documents Rs.....

Received vide D.D.No.....Dtd.....

Name of Bank -----

Signature & Seal of Issuing Authority**CHHATTISGARH STATE POWER TRANSMISSION CO. LTD.
RAIPUR, C.G. (INDIA)****TENDER FORM**

The undersigned hereby tender and offer (subject to CSPTCL's conditions of tendering), the Chhattisgarh State Power Transmission Company Ltd to test and supply, plant, machinery, materials, deliver and execute and do the several works and things which are described or referred to in the enclosures & Annexures to the specification **TR-20/S&P/53**, copies of which are annexed hereto and which under the terms thereof are to be supplied, executed and done by the contractor in a thoroughly good and workman like manner, and to perform and observe the provisions and agreements or the part of the contract contained in or reasonably to be inferred from the said tender documents for the sum and at the rates set out in schedules annexed hereto.

It is confirmed that:

- (i) Questionnaire for Commercial terms and conditions.
- (ii) Questionnaire for Technical specifications of the equipments, and
- (iii) All other conditions wherever described in the tender documents have been replied in full giving clear details. It has been noted that in case any reply is not given or any reply is incomplete / ambiguous the CSPTCL will have right to take the same to be advantageous for the CSPTCL. CSPTCL's decision in this regard will be final. The bidder will have no right to furnish any technical or commercial clarification after opening of the bid which may in any way alter the offered prices.

Dated, this day of

**Bidder's Signature
Bidder's Address.**

Note:- This form duly signed & stamped should be enclosed with Commercial bid invariably in original i.e. in sheet bearing CSPTCL's officer's sign.

CHHATTISGARH STATE POWER TRANS. CO. LTD.

(A Govt. of Chhattisgarh undertaking) (A successor company of CSEB)

CIN- U40108CT2003SGCO15820 / GSTIN-22AADCC5773E1ZX**O/o Chief Engineer (Store & Purchase)**3rd Floor, SLDC Building, Daganiya, Raipur(C.G.)-492013Website- www.cspc.co.in

Phone-0771-2574240/36/04

email- nk.bisen@cspc.co.in

Fax-0771-2574246

No.02-16/SE-I(S&P)/TR-20/S&P/53/3178

Raipur, Dtd 10.03.2021

E-PROCUREMENT TENDER NOTICE

Sealed tenders are invited from experienced manufacturers for supply of following equipments/ materials.

Sl. No.	Tender No.	Particulars	Qty (No.)	Cost of tender document including GST (Rs.)		EMD (Rs.)	Due date
				Printed Tender Form	E-Tender Form Online (downloaded from website)		
1.	TR-20/S&P/53 RFx No-8100020539	Supply of ABT Meter	10	1120/-	1180/-	24,800/-	05.04.2021

- NOTE:- i) In case any of the above dates is declared as holiday then the particular date will automatically get shifted to next working day.
- ii) The quantities mentioned above are tentative & may vary according to final requirement.
- iii) Any notice for extension of due date of tender opening shall not be published in newspapers. It will be displayed only on official website of the company.
- v) The tender will be processed through e-bidding module of SAP-SRM. Bidders are advised to visit our website www.cspc.co.in/cspc for viewing detailed instructions regarding submission of offer through SAP-SRM.
- vi) **The NIT shall also be published in www.tarang.website**

// TERMS AND CONDITIONS //

- (i) The tender documents can be obtained from the office of the CE (S&P) in person on payment of cost of tender documents in the form of DD only made out in the name of Manager (RAO: HQ), CSPTCL, Raipur accompanied with firm's application on its letter head. If tender document is required by post, Rs.250/- is to be paid by DD additionally along with the cost of documents. If more than one tender document is required, separate DDs should be furnished for each tender. CSPTCL shall not be responsible for any postal delay in receipt/ non-receipt of tender documents. No receipt of tender shall be issued in any case.
- (ii) The tender document can also be downloaded from official website of CSPTCL 'www.cspc.co.in (go through Chhattisgarh State Power Transmission Co. Ltd.- Tender Notice/ Store & Purchase Offices) and required tender fee in form of DD in favour of Manager (RAO:HQ), CSPTCL, Raipur payable at Raipur should be submitted along with

EMD in envelope containing DD of EMD. The envelope containing DDs of cost of tender document and EMD should be suitably super scribed “DDs containing cost of tender document and EMD”. The details of DDs be mentioned on the outer side of the envelope also. Please note carefully in absence of aforesaid requisite tender fee, further bids shall not be considered for opening.

- (iii) Tender document and the details specification can be obtained on any working day one day prior to the due date. The tenders duly filled in shall be dropped/ get dropped in the specified tender box up to 15.00 Hrs on the due date. Any other means of delivery shall not be accepted. No receipt of tender shall be issued in any case. The tender box shall be locked/ sealed at 15.00 Hrs on the due date and shall be opened at 15.30 Hrs on the same date.
- (iv) After publication of NIT & before the date of opening of TC bid, corrigendum/ other information (if any) shall be displayed on our official web only. The bidders are requested to remain in contact with this office or visit our web-site for any development/ clarification/ amendment issued subsequently.
- (v) CSPTCL reserves the right to accept or reject any or all the offers, in part or full without assigning any reason whatsoever.

(Er. S.D.Telang)
Chief Engineer (S&P)
CSPTCL : Raipur

Special Instructions to bidders for submission of bid through SAP- SRM module (e-bidding)

The tender specification no. **TR-20/S&P/53** is to be processed through e-bidding. The bid is to be submitted online as well as offline (hard copy). Details of NIT & Tender Documents are available on our website – <http://www.cspc.co.in> & <http://ebidding.cspcl.co.in:50724/irj/portal>. The bidder may download the same from the above site. In e-bidding portal, tender documents will be displayed in online tender display at Technical RFx section.

Last date & time of submission of bid in hard copy and also in softcopy is **05.04.2021 upto 3:00 pm** and due date & time of opening of part –I and part-II of the tender is **05.04.2021 at 3:30 pm**.

Important Instructions:-

1. Please note that this tender shall be processed online as well as offline. The bidder has to submit all the documents in hard copy as per tender specifications in four envelopes. Besides above, scanned copy of following documents is to be uploaded in e-bidding portal:-
 - (a) The scanned copy of DD for tender fee.
 - (b) The scanned copy of DD for EMD/ EMD exemption.
 - (c) Schedule V commercial information.
 - (d) Schedule VI (A) Schedule for commercial deviation.
 - (e) Schedule VI (B) Schedule for Technical deviation.It may please be noted that only above mentioned documents are to be uploaded in e-bidding portal and no other document is required to be submitted in e-bidding portal. The bidder shall give reply to following questions regarding above documents in e-bidding portal:-
 - (i) Whether scanned copy of tender fee DD uploaded. Yes/No
 - (ii) Whether scanned copy of DD of EMD /EMD Exemption uploaded. Yes/No
 - (iii) Whether scanned copy of Schedules of Commercial information Yes/No
 - (iv) Whether scanned copy of Schedules of Commercial deviation Yes/No
 - (v) Whether scanned copy of Schedules of Technical deviation Yes/No
2. **It is not required to upload /attach scanned copy of price bid in Soft/ Hard copy. Only the rates are to be filled in the item tab in e-bid in SAP SRM System (online e-tender). Rates should be quoted online & in specified fields only.** Once the rates are filled, the bidders may change their rates up to the due date and time of submission of tender. After due date and time, no change on any ground whatsoever will be accepted.
3. After scrutiny of techno-commercial bid, the price bid will be opened in e-bidding system only of eligible bidders for which suitable intimation will be given to the bidders offline & through email.
4. Please note that e-mail is always system generated, hence bidders are advised to regularly check their inbox/junk mail box.
5. CSPTCL shall not assume any responsibility for non-supporting of system, internet, line & associated hardware & software for bidding their tender. No extension in time shall be granted on such grounds. The bidder should submit their bid well before submission dead line to avoid any system related problem. It is strongly recommended not to wait for submission of bid in last minutes as internet/technical problem may disrupt their works.

6. Reference time for submission dead line shall be the time displayed in the portal and shall be treated as final.
7. After end of submission dead line, no alteration in the tender will be allowed by the system. However, in case of extension of due date of opening of tender, the bidders will be allowed to submit revised bid in the system.
8. CSPTCL will not accept incomplete bid.
9. The bidder must have a valid Digital Signature & SAP SRM User ID. User ID & Password from CSPTCL and Digital Signing Certificate and Digital Encryption Certificate from any recognized digital signature issuing authority are required for participation in any Tender. The bidder shall intimate in advance regarding details of digital signature issuing authority for ensuring the reliability of the same. For User ID and Password for participating in the tender, the bidder shall register on line through e-bidding portal.
10. The e-bidding vendor user manual displayed on website-<http://ebidding.cspcl.co.in:50724/irj/portal> for the help of the bidders. For any further queries the bidder may contact at Helpline no. 0771-2576672/73 (EITC, CSPDCL, Raipur)
11. The training for bidders will be on every Wednesday from 3.00 pm to 5.00 pm at office premises of Energy Info Tech Center (EITC) at Dangania, Raipur.
12. Tender shall be opened in the scheduled time as notified. If the due date of opening/submission of tender documents is declared a holiday by the Govt. or local administration, it will be automatically shifted to next working day for which no prior intimation shall be given. Tender opening shall be continued on subsequent days, in case the opening of all tenders is not completed on due date because of the technical constraints of system on the day of opening. It may be noted that the due date of opening/time may be altered/ extended if desired by CSPTCL without assigning any reason. However, intimation shall be available on company's tender portal/bidders email (if participation shown). The bidders are requested to keep track of the same.
13. Amendment in tender specification will be published on our website as well as in SRM system and the intimation regarding amendment in date extension will be conveyed through system generated e-mail to registered bidders only.
14. Before participating the bidder shall carefully read all the instructions and processes.
15. Tender duly completed in all respects will be accepted online up to due date & time and will be opened on the due date at specified time in the presence of tenderers or their authorized representatives. In case of authorized representative(s) they shall bring the original authorization letter with their signature attested by the tenderer.

Chief Engineer (S&P)
CSPTCL: RAIPUR

SECTION –I
SPECIAL INSTRUCTIONS TO BIDDERS

IMPORTANT: Except as otherwise provided in any subsequent modification/LOI/Order, the provision of this Section shall have effect notwithstanding anything inconsistent therewith contained in any other Schedule/Annexure/ Clause/ Terms/ Condition of this tender document)

e-Bidding & Due date: Please note that the Tender shall be processed through e-Bidding. Instruction to Bidders for submission of Bids through SAP-SRM Module (e-Bidding) are detailed in **Instructions to bidders for submission of bid through SAP- SRM module (e-bidding)**

1. The bidders are requested to go through these instructions carefully and submit the tender in e -Bidding portal and also in hard copy accordingly.

Date of submission of tender is 05.04.2021 **up to 3:00 PM** and tender will be opened on same day at 3.30 PM in the Office of CE (S&P), CSPTCL, Danganiya, Raipur, through E-bidding as per the guidelines .

The Chhattisgarh State Power Transmission Company Ltd., Raipur (or any authority designated) - hereinafter called 'OWNER' or 'CSPTCL' or 'Company' - will receive bids as per the accompanying specification. All bids shall be prepared and submitted in accordance with instructions, terms and conditions stipulated in the tender.

2. **Tender Fee:** - The tender document can also be downloaded from official website of the CSPTCL (www.cspc.co.in/csptcl). In case bidder chooses to submit his offer on downloaded tender document, they will be required to deposit specified tender fee (cost of tender documents- non refundable) in form of DD in favour of Manager (RAO:HQ), CSPTCL, Raipur payable at Raipur. The bank draft shall be issued from the nationalized/ scheduled bank. **DD should be enclosed with the part I of the tender offer. In absence of tender fee, offer will not be considered for opening of price bid.**
3. **Earnest Money:-** The earnest Money in the instant tender is **Rs 24,800/-** (Rs Twenty Four Thousand Eight Hundred only) payable in the form of demand draft in favour of Manager (RAO : HQ), CSPTCL, Raipur.

The bidding is open to manufacturers only who can provide satisfactory evidence to substantiate this.

Goods & Service Tax:-The bidder should furnish valid GST registration number and certificate along with EMD. In absence of GST registration the offer shall not be accepted.

4. **The pre qualifying requirements proposed to be incorporated are as mentioned here under:**

	PQR of The Instant Tender	Document to be required
(A)	TECHNICAL & SUPPLY EXPERIENCE REQUIREMENT	
(i)	For Regular Supplier	
1.1	The Bidder should be manufacturer having manufacturing unit in India.	In support of bidder being manufacturer of tender item/items self attested valid NSIC/DIC (DIC is applicable for CG state SSI unit) certificate should be submitted. In case firm is not registered with NSIC/DIC, self attested copy of valid factory license issued by industries department of State/Central Government for tendered item/items should be submitted.

1.2	<p>The bidder should have minimum experience of at least Three (3) years for supply of ABT meter to following Indian Entities directly as on date of issue of NIT Order must be issued by following entities:-</p> <p>i) Power utilities owned and controlled by Central or State Govt. Or ii) PSUs Or iii) Govt . organizations</p>	<p>I) In support of Bidder having minimum experience of at least three years of supply of ABT meter, copies of purchase orders (in the name of manufacturer) and relevant MRCs (Material Receipt Certificate) issued by the entities mentioned above in clause 4A(1.2) of PQR will be submitted. The date of receipt mentioned in the MRC will be treated as actual date of supply.</p> <p>II) The supply experience as on date of issue of NIT will be counted from the aforesaid actual date of supply. In case of non-availability of MRC , commissioning certificate / Performance certificate (issued by utility) may also be treated as proof of actual supply provided it establishes the requirements as per PQR and is issued by an officer not below the rank of Executive Engineer/Manager of the entities in clause 4A(1.2) of PQR.</p> <p>III) If performance certificate (issued by utility) indicates both proof of supply experience of 3 years or more and satisfactory performance for two years or more, separate MRC will not be required as a proof of supply. However, if only MRC is submitted as proof of supply , performance certificate will have to be submitted separately to establish minimum performance of 2 years as per PQR. All these documents should be attested by the authorized signatory of the tender.</p>
1.3	<p>The ABT meter should be in successful operation for minimum 2 years as on date of issue of NIT in the aforesaid entities mentioned in clause 1.2.</p>	<p>In support of satisfactory performance, a self attested copy of performance certificate issued by the entities mentioned in clause 4.A(1.2) of the PQR will be submitted.</p>
1.4	<p>The bidder should have all the type test reports conducted as per relevant standards i.e. ISS/ IEC carried out at & issued by Govt. Standard laboratory/ NABL accredited laboratory / ILAC accredited Laboratories on tendered item/ materials. The Type test report should not be older than five (5) years as on the date of issue of NIT.</p>	<p>The Bidder should submit self attested copy of the type test reports conducted as per relevant standards i.e. ISS/ IEC carried out at & issued by Govt. Standard laboratory/ NABL accredited laboratory / ILAC accredited Laboratories on tendered item/ materials. The type test report should not be older than five (5) years as on the date of issue of NIT.</p>
(ii)	<p>For CG State Units -</p>	
1.1	<p>Chhattisgarh state based Micro and small Enterprises (hereinafter referred as CG State SSI Units) should be registered under Micro, Small and Medium Enterprises Development Act, 2006 for manufacturing tendered item.</p>	<p>In support of manufacturing & technical requirement a copy of registration under MSME act 2006, type test for tendered items, duly self attested to be submitted.</p>

1.2	The bidder should have all the type test reports conducted as per relevant standards i.e. ISS/ IEC carried out at & issued by Govt. Standard laboratory/ NABL accredited laboratory / ILAC accredited Laboratories on tendered item/ materials. The Type test report should not be older than five (5) years as on the date of issue of NIT.	The Bidder should submit self attested copy of the type test reports conducted as per relevant standards i.e. ISS/ IEC carried out at & issued by Govt. Standard laboratory/ NABL accredited laboratory / ILAC accredited Laboratories on tendered item/ materials. The type test report should not be older than five (5) years as on the date of issue of NIT.
B	COMMERCIAL REQUIREMENT	
(i)	<u>For Regular Suppliers:-</u>	
1.1	The bidder should have Minimum Average Annual Turn Over (MAAT) for best three years out of last five financial years i.e. 2015-16, 2016-17, 2017-2018 , 2018-2019 & 2019-20 of Rs. 37.2 Lakh (Rs. Thirty Seven Lakh Twenty Thousand only). In case bidder is a holding company, MAAT shall be that of holding company only (i.e. excluding its subsidiary / group companies). In case bidder is a subsidiary of a holding company, the MAAT shall be of subsidiary company only (excluding its holding company).	Statement of annual turnover (as per annexure of the tender), audited balance sheets and profit & loss statement duly certified by Chartered Accountant. The audited balance sheets furnished should be for last five financial years (i.e. F.Y 2015-16 2016-17 & 2017-2018, 2018-2019 & 2019-20).
1.2	Net worth of bidder for last three financial years i.e. 2017-2018 , 2018-2019 & 2019-20 out of submitted balance sheets as per clause 1.1 above, should be positive. Net worth means the sum total of paid-up capital and free reserves (excluding reserves created out of revaluation) reduced by aggregate value of accumulated losses (including debit balance in profit and loss account for current year) and intangible assets.	A statement showing 'Net worth' including assets and liability of the bidder duly certified by chartered accountant for the last three financial years (i.e. F.Y 2017-2018, 2018-2019 & 2019-20) along with audited balance sheet for these 3 years shall also be furnished.
(ii)	<i>For C.G. State SSI units:</i>	
1.1	CG state SSI units should have aggregate Turn Over of minimum Rs. 1.90 Lakhs (One Lakh Ninety Thousand Only) during best three years out of last five financial years i.e. 2015-16, 2016-17, 2017-2018 , 2018-2019 & 2019-20 . In case bidder is a holding company, MAAT shall be that of holding	Statement of annual turnover (as per annexure of the tender), audited balance sheets and profit & loss statement duly certified by Chartered Accountant. The audited balance sheets furnished should be for last five financial years (i.e. F.Y 2015-16 2016-17 & 2017-2018, 2018-2019 & 2019-20).

	company only (i.e. excluding its subsidiary / group companies). In case bidder is a subsidiary of a holding company, the MAAT shall be of subsidiary company only (excluding its holding company).	
1.2	<p>Net worth of bidder for last three financial years i.e 2017-2018, 2018-2019 & 2019-20 out of submitted balance sheets as per clause (B) (i) above, should be positive.</p> <p>Net worth means the sum total of paid-up capital and free reserves (excluding reserves created out of revaluation) reduced by aggregate value of accumulated losses (including debit balance in profit and loss account for current year) and intangible assets.</p>	A statement showing 'Net worth' including assets and liability of the bidder duly certified by chartered accountant for the last three financial years (i.e. F.Y 2017-2018, 2018-2019 & 2019-20) along with audited balance sheet for these 3 years shall also be furnished.
1.3	<p>The bidder shall submit self attested undertaking duly Certificate by CA that:-</p> <p>a. All payment obligations (principal/interest) on outstanding debentures have been discharged and no such payment as on 31.12.2020 is outstanding/overdue.</p> <p>b. The Bidder is presently not in default in payment of any bank loan or interest thereon for more than three months or any loan account of the bidder has not been classified as NPA (Non performing assets) by the creditor/leading bank as on date of issue of NIT.</p>	<p>The bidder shall submit Certificated (in original) from CA stating that:-</p> <p>a. All payment obligations (principal/interest) on outstanding debentures have been discharged and no such payment as on 31.12.2020 is outstanding/overdue.</p> <p>b. The Bidder is presently not in default in payment of any bank loan or interest thereon for more than three months or any loan account of the bidder has not been classified as NPA (Non performing assets) by the creditor/leading bank as on date of issue of NIT.</p>
C	OTHER REQUIREMENT	
1.1	<p>The bidder should not be debarred/black-listed by Bank / State Govt. / Central Govt./ State PSU/CPSU/SEB/Public utility as on the date of issue of NIT. However, the bid may not be considered for further processing in following cases also:-</p> <p>a.If, bidder is debarred/black-listed by Bank / State Govt. / Central Govt./ State PSU/CPSU /SEB/ Public utility up to date of opening of price bid of the instant tender.</p> <p>b. If a case comes to notice</p>	<p>The bidder should not be debarred/black-listed by Bank / State Govt. / Central Govt./State PSU/CPSU/SEB/Public utility as on the date of issue of NIT. However, the bid may not be considered for further processing in following cases also (A declaration in this regard shall be furnished by the bidder):-</p> <p>a. If, bidder is debarred/black-listed by Bank / State Govt. / Central Govt./ State PSU/CPSU/SEB/Public utility up to date of opening of price bid of the instant tender.</p> <p>b. If a case comes to notice regarding submission of forged/fake document in any other tender under process in CSPTCL up to date of opening of price</p>

	regarding submission of forged/fake document in any other tender under process in CSPTCL up to date of opening of price bid of the instant tender.	bid of the instant tender.
1.2	“Any sums of money due to CSPTCL on the date of opening of tender should have been paid/settled in full prior to the date of opening of tender. Price bids of bidders not complying with the requirement shall not be opened.” A declaration in this regard shall be furnished by the bidder.”	“Any sums of money due to CSPTCL on the date of opening of tender should have been paid/settled in full prior to the date of opening of tender. Price bids of bidders not complying with the requirement shall not be opened.” A declaration in this regard shall be furnished by the bidder.”
1.3	The bidder shall have to submit pre-contract integrity pact in the format enclosed as Annexure-II on non-judicial stamp paper worth Rs. 300/- duly signed by the bidder along with the Techno-Commercial bid. The validity of this integrity pact shall be from the date of its signing and extended up to 02 years or complete execution of the order to the satisfaction of both the buyer and the Bidder whichever is later. In case Bidder is unsuccessful, this Integrity Pact shall expire after Six months from the date of signing .	The bidder shall have to submit pre-contract integrity pact in the format enclosed as Annexure -II on non-judicial stamp paper worth Rs.300/- duly signed by the bidder along with the Techno-Commercial bid. The validity of this integrity pact shall be from the date of its signing and extended up to 02 years or the complete execution of the order to the satisfaction of both the Buyer and the Bidder/Seller, whichever is later. In case Bidder is unsuccessful, this Integrity Pact shall expire after six months from the date of its signing.
1.4	All the documents /statements/attachments /information submitted by the bidder in proof of the qualifying requirements must be authentic/genuine /correct and in case,any of the said documents/statement/attachments/information are found to be false/fake/misleading the bidder will be disqualified and action will be taken against the bidder as per relevant provisions of the tender .	All the documents/statements/ attachments/information submitted by the bidder in proof of the qualifying requirements must be authentic / genuine’/ correct and in case, any of the said documents/statement/ attachments/information are found to be false / fake / misleading the bidder will be disqualified and action will be taken against the bidder as per relevant provisions of the tender. A declaration in this regard shall be furnished by the bidder.
Note :- All documents should be self attested by authorized signatory of the tender only.		

5. **Only FIRM rate is** to be quoted. No price variation shall be admissible. It is not required to upload /attach scanned copy of price in soft/hard copy. Only the rates are to be filled in the item tab in e-bid in SAP SRM System (online e- bidding portal). The prices should be quoted through SAP SRM system should indicating unit ex-works price inclusive of packing & forwarding charges, GST, freight charges & any other charges should be quoted separately. The freight shall be on FIRM basis irrespective of whether

the ex-works prices are firm or variable. The total F.O.R. destination price should be quoted in the relevant column.

6. It will be presumed that the bidder has taken utmost care while quoting ex-works unit rates and tax rates in the price bid, which shall be considered as base for computation of total prices. However, in case of any arithmetical mistakes/errors in calculation for arriving at total FORD rate, arithmetic corrections shall be made as per the quoted basic rate/ tax rate for the purpose of computation to decide the relative position of bidder. However, for placement of order lower of the two values will be considered.
7. The tender offers of those Bidders, who do not agree to CSPTCL's payments terms, security deposit clause, liquidated damages clause, performance guarantee clause shall be liable for rejection.
8. A certified copy of valid ISI license/ marking sight duly notarized may be submitted along with the offer. The license should be valid on the due date of opening of tender.
9. The tender document shall be available for sale in the Office of CE (S&P) on payment of the cost of tender document through demand draft / cash payment on all working days up to one day prior to the due date of opening. The tender document shall also be displayed in CSPTCL's website i.e. www.cseb.gov.in and bidders may download the tender from the website directly. In such case, the payment of cost of tender document shall be made through demand draft along with the tender. The details are given in clause No. 5 of Section-I (General Instruction to bidders).
10. The Company reserves the right to reject any or all tenders or accept any tender in full or part, considered advantageous to the C.S. Power Transmission Co. Ltd., whether, it is lowest or not without assigning any reason whatsoever.
11. **The bidder should ensure following points in order to avoid rejection of tender:-**
 - i) DD towards EMD **OR** proof of exemption valid on due date of opening duly notarized by a public notary is to be submitted in envelope –I. Please note that in case of exemption claimed from EMD by the SSI units registered under NSIC/ DIC, the copy of certificate issued by concerned authority along with enclosures, in which name of materials for which certificate has been issued should also be furnished. The name of material under tender should appear in this list. Further, the copy of certificate (each page) should be self atteseted. In case of non compliance of above instructions, tender shall be liable for rejection. **The bidder should furnish valid GST registration number and certificate along with EMD. In absence of GST registration the offer shall not be accepted.**
 - ii) DD toward tender document cost, in case tender has been downloaded from our website, is also to be placed inside envelope-I. In case of non compliance of above instructions tender shall be liable for rejection.
 - iii) Techno-Commercial Bid are to be submitted inside envelope II.
12. **EXTREMELY IMPORTANT (Bidders to note this to avoid bid rejection):-**
 - i) **It will be the sole responsibility of the bidder to make sure that all the documents required as per tender are submitted along with bid on or before due date of tender. The bid submission date is cut of date for all the documents required as per tender and every bidder must adhere to this dead line.**

However, if any short coming is observed during scrutiny of TC bid, CSPTCL reserves the right to seek required clarification/documents from bidder by giving them only one chance to submit required documents/ clarifications/ confirmations within specified time limit.

ii) If a bidder has quoted 'NIL' deviation in Schedule- VIA (deviation from technical specification/ conditions) and Schedule- VIB (deviation from commercial conditions) this will have an overriding effect on any other conditions notes as deviations elsewhere in the bid.

GENERAL INSTRUCTIONS TO BIDDERS**1. SCOPE :-**

The tender specifications shall cover supply of tendered items as per the technical specifications mentioned in Section-II of the tender document.

2.1 ACCEPTANCE OF OFFERS:-

While the Bidders may make all out efforts to offer for the complete scope of tender, they may please note that the CSPTCL reserves the right to split the tender into different lots towards supply.

Bidders are advised to go through the contents of specific requirement for standard conditions very carefully and in absence of non-compliance/lapse, responsibility for the same will rest on Bidders.

2.2 CRITERIA FOR PLACEMENT OF ORDER: -**1. For C.G. State SSI Units:-**

For C.G. State SSI units meeting all technical requirements of tender up to maximum 25% of tendered quantity is reserved for CG state SSI/MSME units for procurement of subject material to the following terms & condition.

- (i) Chhattisgarh State based Micro and Small Enterprises (hereinafter referred as CG State SSI Units) should be registered under Micro, Small and Medium Enterprises Development Act, 2006 for tendered items.
- (ii) CG State SSI units should have the requisite valid type test reports of tendered material/equipment and BIS License.
- (iii) CG State SSI units-offering against reserved quantity for CG State SSI units, shall not quote price for tendered item.
- (iv) CG State SSI unit shall offer minimum 10% of quantity allocated for CG State SSI units.
- (v) Maximum quantity of tendered item which any CG State SSI unit may offer shall be restricted to 100 % of reserved quantity for CG State SSI Units. However, it shall be limited as per production/manufacturing capacity of that item (as mentioned in the SSI Certificate) with respect to time frame of supply mentioned in the tender.
- (vi) If any CG State SSI unit submits the price bid in open tender, he shall not be considered against quantity reserved for CG State SSI units.
- (vii) The rate quoted by the L-1 bidder in the open tender shall be counter offered to all eligible CG State SSI units. On receipt of their acceptance, earmarked quantity for CG units (maximum 25%) shall be equally distributed to all such firms subject to their individual ceiling.
- (viii) In case of non/partial acceptance of allocated quantity by any CG State SSI units, the unallocated remaining quantity out of reserved tendered quantity (maximum 25%) shall be equally distributed among other eligible CG State SSI units subject to their consent and individual ceiling.
- (ix) In case any quantity or whole quantity remains left from CG State SSI units, the same shall be allocated to regular bidders in same ratio as per tender clause.
- (x) CG State SSI units are also eligible for extension order up to 50% of the original order quantity placed on them.

2. **For Regular Suppliers:-** The 75 % of entire tendered quantity will be offered to L-1 bidder.

Sl. No.	Particular	Total Quantity (in No.)	Total Quantity for Regular suppliers(75 % of Total Quantity appr.) (in Km)
1.	ABT Meter	10	7

In Case of non participant/Non acceptance of C.G. State SSI Units, the entire tendered quantity will be offered to L-1 bidder.

The following points will also be considered for placing the orders:-

- (i) The competitive rates quoted by each Bidder: - The original ranking based on FOR destination rates offered.
- (ii) The production capacity and past performance against the tendered material supplied against CSPTCL's orders.
- (iii) If L-1 rate is not considered to be reasonable ,negotiation will be held with the L-1 bidder only.

Bidders are requested to go through our Technical requirement carefully and it may be noted that furnishing of all information as required in various schedules enclosed is a must. In case any of the schedule, duly filled in, is not found furnished as required in the Schedules /Annexure the tender will be treated as incomplete, and will be liable for rejection without any correspondence by the CSPTCL.

- 3 Bidders are requested to go through our Technical requirement carefully and it may be noted that furnishing of all information as required in various schedules enclosed is a must. In case any of the schedule, duly filled in, is not found furnished as required in the Schedules /Annexure the tender will be treated as incomplete, and will be liable for rejection without any correspondence by the CSPTCL.

- 3.1 **Extension Order:** The CSPTCL reserves the right to place extension order for supply of 50% additional quantity of each size / type material/equipments with associated accessories within six months from date of order and accordingly offered prices should be taken into account for these requirements.

- 3.2 **Price reduction clause:-** In case a fresh tender is issued for the same item before completion of supply against extension order and lower rates are received in the fresh tender. The lower rates received in the fresh tender shall be applicable to the quantity of extension order balance to be supplied.

4. **OFFERS:-**

The offer for equipments/materials is required to be submitted in duplicate in separate sealed envelopes for which following details may be noted:-

4.1 **Part-I: EARNEST MONEY DEPOSIT:**

Please note that techno-commercial bid of tender will not be opened if earnest money is not deposited in form of demand draft for the value mentioned in tender clause No. 3 of "SPECIAL INSTRUCTIONS TO BIDDERS" in the tender, unless exempted by the CSPTCL.

The following are exempted from payment of EMD:-

- i) SSI units of Chhattisgarh state permanently registered with DIC. The registration should be permanent & should be specifically for the items quoted in the tender & valid on the date of opening of tender. Copy of certificate duly notarised should be submitted.
- ii) Small scale units registered with NSIC: - In case of small scale units registered with NSIC, their registration certificates should be valid for the item under tender on due date of opening of Techno-commercial bid. In case the certificate is not valid on due date of opening the tender shall be liable for rejection. *Incomplete certificate should not be submitted. The list of items for which certificate is valid should also be furnished and name of item under tender should appear in this list failing which tender shall be liable for rejection.*
- iii) Fully owned State Govt /Central Govt. units, if 100% shares are held by the state Govt. concerned for which documentary evidence duly notarised must be furnished with offer.
- iv) The photocopy of the NSIC/ SSI registration certificate for the tendered item duly notarised by a notary should be furnished with the offer. In case of un notarised copy, the original certificate should be produced at the time of opening for verification failing which their offer will be liable for rejection.
It has been noticed that some bidders submit photocopy of certificate. This is not acceptable. The photocopy of valid NSIC certificate should be signed by authorized signatory failing which tender shall be liable for rejection.
- v) The Bidders who come under any of above category must produce documentary evidence failing which offer shall be rejected.
- vi) **The bidder should furnish valid GST registration number and certificate along with EMD.**

In case the bidder withdraws his offer during the validity period or after placement of order, the Earnest Money shall be forfeited. EMD of unsuccessful bidders shall be returned on placement of order. EMD of bidder on whom order is placed shall be returned on acceptance of security deposit. No interest shall be paid on the EMD amount.

4.2 Part - II (A):- TECHNICAL BID:

4.2.1 In this part of bid, Bidder will have to furnish confirmation in regard to all our Technical requirements. The bid should clearly describe various technical particulars, as per details given in this specification. Also along with above information all details required in various schedules should be furnished so that the purchaser may be able to examine whether the offer submitted is technically acceptable or not. All relevant technical schedules viz. Guaranteed Technical Particulars, technical deviation etc shall be submitted with the bid.

4.2.2 COMPLETENESS OF EQUIPMENT AND BOUGHT OUT ITEMS: -

The Bidders must furnish the following information along with technical bid.

- i) The responsibility for obtaining timely supplies of bought out items will rest on the Bidder and only on this basis, delivery period will be offered in the tender.
- ii) Any other negligence, replacement shall be arranged within one month's time. If this is not done, date of delivery of such accessory will be treated as date of delivery of main equipment and full liquidated damages shall be recoverable from the Bidder on total cost of the material.
- iii) For bought out items, responsibility for guarantee and obtaining immediate replacement in case any defects are noticed and in case defective supply of any item is reported will rest on the Bidder.

- iv) In case for attending to defect in any equipment or inspection/replacement of the equipment, which may be bought out item for the Bidder; services of engineer of original manufacturer is required, the same will be organized on immediate basis by the Bidder at his cost.

4.2.3 It would be obligatory on the part of Bidder to enclose a schedule of Technical deviation in Schedule VI-B in case there are any deviations from our technical requirement. **Even if no deviations are involved, a separate schedule of deviation for technical particulars should be enclosed wherein a certificate may be recorded that there are no deviations from all our technical requirements.** In the event of non-compliance of this instruction, it may be noted that the CSPTCL reserves the right to reject all such offers without assigning any reason or without making any correspondence for obtaining any clarification.

4.3 Part - II (B) COMMERCIAL BID:

This bid should clearly spell confirmation in regard to various commercial terms and conditions for supply. Basis of price, acceptance of various important terms and conditions for supply and questionnaire for commercial terms and conditions for supply duly filled in, will form part of commercial bid. All commercial schedules viz. commercial terms & conditions, commercial deviations, bidders experience, details plan of manufacturing & testing shall be furnished with this bid.

Un-priced bid in prescribed format shall be submitted along with TC bid.

It may please be noted that it is obligatory on the part of Bidder to comply with all our commercial terms and conditions. In particular, **specific confirmation towards acceptance of following commercial terms and conditions should be furnished in the tender.**

4.3.1 PRICES & Taxes: -

The prices offered should be valid for 180 days from due date of tender in Indian Rupees only. Quoted prices should be on Firm rate basis only.

It is not required to upload /attach scanned copy of price in soft copy. Only the rates are to be filled in the item tab in e-bid in SAP SRM System (online e- bidding portal). The prices should be quoted through SAP SRM system should indicating unit ex-works price inclusive of packing & forwarding charges, GST, freight charges & any other charges should be quoted separately. The freight shall be on FIRM basis irrespective of whether the ex-works prices are firm or variable. It may please be noted that only statutory variations due to Govt. Regulation in the rate of GST shall be permitted by CSPTCL only within contractual delivery schedule. In case supplies against the contract are affected late i.e. beyond contractual delivery period and rate of GST undergoes upward revision the payment will continue to be made only on the basis of rates prevailing during the contractual delivery period. However, in case the rate of statutory levies undergoes downwards revision than the delayed supplies beyond contractual delivery period will attract reduced rate of levies/ GST.

The following clause regarding price variation shall be applicable:-

4.3.2 TERMS OF PAYMENT:

100% payment along with all taxes and duties shall be made on production of necessary documents along with material receipt certificate (MRC) from our consignee normally within 30 days time.

The supplier should submit original Material Receipt Certificate issued by the Area Stores along with copies of bill and other necessary documents to Manager (Bills) O/o GM (Finance), CSPTCL for arranging payment.

4.3.3 **DELIVERY PERIOD:** The delivery should complete in **Three months** from the date of order.

The time for and date of delivery of the stores stipulated in the order shall be deemed to be the essence of the contract. In case of delay in execution of the order, the CSPTCL shall either:-

- (a) Recover from the supplier as agreed Penalty/liquidated damages at the rate mentioned in “liquidated damage” clause.
- (b) Purchase elsewhere on account and at the risk of the supplier, the stores not delivered or other of similar description or;
- (c) Cancel the contract.

4.3.4 **LIQUIDATED DAMAGES:-** The time for and the date of delivery of the material stipulated in the order shall be deemed the essence of the contract. In case of delay in execution or non-execution of the order, the CSPTCL at its option shall recover from the supplier/tenderer as agreed towards **liquidated damages** a sum of ½ % of the **total price excluding taxes** of any stores not delivered per week or part thereof up to a maximum of **10% of contract value excluding taxes**.

For this purpose date of offer (**date of readiness of material for inspection shall be treated as date of offer**) for inspection of material in the O/o CE (S&P) shall be considered as the date of delivery subject to condition that :-

- i) The intimation of readiness of material in respect of each lot should be made atleast 15 days in advance from the scheduled date of completion of supply.
- ii) Material should be delivered at stores within 21 days from issue of dispatch clearance. Please note that in case material is not received within 21 days from date of issue of dispatch instructions even though the delivery period exists **liquidated damages** shall be imposed on delay of dispatch.

The inspection offer, apart from postal/courier service shall be invariably **Faxed/E-mailed** to the CE (S&P) so that ambiguity does not arises for date of offer. In case the inspection offer is not received in the O/o CE (S&P) through Fax/E-mail the date of receipt of offer letter shall be taken as date of offer for inspection.

4.3.5 **GUARANTEE PERIOD:**

Equipments offered and associated accessories covered under the tender shall be guaranteed for performance and quality for a period of 30 months from the date of supply in Store or 24 months from date of commissioning whichever is earlier.

In case any defect in the equipment/material is found within guarantee period, the same will be replaced /repaired by you on free of cost basis. The replacement/repairing will have to be organized by you expeditiously and in any case within one month's time.

If for the purpose of replacement/repairs, the equipment/material is required to be dispatched to your works, all charges towards transportation/insurance/ packing/ forwarding will have to be paid by you for to and fro dispatches. In this connection, please note that the following additional conditions will also be applicable in case any damages/defects are noticed in the equipments or its accessories supplied by you.

- (i) If the material develops defect within guarantee period after installation at site, for the purpose of replacement/repairs & if the same is dismantled and taken out by us. In such cases actual cost of dismantling and replacement of the equipment/material will also be recoverable from you.
- (ii) In case it is observed that replacement/repairs of equipments or its accessories is not being provided to us within one month time from date of report of defect to you and proper response is not received from you, then apart from operating clause of liquidated damages (which provides for imposition of penalty/liquidated damages, risk purchase at your cost and cancellation of contract) the CSPTCL may also take suitable penal action against you which may include debarring you from all future business with the CSPTCL for a period which will be at the discretion of the CSPTCL.
- (iii) In case of replacement of material due to failure within guarantee period, the guarantee shall automatically get extended. In such case, the material shall be guaranteed as per the terms of guarantee with the commencement date of guarantee from the date on which replaced material has been received.

4.3.6 SECURITY DEPOSIT:

The supplier has to submit the security deposit in form of Demand Draft / Bank Guarantee for value of order as indicated below to cover performance guarantee period for supply of equipments covered in this specification.

- (i) All outside state units shall be required to pay security deposit @10% of total order value.
- (ii) All the SSI units of CG having annual business above Rs.50 Lakh shall be required to pay Security deposit @7.5% of the value of order subject to maximum of Rs.10 Lakhs (Ten Lakhs).
- (iii) In case of SSI units of CG whose annual business is up to 50 Lakh, they shall be required to pay Security deposit @ 5% of the value of purchase order with maximum limit of Rs. 20,000/- (Twenty Thousand Only).
- (iv) In support of annual business of SSI units of CG, the certificate of Chartered Accountant duly notarized should be furnished. **The bank guarantee shall be submitted within 30 days from date of order and shall be kept valid for guarantee period exceeding claim period of 06 months.** The bank guarantee shall be submitted on stamp paper worth Rs. 250/- or as per the prevailing legal requirements/ any other amount as per the C.G. State Stamp Duty Act and shall be from a Nationalized/ Scheduled Bank in the prescribed form of CSPTCL. No interest shall be paid by CSPTCL on the security deposit. In case of non-fulfillment of contractual obligations by the supplier the security deposit shall be forfeited.

4.3.7 TRANSIT INSURANCE & RISK:-

- a) Responsibility regarding covering of risk, during transit of material shall entirely be on the supplier. The CSPTCL, shall in any case, not bear the transit risk/transit insurance charges.
- b) Transit damages/ shortages/ losses shall be reported by the consignees within 30 days from the receipt of the consignments. Such damages/shortages/losses shall be repaired/replaced by the suppliers, free of cost within one month from the date of intimation by the consignee without awaiting for the settlement from carrier or

insurance company etc. If the supplier fails to do so the consignee(s) shall be free to get the repair work done from other sources and they shall be free to recover the cost of such material/ expenses of repairs either from the supplier/balance bills or from the security deposit as deemed fit.

- c) While the necessary assistance shall be rendered by the consignee in lodging and processing the claims with carriers and the supplier's insurance underwriters, the responsibility shall rest with the supplier to immediately make good the shortages/ losses/ damages, without extra cost and without waiting for the settlement of the claim.
- d) Replacement of goods lost/ broken or damaged including loss to fire:- Notwithstanding anything herein contained, the supplier shall undertake responsibility for the safe arrival of the material in good condition and without any loss or damage at the final destination and until the same is actually delivered to / received by the CSPTCL at its stores or other places of final destination. For this purpose, material carried by Railway or Road transport or other carriers shall be deemed to be so carried at the risk of the suppliers. In the case of transport damages/shortages, the payment shall be made only for the quantity received in good and working condition and consignee shall lodge claim with the supplier/carrier with necessary documents of the same with carriers at supplier's end.

4.3.8 **DEVIATIONS:-**

It would be obligatory on the part of the Bidder to enclose a separate schedule of deviation, if there are any deviations from our commercial terms/conditions. Even if no deviations are involved, **a separate schedule of deviation for commercial conditions should be enclosed wherein a certificate may be recorded that there are no deviations from all our commercial conditions.** All tenders, wherein these conditions are not complied with, may run the risk of rejection without any correspondence from our side.

- 4.3.9 **UNSATISFACTORY PERFORMANCE:** The bidder who has supplied material earlier in CSPTCL and which has been found to be defective / not rendering satisfactory service within guarantee period and has not been replaced in the stipulated period shall not be considered for opening of price bid. (The cases reported as on date of NIT shall be considered).

4.4 **Part - III PRICE BID:-**

It is not required to upload /attach scanned copy of price in soft /hard copy. Only the rates are to be filled in the item tab in e-bid in SAP SRM System (online e- bidding portal). The prices should be quoted through SAP SRM system should indicating unit ex-works price inclusive of packing & forwarding charges, GST, freight charges & any other charges should be quoted separately. However, the delivery schedule offered by bidder should be indicated in Part – II(B) “Commercial Bid”. In case of any discrepancy is found suitable loading on prices will be considered for which responsibility will rest on the Bidder.

5. **SUBMISSION OF OFFERS:-** The Bidders should submit their bids in three envelopes as under:-

- (i) **Envelope - I :-** (To contain Part-I of the tender document)This envelope should contain a covering letter with earnest money or earnest money exemption

certificate as detailed in clause (4.1). The cover of the envelope should be suitably super scribed with the details of earnest money and tender number. The envelope should be sealed properly. **The bidder should furnish valid GST registration number & certificate along with EMD. In absence of GST registration the offer shall not be accepted.**

In case the tender document is downloaded from CSPTCL's Website the required cost of tender document in the form of MICR DD drawn in favour of Manager (RAO-HQ), CSPTCL, Raipur should also be kept inside this Envelope.

Please note that the tender shall be liable for rejection if

- i) EMD as per tender specification / proof in support of exemption of EMD as per clause 5.0 is not found inside the envelope
 - ii) **The GST registration certificate is not furnished**
 - iii) In case DD towards tender cost is not found inside this envelope in case tender document is downloaded from website.
- (ii) **Envelope - II :-** (To contain Part-II of the tender document)This envelope should contain the Technical Bid and commercial bid complete in all respects along with **un-priced** bid, in duplicate & Integrity pact as per proforma in Annexure -II.
- (iii) **Envelope - III: -** This large envelope should contain all the above two envelopes. A certificate in the following format should be recorded on main envelope itself.

**TENDER SPECIFICATION No. TR-20/S&P/53 DUE FOR OPENING ON
DTD FOR SUPPLY OF
ABT METER**

THIS ENVELOPE CONTAINS TWO ENVELOPES FOR:-

1. Envelop-I- Part – I of tender document i.e. Earnest Money Deposit, **GST registration certificate** & cost of tender document, if downloaded.
2. Envelop-II- Part – II (A) i.e. Technical bid & Part– II (B) i.e. Commercial Bid & Integrity pact as per proforma in Annexure -III

To,

The Chief Engineer (Store & Purchase),

C.S. Power Transmission Co. Ltd.,

Danganiya, RAIPUR (C.G.) 492 013

IT IS CERTIFIED THAT WE AGREE TO THE FOLLOWING CLAUSES OF TENDER SPECIFICATION:-

1	PAYMENT TERMS	AGREED
2	SECURITY DEPOSIT	AGREED
3	LIQUIDATED DAMAGES	AGREED
4	PERFORMANCE GUARANTEE	AGREED
5	TECHNICAL SPECIFICATION	IT IS CERTIFIED THAT THE MATERIAL OFFERED BY US IS STRICTLY AS PER TECHNICAL SPECIFICATION AS STIPULATED IN THIS TENDER AND IN CASE ANY DEVIATION IS OBSERVED LATER ON, WE SHALL BE SOLELY RESPONSIBLE AND THAT OUR TENDER SHALL BE LIABLE FOR REJECTION.

Sign & Seal of Bidder

Tenders being submitted must be signed by a person holding a power of attorney authorizing him to do so. The notarized copy of power of attorney should be furnished. Tenders submitted on behalf of company registered under Indian Companies Act shall be signed by persons duly authorized to submit the tender on behalf of the company and shall be accompanied by notarized copy of resolution / abstract of Article of Association/ special or general power of attorney.

6. OPENING OF TENDERS:-

Part - I i.e. Earnest Money shall be first opened on the due date & time. Part-II i.e. "Technical & Commercial Bid" will be opened thereafter on the same day in respect of bidders **whose GST registration certificate is attached and EMD are found to be as per tender specification**. These bids will be scrutinized and then we will take decision regarding opening of price bid in respect of successful Bidders. For the purpose of opening of price bid, a notice of not less than 7 days shall be given to the Bidders so that they may depute their representative for attending price bid opening. It may be mentioned that period of 7 days will be counted from the date of issue of fax intimation by us. Such intimation shall be given within a reasonable period from the date of opening of commercial and technical bids, and after its scrutiny. Only authorized representatives possessing necessary authority letter from the Bidder shall be allowed to participate in the tender.

7. COMPLIANCE WITH OTHER CONDITIONS :-

Although all other conditions have clearly been spelt out in the tender document, it is once again brought to the notice of Bidder that they should go through our tender document carefully and comply all other conditions also, like furnishing of type test report, furnishing of list of past supplies, performance certificate, profit and loss account, balance sheet for last three years etc., furnishing of drawing and write up for the manufacturing process. In the nut shell, the offer at the time of submission of Technical and Commercial bid itself should be complete in all respects. It should not be expected that in case of lack of any information, the CSPTCL will make any correspondence with the Bidder. The documents and details as called for in the tender must be submitted without making any reference to submission of such certificate against past order, tender or past experience of supplies with the Board/CSPTCL etc. All tenders wherein these conditions are not complied with may run the risk of rejection without correspondence from our side.

8. CHANGE OF QUANTITY:-

The purchaser reserves the right to vary the quantities of any or all the items as specified in the technical specifications/schedules as may be necessary based on requirement. No correspondence shall be entered into regarding quantity variation.

9. INSPECTION:-

- a) The CSPTCL shall have access at all times to the works and all other places of manufacture where the equipments/ material are being manufactured and the supplier shall provide all facilities for unrestricted inspection of the suppliers works, raw material, manufacture of all the accessories and for conducting necessary tests as detailed herein.
- b) The successful supplier shall keep the purchaser informed in advance of the time of starting and of the progress of manufacture of equipment in various stages so that arrangements could be made for inspection.
- c) No material shall be dispatched from its point of manufacture unless the material has been satisfactorily inspected and tested by the CSPTCL's representative.
- d) The acceptance of any quantity of equipment/ material shall in no way relieve the successful supplier of his responsibility for meeting all the requirements of this specification and shall not prevent subsequent rejection if such equipments are later found to be defective.
- e) The readiness of material for inspection should be intimated to O/o the ED (S&P), CSPTCL at least 15 days in advance so that Inspector can be deputed on scheduled date. In case material is not found ready on the intimated date of readiness, the CSPTCL reserves the right to recover from the supplier the charges.
- f) **Random testing:**
 - a) The CSPTCL's authorized Inspector shall test the samples selected at random from the material offered for inspection and tests as per relevant ISS/IEC standards shall be conducted at their works on the randomly selected samples. In case, the samples fail to withstand the required tests, the entire lot will be liable for rejection.
 - b) However, inspection of material before dispatch or waiver of inspection will not relieve the supplier from his responsibility to supply the material strictly in accordance with the tender specification.

- c) If required, the Company may at its option test the samples selected at random from the supplies affected and/or may get the selected samples tested for acceptance / type test as per relevant ISS and Technical specifications at any standard laboratories as deemed fit e.g. CPRI, ERDA etc.
- i) If the sample passes the test, charges towards testing & transportation shall be borne by CSPTCL & the lot shall be accepted.
 - ii) In case, the samples fail the required tests, supplier will be required to bear all the charges including transportation and taxes etc paid to standard laboratories e.g. CPRI, ERDA etc. towards conducting the tests and the entire lot will be liable for rejection. The supplier will have to replace/repair the whole rejected lot at his own cost.
 - iii) The replaced material, at CSPTCL's option shall be tested for acceptance tests in the Govt. standard laboratory as deemed fit on terms & conditions similar to first testing. If the sample passes the required test, the lot shall be accepted. The charges required for getting the tests conducted shall be borne by CSPTCL. If the sample again fails, the lot shall be rejected & the charges required for getting the tests conducted shall be borne by the supplier and action as per provision of contract shall be taken.
- g) **Stage inspection:**-The CSPTCL reserves the right to carryout stage inspection during manufacture. The inspection will include verification of all raw materials, construction practice, quality control process and inspection of equipment before final assembly. Bidders will have to confirm that they will render all assistance for this purpose.

10. FALSE INSPECTION CALL:

In case, the material is not offered for inspection on the date of inspection offered by the firm, due to any reason the firm shall be required to remit a sum of Rs.50,000/- plus expenditure incurred towards deployment of officer.

11. QUALITY ASSURANCE PLAN:

The supplier shall invariably furnish following information along with his offer, failing which the offer shall be liable for rejection. Information shall be separately given for individual type of equipment offered.

- (a) Statements giving list of important raw materials, name of sub-suppliers for the raw material, list of standards according to which the raw material are tested, list of tests normally carried out on raw material in presence of suppliers representative, copies of test certificates.
- (b) Information and copies of test certificates as in (a) above in respect of bought out items.
- (c) List of manufacturing facilities available.
- (d) Level of automation achieved and list of areas where manual processing exists.
- (e) List of areas in manufacturing process where stage inspections are normally carried out for quality control and details of such tests and inspections.
- (f) Special features provided in the equipment to make it maintenance free.
- (g) List of testing equipment available with the supplier for final testing of equipment specified and test plan limitation, if any, vis-à-vis the type/ special acceptance and routine test specified in the relevant standards. These limitations shall be very clearly brought out in schedule of deviations from specified test requirements.

12. TEST CERTIFICATE:-

The bidder should submit self attested copy of the type test reports of tendered item/materials as per relevant standards i.e. ISS/ IEC carried out at & issued by Govt. Standard laboratory/ NABL accredited laboratory / ILAC accredited laboratories. The type test certificate should not be older than ten (5) years as on the date of issue of NIT.

13. POOL RATE/CARTEL:

Formation of bidder's cartel is strictly prohibited. "Cartel" includes an association of sellers, distributors, traders or service providers who by agreement amongst themselves, limit, control or attempt to control the production, distribution, sale or price of or trade in goods or provision of services, Here, "agreement" includes any arrangement or understanding or action, whether or not is formal or in writing.

Quoting same rates i.e. pool rate is not acceptable. In case the same rate is found to be quoted by more than two bidders, offers of all such bidders shall be out rightly rejected. However, if rates of two bidders are found to be same, quantity of orders to be placed on them will be reduced to half of the quantity a bidder is entitled to be allocated by virtue of their common rank. But, in case of multi-item tender, if rates of even two bidders for more than one item are found to be same, it will be considered as deliberate cartel and offers of both the bidders shall be rejected. Accordingly, all the bidders are advised to quote their own individual and most competitive rates.

Rated received in a tender will be minutely scrutinized to find out as to whether some or all bidders have entered in to any such agreement. If CSPTCL is satisfied with the conclusion that some or all the bidders have formed a cartel, offers of all such bidders shall be rejected.

14. **Amendment in specifications:** CSPTCL may revise or amend the specification and drawing, prior to the date notified for opening of tender. Such revision/ amendment, if any, will be communicated to all the bidders as amendment/ addendum to the invitation of tender and the same will be displayed in CSPTCL's website also.
15. **Telex/ telegraphic/ fax bids:** Telex/ telegraphic/ fax offers will not be considered under any circumstances.
16. **Mistakes in bids:** Rates should be quoted in both figures and words. In case of ambiguity between rates in figures and words, lower of the two shall be considered. Such offers can also be rejected.
17. **Lump sum based bids:** In case prices for some items or all items are given as lump sum, instead of unit prices as required in the tender specifications, CSPTCL can summarily reject such incomplete tender.
18. **Printed terms & conditions in bids:** Supplier's printed terms and conditions will not be considered as forming part tender under any circumstance whatsoever.
19. **Alterations/ correction in bids:** No alternations in the tender document will be permitted.
20. **Incomplete bids:** Tender which is incomplete or obscure is liable for rejection.
21. **Ambiguities in conditions of bids:** In case of ambiguous or self contradictory terms/ conditions mentioned in the bid, interpretations as may be advantageous to the CSPTCL may be taken without any reference to the tender.
22. **Disqualification of bids:** A bid which gets opened before the due date as a result of improper or no indication has been given on the cover to indicate that it is a tender, will be disqualified. Bidders will not be permitted to change the substance of his tender on post interpretation/ improper understanding grounds. This includes post tender price

changes/ modifications etc. after opening of price bid. In such events, otherwise, that is, when a bidder does not comply, tender will be rejected.

23. **Language of bids:** All tenders should be made either in English or in Hindi only.
24. **Canvassing of bids:** Tenders shall be deemed to be under consideration, after opening of tender/ bid till placement of order. During this period, the bidders or their authorised representatives or other interested parties are advised strongly in their own interest, to refrain from contacting by any means any of the CSPTCL's personnel or representative.
25. **Cancellation of order:**
- 25.1 The company may upon written notice of default, terminate contract in the circumstances detailed here under:
- a) If in the opinion of the Company, the supplier fails to deliver the material within the time specified or during the period for which extension has been granted by the Company.
 - b) If in the opinion of the Company, the supplier fails to comply with any of the other provisions of this contract or material is found not in accordance with prescribed specifications and or the approved samples.
 - c) If as a result of stage inspection, it is revealed that material and / or workmanship is substandard, which is likely to affect the performance of the finished product, a notice would be served by the Company to the supplier to suspend further activities and to take urgent steps towards corrective measures, failing which the entire order would be cancelled.
- 25.2 In the event of such termination, the CSPTCL shall exercise its discretionary power as:
- (a) To recover from the supplier the agreed liquidated damages as given in the clause No. 4.3.4 above.
Or
 - (b) To purchase form elsewhere after giving due notice to the supplier on account and at the risk of the supplier such stores/ material not so delivered or others of similar description in respect of consignment not yet delivered.
Or
 - (c) To cancel the contract reserving Company right to recover damages.
- 25.3 Notwithstanding that the power under clause (25.2 a, b & c) referred to above, are in addition to the rights and remedy available to the Company under the general law of India relating to contract.
- 25.4 In the event of risk purchase of stores of similar description, the opinion of the Company shall be final. In the event of action taken under clause 25.2 (a) or (b) above, the supplier shall be liable to pay for any loss, which the Company may sustain on that account but the supplier shall not be entitled to any saving on such purchases made against the default.
- 25.5 The decision of the CSPTCL shall be final regarding the acceptability of the stores supplied by the supplier and the Company shall not be required to give any reasons in writing or otherwise at any time for the rejection of the stores/ material.
- 25.6 **In the event Company does not terminate the order as provided in clause 25.1 & 25.2 above, the supplier shall continue execution of this order, in which case he shall be liable to the CSPTCL for liquidated damages for the delay as per clause 4.3.4 until supplies are accepted.**

26. Arbitration:

If at any time, any question, dispute or difference, whatsoever shall arise between the Purchase and the supplier, upon or in relation to or in connection with the Contract, either party may forth with give to the other, notice in writing of the existence of such question, dispute or difference and the same shall be referred to the adjudication of two arbitrators, one to be nominated by the Purchase and the other to be nominated by the supplier or in the case of said arbitrators not agreeing, then to the adjudication of the Umpire to be appointed by the arbitrators, whose decision shall be final and binding on the parties and the provisions of the Indian Arbitration Reconciliation Act 1996, and of the rules there under and any statutory modification thereof shall be deemed to apply. The arbitrators or the Umpire, as the case may be, are bound to give a detailed speaking award assigning reasons for the findings.

Supplies under the contract shall be continued by the Contractor during the arbitration proceedings, unless otherwise, directed in writing by the Purchase or unless the matter is such that the work cannot possibly be continued until the decision of the arbitrators or of the Umpire, as the case may be is issued.

27. Jurisdiction: Any dispute or difference, arising under, out of or about this tender/ contract order shall be subject to exclusive jurisdiction of competent court at Raipur only.

28. Approval of Drawing: - The drawings of the ordered material should be submitted to this office within 10 days from the date of order for approval.

29. Variation in quantity: A tolerance in the ordered quantity will be allowed to the extent of +/- 2% (plus minus 2%). This tolerance will be allowed on total ordered quantity. The MRCs shall be issued on actual receipt of quantity only.

30. Limitation of Liability: - Except in cases of gross negligence or wilful misconduct,

a) The contractor and CSPTCL shall not be liable to the other party for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the contractor to pay liquidated damages to the CSPTCL

AND

b) The aggregate liability of the contractor to CSPTCL, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipments, or to any obligation of the contractor to indemnify CSPTCL with respect to patent infringement.

**Chief Engineer (S&P)
CSPTCL: Raipur**

SECTION-II

Technical specifications for 0.2s accuracy class AC static trivector energy meters, suitable for inter utility metering, bulk consumer metering, ring fencing metering and availability based tariff (ABT) metering.

1.0 SCOPE

This specification covers the design, engineering, manufacture, assembly, inspection and testing before supply and delivery at site/ FOR destination of class 0.2s accuracy static HT tri-vector CT/ VT operated meters, along with other associated equipments as per details given in this specification. The meters shall be used for commercial/ tariff metering for inter utility power flows/ bulk consumers as well for Availability Based Tariff (ABT) application.

The meter shall be complied with DLMS User Association for DLMS specification. The meter records parameters under import and or export conditions.

One static type composite meter shall be installed for each circuit, as a self-contained device for measurement of power transmittals, as described herein, in each successive 15 minute block, and certain other functions, detailed in the following paragraphs.

The metering system shall be housed in rack with draw out type feature capability for inserting the meter module. Current terminal connection must be shorted when module is drawn out. The rack shall have facility to accommodate either one or two individual 0.2s accuracy class meter modules for supporting the single and multiple points of installation practices respectively.

The meter shall have wide secondary current range support i.e. same meter shall be put up for 1A or 5A rating as per field availability of CT's. The meter shall support 200% Ibasic. Meter required to be commissioned at each substation shall be of 3 phase 4 wire.

It is not the intent to specify completely herein all the details of the design and construction of material. The material shall, however, conform in all respects to the best industry standards of engineering, design and workmanship and shall be capable of performing for continuous commercial operation in a manner acceptable to the purchaser. The offered equipment shall be complete in all respects including all components/ accessories for effective and trouble free operation according to the specifications. Such components shall be deemed to be within the scope of this specification irrespective of whether those are specifically brought out or not.

2.0 APPLICABLE STANDARDS

2.1 STANDARDS

The equipment shall conform (for testing, performance and accuracy) in all respects the relevant Indian/ International metering standards with latest amendments thereof unless otherwise specified.

S. No.	Standard No.	Title
1.	IEC 62052-11	Electricity metering equipment (AC) - General requirements, tests and test conditions - Part 11: Metering equipment
2.	IEC 62053-22	Electricity metering equipment (a.c.) – Particular requirements – Part 22: Static meters for active energy (classes 0,2 S and 0,5 S)
3.	IEC DLMS	DLMS/COSEM Conformance test

2.2 STANDARDS FOR METER READING INSTRUMENT

The Meter Reading Instrument (CMRI) shall conform in all respects to the following standards:

S. No.	Standard No.	Title
1.	CBIP technical report no 111 with latest amendment	Specification for Common Meter Reading Instrument

2.3 Equipments matching with requirements of other national or international standard which ensure equal or better performance than the standards mentioned above shall also be considered. When the equipment offered by the bidder conforms to standards other than those specified above, salient points of difference between standards adopted and standards specified in this specification shall be clearly brought out in the relevant schedule and copy of such standards along with their English translation shall invariably be furnished along with the offer.

3.0 CLIMATIC CONDITIONS

The meters to be supplied against this specification shall be required to operate satisfactorily and continuously under the following tropical conditions of hot, humid, dusty, rust and fungus prone environment.

- | | | |
|-------|--|---------|
| i) | Max. ambient air temperature (°C) | : 55 |
| ii) | Min. ambient air temperature (°C) | : (-) 5 |
| iii) | Average daily ambient air temp. (°C) | : 32 |
| iv) | Max. Relative Humidity (%) | : 95 |
| v) | Min. Relative Humidity (%) | : 10 |
| vi) | Max. Altitude above mean sea level (m) | : 1000 |
| vii) | Average Annual Rainfall (mm) | : 1200 |
| viii) | Max. wind pressure (Kg/Sq.m) | : 195 |
| ix) | Isoceraunic level (days per year) | : 50 |
| x) | Seismic level (Horizontal Accn. in g) | : 0.3 |

4.0 PRINCIPAL PARAMETERS

The energy metering rack with meters shall be indoor type connected with the secondary side of outdoor current and voltage transformers and mounted in suitable panel/ cubicles.

S. No.	Item	Specification
1.	Type of Installation	Indoor panel/ cubicle mounted
2.	VT secondary	3x110V/ $\sqrt{3}$ Phase to Neutral (3P4W) Variation -30% to +20%
3.	CT secondary	3 x /-1 Amps or 3 x /-5 Amps (configurable as per requirement)
4.	Dual Auxiliary AC/ DC Supply	110/ 220 V (-20% to +15%)
5.	System frequency	50HZ +/- 5%
6.	Earthing System	Solidly Grounded

The meter should be suitable for working with above supply variations without damage and without degradation of its metrological characteristics.

5.0 TECHNICAL REQUIREMENTS

5.1 DISPLAY

The meter shall have Graphical LCD with backlight for proper depicting of values in user friendly manner like values with unit, OBIS codes, favourite page etc.

5.2 POWER FACTOR RANGE

The metering system shall be suitable for full power factor range from zero (lagging) through unity to zero (leading). The metering module shall work as an active energy import and export meter along with reactive (lag and lead) meter. The energy measurement should be true four quadrant type.

5.3 ACCURACY

Class of accuracy of the metering system shall be 0.2s for energy measurement. The accuracy should not drift with time.

5.4 POWER CONSUMPTION OF METER

- i) The meter must be capable to operate with the power drawn from the Auxiliary Power supply (AC/DC) instead of Station VT power supply.
- ii) Voltage Circuit: The active and apparent power consumption in each voltage circuit including the power supply of metering module at reference voltage, reference temperature and reference frequency shall not exceed 1 Watt per phase and 1 VA per phase respectively.
- iii) Current Circuit: The apparent power taken by each current circuit at basic current, reference frequency and reference temperature shall not exceed 1 VA per phase.

5.5 STARTING CURRENT

The metering module should start registering the energy at 0.1% I_b and unity power factor.

5.6 MAXIMUM CURRENT

The rated maximum current of the metering module shall be 120% of basic current (I_b).

5.7 The meter shall work accurately irrespective of phase sequence of the mains supply.

5.8 GENERAL CONSTRUCTIONAL REQUIREMENTS

Meters shall be designed and constructed in such a way so as to avoid causing any danger during use and under normal conditions. However the following should be ensured:

- i) Personnel safety against electric shock
- ii) Personnel safety against effects of excessive temperature
- iii) Protection against spread of fire
- iv) Protection against penetration of solid objects, dust and water in normal working condition

All the materials and electronic power components used in the manufacture of the meters shall be of highest quality and reputed make to ensure higher reliability, longer life and sustained accuracy.

The meters shall be designed with application specific integrated circuits. The electronic components shall be mounted on the printed circuit board using latest Surface Mount Technology (SMT).

All insulating materials used in the construction of meters shall be non-hygroscopic, non-aging and of tested quality. All parts that are likely to develop corrosion shall be effectively protected against corrosion by providing suitable protective coating.

The metering system when mounted in panel shall conform to the degree of protection IP53 in the normal working condition of IS 12063/ IEC 529 for protection against ingress of dust and moisture.

5.9 MANUFACTURING ACTIVITIES

Meter should be manufactured using SMT (Surface Mount Technology) components and by deploying automatic SMT pick and place machine and reflow solder process; the Bidder should own such facilities.

Quality should be ensured at the following stages:

- i) At PCB manufacturing stage, each board shall be subjected to computerized bare board testing.
- ii) At insertion stage all components should under go computerized testing for conforming to design parameters and orientation.
- iii) Complete assembled and soldered PCB should under go functional testing using Automatic Test Equipment.
- iv) Prior to final testing and calibration, all meters shall be subjected to accelerated ageing test to eliminate infant mortality.
- v) The calibration of meters shall be done in-house.

5.10 SEALING

Proper sealing arrangement shall be provided in metering system as follows:

- i) Two numbers sealing screws shall be provided on the front cover of metering module.
- ii) Provision shall be available to seal the back connections on the metering rack using the back plate.
- iii) Provision shall be available to seal optical port.

The sealing arrangement should be suitable for application of Polycarbonate seals.

5.11 MARKING OF METER

The basic marking on the metering module name plate shall be as follows:

- i) Manufacturer's name and trade mark
- ii) Serial Number
- iii) Year of manufacture
- iv) Type Designation
- v) Number of phases and wires
- vi) VT commissioning information
- vii) CT commissioning information
- viii) Reference frequency
- ix) Accuracy Class

Additionally, following information shall also be available on name plate.

- i) Property Of "Purchaser name"
- ii) P.O. No. "Number"

5.12 The connection diagram of the connecting 3P4W meter shall be depicted via suitable sticker pasted on meter. The meter terminals shall be properly marked to identify voltage, Current, Auxiliary and communication ports.

5.13 The meters shall be suitable for being connected directly through its terminals to VT's having a rated secondary line- to- line voltage of 110 V, and to CTs having a rated secondary current of 1A or 5A. Any further transformers/ transducers required for their functioning shall be in-built in the meters. Necessary isolation and/or suppression shall also be built-in, for protecting the meters from surges and voltage spikes that occur in the VT and CT circuits of extra high voltage switchyards.

5.14 The active energy measurement shall be carried out on 3 phase, 4 wire principle with an accuracy as per class 0.2s of IS14697. The meters shall compute the active energy and load import; active energy and load export from the substation bus bars during each successive 15 minute integration period block and store it in its non volatile memory.

5.15 The meter shall compute the average frequency during each successive 15 minute block and store in its memory.

5.16 The meter shall have Inputs/ Outputs pulsing pins availability. This shall help in transferring the same Energy parameters being recorded inside the meters on pulse output as well for SCADA application at remote distance.

5.17 The meter shall compute the reactive power on 3-phase, 4-wire principle, with an accuracy as per relevant IS/ IEC standards, and integrate the reactive energy algebraically into two separate reactive energy registers, one for the period for which the average RMS voltage is greater than 103% (Reactive High), and the other for the period for which the average RMS voltage is below 97.0% (Reactive Low). When lagging reactive power is being sent out from substations bus bars, reactive registers shall move forward. When reactive power flow is in the reverse direction, reactive registers shall move backwards.

5.18 Further, the reactive energy shall also be available in four different registers as-

- i) Reactive import while active import
- ii) Reactive import while active export
- iii) Reactive export while active import
- iv) Reactive export while active export.

5.19 Active and Apparent energies shall also be made available by meter in separate energy registers as –

- i) Active energy Import
- ii) Active energy Export
- iii) Apparent energy (while active import)
- iv) Apparent energy (while active export)

5.20 Meter shall have provision to compute apparent energy based on lag only or lag+lead. The same shall be configured at factory end.

5.21 The meters shall be compatible with ABT tariff as well as TOD tariff.

5.22 For reactive power and reactive energy measurement, limits of errors all the four quadrants shall be in accordance to IEC 62053-23/ IS14697.

5.23 Each meter shall have a calibration LED (visual) for checking the accuracy of active energy measurement. Further, it shall be possible to switch over the same test output device to reactive energy via suitable means provided on the metering system. This LED shall be visible from the front side.

5.24 The metering system shall normally operate with the power drawn through the auxiliary AC or DC supply. The metering system design should enable the auxiliary supply to be switched automatically between the AC and DC voltage, depending upon their availability. Typical auxiliary voltages available are 110V AC and 110/ 220V DC. The system shall continue to work even if any one of the above auxiliary supply (AC/ DC) is present.

5.25 Each metering module shall have a built-in calendar and clock, having an accuracy of one (1) minute per month or better. The calendar and clock shall be correctly set at the manufacturer's works.

An automatic backup for continued operation of the meter's calendar-clock shall be provided through a long life battery, which shall be capable of supplying the required power for at least two years under meter un-powered conditions. The meters shall be

supplied duly fitted with the batteries, which shall not require to be changed for at least ten years, as long as total supply interruption does not exceed two years.

5.26 TOD (Time of day registers): The meter shall have TOD registers for active energy import and export, apparent energy import and export and apparent MD import and export. Maximum eight time of day registers including universal (0-24 hrs) register can be defined. It shall be possible to program number of TOD registers and TOD timings through suitable high level software/ MRI as an authenticated transaction.

5.27 Maximum Demand (MD) Registration: The meter shall continuously monitor and calculate the average demand of configured parameter during the integration period set and the maximum, out of these shall be stored along with date and time when it occurred in the meter memory. The maximum demand shall be computed on fixed block principle. The maximum registered value shall be made available in meter readings. The integration period shall be set as 15 minutes that shall be capable to change to other integration period (30/ 60 minutes), if required, through suitable high level software/ MRI as an authenticated transaction.

5.28 Maximum Demand Reset: Following provisions shall be available for MD reset in meter –

- i) Auto billing at predefined date and time
- ii) Manual via common MD reset button (optional)
- iii) Authenticated transaction through suitable high level software/ MRI (optional)

5.29 The display shall be of Graphical LCD type with colored back-lit and soft push button. Individual display shall be provided for all the meters housed in a metering rack.

The display shall indicate direct values (i.e. without having to apply any multiplying factor) of measured/ computed parameters as per the meter commissioning. It should be possible to easily identify the single or multiple displayed parameters through legends on the metering system display like OBIS codes etc.

The register shall be able to record and display starting from zero, for a minimum of 1500 hours, the energy corresponding to rated maximum current at reference voltage and unity power factor. The register shall not roll over in between this duration.

5.30 Each of the metering module shall display on demand & in Auto scroll mode the following quantities/ parameters:

- i) LCD segment check
- ii) Date
- iii) Time
- iv) Cumulative active energy import
- v) Cumulative active energy export
- vi) Cumulative net active (Import – Export) energy
- vii) Cumulative reactive energy lag while active import
- viii) Cumulative reactive energy lead while active import
- ix) Cumulative reactive energy lag while active export
- x) Cumulative reactive energy lead while active export
- xi) Cumulative apparent energy (while active import)
- xii) Cumulative apparent energy (while active export)
- xiii) Cumulative Reactive High energy

- xiv) Cumulative Reactive Low energy
- xv) Last 15 minutes block average of active import energy
- xvi) Last 15 minutes block average of active export energy
- xvii) Last 15 minutes block average of the net active (Import – Export) energy
- xviii) Last 15 minutes block average frequency
- xix) MD reset count
- xx) Maximum demand apparent (while active import) for current month (0-24 hrs)
- xxi) Maximum demand apparent (while active export) for current month (0-24 hrs)
- xxii) Cumulative active import energy reading of predefined date and time for monthly billing purpose
- xxiii) Cumulative active export energy reading of predefined date and time for monthly billing purpose
- xxiv) Cumulative net active (Import – Export) energy reading of predefined date and time for billing purpose
- xxv) Cumulative apparent energy (while active import) reading of predefined date and time for monthly billing purpose
- xxvi) Cumulative apparent energy (while active export) reading of predefined date and time for monthly billing purpose
- xxvii) Maximum demand for apparent (while active import) of predefined date and time for monthly billing purpose
- xxviii) Maximum demand for apparent (while active export) of predefined date and time for monthly billing purpose
- xxix) Present anomaly status
- xxx) Date of first occurrence of anomaly
- xxxii) Time of first occurrence of anomaly
- xxxiii) Date of last restoration of anomaly
- xxxiv) Total anomaly count

There should a facility to configure the display parameters in favorite pages.

5.31 Load Survey: Each metering module shall have a non-volatile memory in which the following shall be automatically stored for each successive fifteen (15) minute block:

- i) Active import
- ii) Active export
- iii) Average frequency
- iv) Apparent while active import
- v) Apparent while active export
- vi) Reactive High energy
- vii) Reactive Low energy

15-minute average of the above parameters shall be available for last thirty five (35) days. It shall be possible to select either energy or demand view at Base Computer Software (BCS) end. The load survey data should be available in the form of bar charts as well as in spreadsheets. The BCS shall have the facility to give complete time synchronized load survey data both in numeric and graphic form.

5.32 Billing parameters: The predefined date and time for registering the billing parameters of shall be 00.00 hours of the first day of each calendar (billing) month. Each meter shall store the following parameters corresponding to defined bill dates for up to last six (6) months:

- i) Active energy import
- ii) Active energy export
- iii) Apparent energy (while active import)
- iv) Apparent energy (while active export)
- v) Maximum demand Apparent (while active import)
- vi) Maximum demand Apparent (while active export)

5.33 Daily midnight parameters: The metering modules shall store following end day parameters for last thirty five (35) days:

- i) Active energy import
- ii) Active energy export
- iii) Reactive high energy
- iv) Reactive low energy

5.34 Data Communication Capability:

The metering system should have a suitable communication ports for local reading, remote and on-line communication facilities.

Each metering module shall have an optical galvanically isolated serial communication (in the form of 1107 port) & USB port on its front for tapping all the data stored in its memory. Meter reading instrument (MRI) shall be used for the purpose of local meter reading via this optical communication port and Pen drive for USB port. MRI shall serve as the interface between meters and PC loaded with Base Computer Software. It shall also be possible to download meter data via this port by connecting laptop computer directly. The overall intention is to have the local ports is to tap the data stored in meter once in a week/month and transmit the same to PC with BCS for view.

The metering system shall further provide a serial RS232, RS485 and optional Ethernet communication port for remote data transfer to a central location. This port shall be capable of data transfer to a remote computer over suitable communication media (GPRS/VSAT/ Leased line/ OFC) using suitable communication hardware (modems/ multiplexer/ communication cables etc.) as required for proper functioning of remote meter reading scheme.

5.35 Each meter shall have a unique identification code i.e. serial number, which shall be marked on name plate as well as in its memory. Further all meters of the same model shall be totally identical in all respects except for their unique identification codes.

5.36 The meters shall safely withstand the usual fluctuations arising during faults etc. In particular, 115% of rated VT secondary voltage applied continuously and 190% of rated voltage applied for 3.0 seconds, and 20 times of rated CT secondary current applied for 0.5 seconds shall not cause any damage to or malfunctioning of the meters. Further the immunity of metering system to external magnetic field shall be as per latest CBIP recommendations.

5.37 Each meter shall have a non volatile memory in which the parameters as mentioned in this specification shall be stored. The non volatile memory shall retain the data for a period not less than 10 years under un-powered condition; battery back up memory shall not be treated as NVM.

5.38 Meter shall have the capability and facility to compensate for errors of external measurement transformers i.e. CT and VT:

- i. Linear compensation for measurement PT errors (ratio and phase); there shall be linear adjustment which shall be applied across the complete measurement range of the transformer.
- ii. Non-linear compensation for measurement CT errors (ratio and phase) compensation; this shall allow multiple ratio and phase adjustments to be applied for different load points per phase input of the meter.

It should be possible to program the errors of CT and VT in meter through front optical communication port using compatible high level software. Metering system design should support this feature and further it shall be possible to configure & incorporate this feature in meter at later stage whenever required.

5.39 The metering modules shall be draw out type with automatic CT shorting feature so as to ease the testing/ replacement of meters without disturbing the system.

5.40 The meter display should depict the total harmonic distortion (THD) of current and voltages up to 31st level of power quantity for providing the feature of supply monitoring to Utility.

6.0 ANOMALY DETECTION FEATURES

6.1 The meter shall have features to detect and log the occurrence and restoration of following anomalies, along with date and time of event:

- i) Phase wise Missing Potential – The meter shall detect missing potential (1 or 2 phases) provided the line current is above a specified threshold. The voltage at that stage would be below a specified threshold.
- ii) Phase wise Current Circuit Reversal – The meter shall detect reversal of polarity provided the current terminals are reversed. This shall be recorded for 1 or 2 phase CT reversal.
- iii) Voltage Unbalance – The meter shall detect voltage unbalance if there is unbalance in voltages.
- iv) Current Unbalance – The meter shall detect current unbalance if there is unbalance in load conditions. Meter should ensure true system conditions before going for current unbalance checks.
- v) CT Miss – The meter shall detect current miss if the current is below a defined threshold, provided the phase voltage is above a specified threshold.
Snapshots of phase wise voltage, phase wise active current and phase wise power factor shall be provided with above specified anomaly events.

Further, each meter module shall record the following events along with total duration:

- i) Power On/Off – The meter shall detect power off if both the auxiliary supplies fail. The event shall be recorded on the next power up. At the same time power on event shall be recorded. No snapshot shall be logged with this event.
- ii) Feeder Supply Fail -This event shall be logged when feeder supply, i.e. all the voltages goes below certain threshold. No snapshot shall be logged with this event.

6.2 Last three hundred & fifty (350) events (occurrence + restoration), in total, shall be stored in the meter memory on first in first out basis.

6.3 There shall be five separate compartments for logging of different type of anomalies :

Compartment No.1	100 events of Missing Potential
Compartment No.2	100 events of CT Reversal
Compartment No.3	100 events for Power Failure / Power On-Off
Compartment No.4	50 events of Transaction related changes as per ICS Category B

Once one or more compartments have become full, the last anomaly event pertaining to the same compartment shall be entered and the earliest (first one) anomaly event should disappear. Thus, in this manner each succeeding anomaly event shall replace the earliest recorded event, compartment wise. Events of one compartment/ category should overwrite the events of their own compartment/ category only. In general persistence time of 5 min. for occurrence and restoration respectively need to be supported in meter.

6.4 Anomaly count should increase as per occurrence (not restoration) of anomaly events. Total no. of counts shall be provided on BCS.

7.0 TRANSACTIONS

The meter shall record critical events (as performed in authenticated manner) of Time set, MD reset operation and tariff change. These events shall be logged in roll over mode for up to twenty numbers.

8.0 SELF DIAGNOSTIC FEATURE

The meter shall be capable of performing complete self diagnostic check to monitor the circuits for any malfunctioning to ensure integrity of data in memory location all the time. The meter shall have indications for unsatisfactory/ nonfunctioning/ malfunctioning of the following:

- i) Non volatile memory
- ii) RTC battery

The above malfunctioning should be flagged in the meter memory and should be made available in meter reading data.

9.0 TYPE TEST CERTIFICATES

The meters shall be fully type tested as per relevant standards IS 14697. The type test report of the meters shall be submitted by bidder along with the offer. Type test reports shall not be more than 5 years old.

SCHEDULE-I**SCHEDULE OF PRICE AND QUANTITY**

S. No	Particular	Qty in No.	Unit Ex-works price including packing & forwarding in Rs./No.	Unit Freight charges in Rs./No.	GST % on Exworks + freight	Unit F.O.R. destn. price including GST, freight (4+5+6) in Rs./No.	Total Amount(in Rs)
1	2	3	4	5	6	7	
i	ABT Meter Accuracy Class: 0.2 s, CT Ratio : -/1A, PT Ratio: -/110 V	06					
ii	ABT Meter Accuracy Class: 0.2 s, CT Ratio : -/5A, PT Ratio: -/110 V	04					

NOTE-

- (i) The prices offered shall be on firm rate basis.
- (ii) Only statutory variation shall be paid within contractual delivery period.
- (iii) The unpriced copy of above schedule is to be submitted alongwith TC bid.
- (iv) The rates will be quoted through online e bidding portal (SAP SRM system) only. Price schedule duly filled in hard copy is not required.

Signature & Seal of Bidder

SCHEDULE – II**GUARANTEED TECHNICAL PARTICULARS OF ABT Meter**

S. No.	Technical Specification Requirements	Bidder's Offer
1.	Manufacturer's name & Country	
2.	Type of Meter	
3.	Name and model no. of offered product	
4.	Standards to which meter complies	
5.	Accuracy class <ul style="list-style-type: none"> • Active energy measurement • Reactive energy measurement 	
6.	Metrology indicator provided on meter and switching facility for reactive & apparent energy	
7.	Variation of voltage at which system functions normally	
8.	Minimum Starting current	
9.	Maximum current	
10.	P.F. range	
11.	Power consumption per phase <ul style="list-style-type: none"> • Voltage Circuit • Current Circuit 	
12.	AC and DC Auxiliary supply ratings for powering up the metering system	
13.	Sealing arrangement	
14.	Energy parameters recorded in meter	
15.	ABT compatibility	
16.	TOD compatibility	
17.	MD Reset provisions <ul style="list-style-type: none"> • Auto • Manual 	
18.	Demand integration period	
19.	Load survey parameters recorded in meter	
20.	Billing parameters recorded in meter	
21.	Daily Midnight parameters recorded in meter	
22.	Communication Capability for <ul style="list-style-type: none"> • Local reading • On demand Remote reading 	
23.	Facility of external CT/ VT error compensation	
24.	Anomaly detection features	
25.	Self diagnostics features	
26.	Magnetic immunity	
27.	Maximum nos of communication ports i.e. Optical, USB, RS232 etc.	
28.	IEC DLMS	
29.	IEC DLMS certification number	Certification No. 1364

Signature of Bidder**Name :****Designation :****Seal :**

SCHEDULE – III**SCHEDULE OF BIDDER'S EXPERIENCE**

Bidder shall furnish here a list of similar jobs executed by him. A reference may be made by the purchase to them in order be considers such a reference necessary.

Sl. No.	Name & Description of work. (adequate details to be given certifying the work done)	Order No. & date	Period & date of supply	Client or order placing authority	Person to whom reference to be made

Signature of Bidder**Name** :**Company** :

SCHEDULE- IV**Name of the manufacturer, place of manufacturer, testing and inspection.**

Sl. No.	Description	Manufacturer	Place of manufacturer	Date of testing and inspection

Signature of Bidder**Name :****Company :**

SCHEDULE-V
COMMERCIAL INFORMATION

Strike-off, whichever is not applicable

1.i)	Whether purchased from this office or downloaded?	Yes/No
ii)	If down loaded, whether tender cost is furnished? Details of MICR DD for tender cost	Yes/No
iii)	Amount of EMD	Rs.
iv)	Earnest Money details & GST Number & registration certificate	Bank draft/ Banker's cheque/ Cash with Manager (RAO :HQ), CSPTCL, Raipur. GST Number & Registration certificate Enclosed
v)	If exempted, state whether bidder is	SSI Unit of CG/ Small scale unit registered with NSIC/ Fully owned State Central Govt. Unit.
vi)	Reference of documentary evidence regarding exemption enclosed	Yes/ No
2.	Whether the offer is valid for 180 days from the date of opening of commercial/technical bid	Yes/ No (If no, state validity period)
3.	State whether the quoted prices are Firm	Yes/ No
4.	Rate of GST(goods and service tax)	
5.	PAYMENT TERMS:- Whether CSPTCL's terms of payment is acceptable to the bidder .	Yes/ No
6.	DELIVERY PERIOD:- Whether CSPTCL's terms of Delivery is acceptable to the bidder.	Yes/ No
7.	LIQUIDATE DAMAGE: Whether agreeable to CSPTCL's liquidate damage clause	Yes/ No
8.	GUARANTEE PERIOD :- Whether agreed to CSPTCL's guarantee period.	Yes/ No
9.	SECURITY DEPOSIT	Yes/ No
a.	Whether agreed to CSPTCL's Security deposit @ 10% of value of order for satisfactory execution of the order and to cover guarantee period	
b.	If not, indicate deviation specifically	
10.	EXTENSION ORDER:- Whether you are agreeable to accept extension order for 50% of qty. on the same rates, terms & condition if any extension order is placed within 6 months from the date of placement of detailed order.	Yes/ No

11.	Please mention whether rates offered are applicable for part quantities.	Yes/ No
12.	Mention Turn over of the firm for last three years (Enclose balance sheets in support)	
(a)	2015-16	
(b)	2016-17	
(c)	2017-18	
(d)	2018-19	
(e)	2019-20	
13.	C.A. audited notarized copy of net worth for the last three financial years submitted.	Yes/No
14.	Year of start of manufacture of offered equipment/ material.	
15.	Whether submitted Notary attested copy of undertaking duly certified by CA stating that a) All interest payment obligations on outstanding debentures have been discharged and no such payment as on 31.12.2020 is/was outstanding / overdue. b) Company is presently not in default in repayment of bank loan and has not been taken up for CDR/SD.	Yes/ No
16	Whether submitted certificate/declaration/undertaking that “while quoting rate of all items, you have taken into consideration “Input Tax Credit” available to you on all input material/ services.”	Yes/ No
17	Whether submitted Pre – contract Integrity pact	Yes/ No

Place:-

Date

SIGNATURE OF BIDDER
NAME IN FULL & COMPANY'S SEAL**NOTE:- Scanned copy of this schedule is to be uploaded in e-bidding portal.**

SCHEDULE-VI-A**SCHEDULE OF COMMERCIAL DEVIATIONS**

We / I have carefully gone through the Commercial requirement of the specification and the General condition of contract and we/I have satisfied ourselves/myself and hereby conforms to the requirement of technical specification and General Conditions of contract except for the deviations, which are given below:-

Sl. No.	Description & clause no. of the specification and page no.	Stipulation in specification	Deviation offered	Remarks regarding justification on the deviation

Dated

Name and seal of the tendering
Company.

Place

NOTE:- Scanned copy of this schedule is to be uploaded in e-bidding portal:-

SCHEDULE-VI-B**SCHEDULE OF TECHNICAL DEVIATIONS**

We / I have carefully gone through the Technical specification and the General condition of contract and we/I have satisfied ourselves/myself and hereby conform to the requirement of technical specification and General Conditions of contract except for the deviations, which are given below:-

Sl. No.	Description & clause no. of the specification and page No.	Stipulation in specification	Deviation offered	Remarks regarding justification on the deviations

Dated

Name and seal of the tendering
Company.**NOTE: - Scanned copy of this schedule is to be uploaded in e-bidding portal:-**

SCHEDULE-VII**GENERAL INFORMATION**

The bidder shall furnish general information in the following format:

1. Name of the firm
2. Head office address
3. Works address
4. Contact person
5. Mobile No of Contact person
6. Telephone no. office
7. Telephone No. residence
8. Fax No.
9. Email ID
10. PF/ESIC Registration number

Date

Name & seal of the tendering company

* * * * *

ANNEXURE -I

PRE-CONTRACT INTEGRITY PACT**1. GENERAL**

- 1.1 This pre-bid contract Agreement (hereinafter called the Integrity Pact) is made on.....day of the month20..., between the CSPTCL acting through Shri.....CE (S&P) (hereinafter called the “BUYER”, which expression shall mean and include, unless the context otherwise requires, his successors in the office and assigns) and the First Party, proposes to procure (name of the Stores/Equipment/Work/Service) and M/s. represented by Shri.....Chief Executive Officer (hereinafter called the “BIDDER/Seller”, which expression shall mean and include, unless the context otherwise requires, his successors on permitted assigns) and the Second Party, is willing to offer/has offered.
- 1.2 WHEREAS the BIDDER is a Private Company/Public Company/ Government undertaking/Partnership/Registered Export Agency, constituted in accordance with the relevant law in the matter and the BUYER is a power company an undertaking of Govt. of CG, performing its function on behalf of the Government of Chhattisgarh.

2. OBJECTIVES

NOW, THEREFORE, the BUYER and the BIDDER agree to enter into this pre-contract agreement, hereinafter referred to as Integrity Pact, to avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the Contract to be entered into with a view to:-

- 2.1. Enabling the BUYER to obtain the desired Stores/Equipment/Work/Service at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and
- 2.2. Enabling BIDDERS to abstain from bribing or indulging in any corrupt practices in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing any corrupt practices and the BUYER will commit to prevent corruption, in any form, by its official by following transparent procedures.

3. COMMITMENTS OF THE BUYER

The BUYER commits itself to the following:-

- 3.1 The BUYER undertakes that no official of the BUYER, connected directly or indirectly with the contract, will demand, take promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting of implementation process related to contract.
- 3.2 The BUYER will, during the pre-contract stage, treat BIDDERS alike, and will provide to all BIDDERS the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to the other BIDDERS.
- 3.3 All the officials of the BUYER will report the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.

In case any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the BUYER with the full and verifiable facts and the same prima facie found to be correct by the BUYER, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the BUYER and such a person shall be debarred from

further dealings related to the contract process. In such a case while an enquiry is being conducted by the BUYER the proceedings under the contract would not be stalled.

4. **COMMITMENTS OF BIDDERS**

The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-

- 4.1. The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 4.2. The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage, or inducement to any official of the BUYER or otherwise in procuring the Contract of forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with the CSPTCL for showing or forbearing to show favour or disfavour to any person in relation to the contract or any other contract with the CSPTCL.
- 4.3. The BIDDER further confirms and declares to the BUYER that the BIDDER in the original Manufacture/Integrator/Authorized government sponsored export entity of the stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 4.4. The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payment he has made, is committed to or intends to make to officials of the BUYER or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 4.5. The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 4.6. The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 4.7. The BIDDER shall not use improperly, for purpose of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposal and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 4.8. The BIDDER commits to refrain from giving any compliant directly or through any other manner without supporting it with full and verifiable facts.
- 4.9. The BIDDER shall not instigate or cause to instigate any third person to commit any of the acts mentioned above.

5. **PREVIOUS TRANSGRESSION**

- 5.1. The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify BIDDER's exclusion from the tender process.
- 5.2. If the BIDDER makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.
6. **EARNEST MONEY (SECURITY DEPOSIT)**
- 6.1. Every BIDDER while submitting commercial bid, shall deposit an amount as specified in RFP as Earnest Money/Security Deposit, with the BUYER through any of the following instruments:
- (i) Bank Draft or Pay Order in favor of.....
 - (ii) A confirmed guarantee by an Indian Nationalized Bank, promising payment of the guarantee sum to the..... (BUYER).....on demand within three working days without any demur whatsoever and without seeking any reasons whatsoever. The demand for payment by the BUYER shall be treated as conclusive proof of payment.
 - (iii) Any other mode or through any other instrument (to be specified in the RFP).
- 6.2. The Security Deposit shall be valid up to complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and BUYER, including warranty period, whichever is later.
- 6.3. In the case of successful BIDDER a clause would also be incorporated in the Article pertaining to Performance Bond in the Purchase Contract that the provisions of Sanctions for violation shall be applicable for forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
- 6.4. No interest shall be payable by the BUYER to the BIDDER on Earnest Money/Security Deposit for the period of its currency.
7. **SANCTIONS FOR VIOLATIONS**
- 7.1. Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the BUYER to take all or any one of the following actions, wherever required:-
- (i) To immediately call off the pre contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
 - (ii) To forfeit fully or partially the Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bond (after the contract is signed), as decided by the BUYER and the BUYER shall not be required to assign any reason therefore.
 - (iii) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
 - (iv) To recover all sum already paid by the BUYER, and in case of the Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate while in case of a BIDDER from a country other than India with Interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from the BUYER in connection with any other contract such outstanding payment could also be utilized to recover the aforesaid sum and interest.
 - (v) To encash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments, already made by the BUYER, along with interest.

- (vi) To cancel all or any other contracts with the BIDDER and the BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation/rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- (vii) To debar the BIDDER from participating in future bidding processes of the CSPTCL for a minimum period of five years, which may be further extended at the discretion of the BUYER.
- (viii) To recover all sum paid in violation of this Pact by BIDDER(s) to any middlemen or agent or broken with a view to securing the contract.
- (ix) In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the BUYER with the BIDDER, the same shall not be opened.
- (x) If the BIDDER or any employee of the BIDDER or any person action on behalf of the BIDDER, either directly or indirectly, is closely related to any of the officers of the BUYER, or alternatively, if any close relative of an officer of the BUYER has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filling of tender. Any failure to disclose the interest involved shall entitle the BUYER to rescind the contract without payment of any compensation to the BIDDER.

The term 'close relative' for this purpose would mean spouse whether residing with the Government servant or not, but not include a spouse separated from the Government servant by a decree or order of a competent court; son or daughter or step son or step daughter and wholly dependent upon Government servant, but does not include a child or step child who is no longer in any way dependent upon the Government servant or of whose custody the Government servant has been deprived of by or under any law; any other person related, whether by blood or marriage, to the Government servant or to the Government servant's wife or husband and wholly dependant upon Government servant.

- (xi) The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the BUYER, and if he does so, the BUYER shall be entitled forthwith to rescind the contract and all other contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- 7.2. The decision of the BUYER to the effect that a breach of the provisions of this pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Monitor(s) appointed for the purpose of this Pact.

8. INDEPENDENT MONITORS

- 8.1. The BUYER will appoint Independent Monitors (hereinafter referred to as Monitors) for this Pact.
- 8.2. The task of the Monitors shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.
- 8.3. The Monitors shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
- 8.4. Both the parties accept that the Monitors have the right to access all the documents relating to the project/ procurement, including minutes of meetings. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/ Subcontractor(s) with confidentiality.
- 8.5. As soon as the Monitor notices, or has reason to believe, a violation of this Pact, he will so inform the Authority designated by the BUYER.

8.6. The Monitor will submit a written report to the designated authority of BUYER/Secretary in the department/within 8 to 10 weeks from the date of reference or intimation to him by the BUYER /BIDDER and, should the occasion arise, submit proposal for correcting problematic situations.

9. FACILITATION OF INVESTIGATION

In case of any allegation of violation of any provision of this fact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents including the books of Account of the BIDDER and the BIDDER shall provide necessary information of the relevant documents and shall extend all possible help for the purpose of such examination.

10. LAW AND PLACE OF JURISDICTION

This pact is subject to Indian Law, the place of performance and jurisdiction shall be the seat of the BUYER.

11. OTHER LEGAL ACTIONS

The actions stipulated in this integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of any other law in force relating to any civil are criminal proceeding.

12. VALIDITY

12.1 The validity of this integrity Pact shall be from the date of its signing and extend up to 2 years or the complete execution of the contract to the satisfaction of both the BUYER and the BIDDER/Seller whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.

12.2. If one or several provision of this pact turns out to be invalid; the remainder of this pact shall remain valid. In such case, the parties will strive to come to an agreement to their original intention.

13. The parties hereby sign this integrity Pact aton.....

BUYER

BIDDER

Name of Officer
Destination Department/PSU

CHIEF EXECUTIVE OFFICER

Witness

Witness

1).....

1).....

2).....

2).....

ANNEXURE – II

PROFORMA FOR BANK GUARANTEE TOWARDS SECURITY DEPOSIT

**(To be executed on non-judicial stamp paper of Rs. 250/- and
Rs 1/- Revenue stamp may be affixed on Bank Guarantee)**

Bank Guarantee No..... Dated.....

In consideration of the Chhattisgarh State Power Transmission Company Limited, Raipur (A successor company of Chhattisgarh State Electricity Board, Raipur hereinafter referred to as ‘CSPTCL’) having agreed to accept this Bank Guarantee in lieu of cash deposit by way of Security for due and faithful performance required from M/s. _____ (herein after referred to as “Contractors”, the Bank of _____ hereby agrees unequivocally and unconditionally to pay within 48 hours on demand in writing from the Chhattisgarh State Power Transmission Company Limited or any officer authorized by it in this behalf of any amount upto and not exceeding Rs.....(in words) only to the said Chhattisgarh State Power Transmission Company Limited on behalf of the aforesaid M/s who have tendered and contracted for the supply of materials, equipments or services to the said the Chhattisgarh State Transmission Company Ltd, against order No..... dated..... For the order value of Rs.....

The beneficiary of this Bank Guarantee shall be Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur). The proceeds / encashment of this Bank Guarantee would go in the name of Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur).

This agreement should be validand binding on this bank up to and including claim period upto_____ 20____or for such further period as may here under be mutually fixed from time to time in writing by the Chhattisgarh State Transmission Company Ltd. and the contractor shall not be terminable by notice or any change in the constitution of the aforesaid bank or the firm of Contractors or by any others reasons whatsoever and the Banker’s liability hereunder shall not be impaired or discharged by any extension of time or variations or alteration made, given conceded or agreed to with or without the Bank knowledge or consent by or between the Chhattisgarh State Transmission Company Ltd. and contractor in the existing and / or further tenders and / or contracts.

It is agreed by the Bank with the CSPTCL that if for any reason a dispute arises concerning the Bank’s liability to pay the requisite amount to the CSPTCL under the terms of this guarantee the competent court at Raipur alone shall have the jurisdiction to determine the said dispute and that this shall be without prejudice to the liability of the Bank under the terms of this guarantee being unequivocal and unconditional as mentioned above.

The liability under this guarantee is restricted to Rs..... (in words)only. This guarantee shall remain in force until dtd....., unless a demand to enforce a claim under the guarantee is made by CSPTCL to the Bank upto dtd..... the rights of the CSPTCL under this guarantee shall be forfeited and Bank shall be relieved and discharged from all liabilities there under.

WITNESSES:-

SIGNATURE

- 1.
- 2.

Authorized Signatories of Bank
Signed. _____
for _____ Bank

TENDER SPECIFICATION
TR-20/S&P/53
For
SUPPLY OF ABT METER
(Through E-Bidding)
RFx No-8100020539

LAST DATE & TIME OF SUBMISSION OF TENDER
05.04.2021 (TIME 15:00 HRS.)

DUE DATE OF OPENING OF TENDER
05.04.2021 (TIME 15:30 HRS.)