

**CHHATTISGARH STATE POWER TRANSMISSION CO. LTD.**

(A Govt. of Chhattisgarh undertaking) (A successor company of CSEB)

**OFFICE OF CHIEF ENGINEER (PLANNING & PROJECT)**

Third Floor, SLDC Building, CSEB Campus

Dangania, Raipur (C.G.)-492013

Phone No. 0771-2574245/ 4214/ 4209

CIN- U40108CT2003SGC015820

GSTIN-22AADCC5773E1ZX

**TENDER SPECIFICATIONS****TR-20/01****VOLUME - I OF III****CONSTRUCTION OF 132/33 KV SUB-STATION AT****BAIJALPUR (Silhati)**

**(DISTT: KABIRDHAM)**

**ON TURNKEY BASIS**

**RfxNo.:- 8100018534**

**LAST DATE & TIME OF SUBMISSION OF TENDER**

**DATE: 22.09.2020 (TIME 15.00 HRS)**

**DUE DATE & TIME OF OPENING OF TENDER**

**DATE: 22.09.2020 (TIME 15.30 HRS)**

*Website: - [www.cspc.co.in/csptcl](http://www.cspc.co.in/csptcl)*

**Cost of tender document: Rs.5,000 + applicable GST**

**OFFICE OF CHIEF ENGINEER (PLANNING& PROJECT)**  
**CHHATTISGARH STATE POWER TRANSMISSION CO. LTD.**  
**DAGANIYA, RAIPUR (C.G.)**

**CONSTRUCTION OF 132/33 KV SUB-STATION BAIJALPUR**  
**DISTRICT KABIRDHAM ON TURNKEY BASIS**

**INDEX**

**VOLUME - I**

<b>Sl. No.</b>	<b>Particulars</b>	<b>Page No.</b>	<b>Section</b>
01	Tender Form	5	
02	Notice Inviting Tender (N.I.T.)	6-7	
03	General Description of Project & Scope of work	8-12	
04	Instruction to bidders, Earnest Money Deposit (EMD) and Pre-Qualification Requirements & other eligibility criteria Price bid and its evaluation, Pre contract integrity pact, taxes etc.	13-30	Section-I
05	General condition of contract	31-52	Section-II
06	Annexure, schedules and formats, Vendor list	53-102	Section- III
07	Price Bid Annexures- Abstract B and Annex. B-1 to B-9, C-1, D-1 & D-2	103-138	Section- IV

**VOLUME – II**

<b>Sl. No.</b>	<b>Particulars</b>	<b>Page No.</b>	<b>Section</b>
01	Technical specifications for construction of 132 /33 KV sub-station.	5-285	Section- I
02	Price Variation Formulae for EHV Sub-stations equipments.	286-309	Section- II

**VOLUME - III**

<b>Sl. No.</b>	<b>Particulars</b>	<b>Page No.</b>	<b>Section</b>
01	Drawings for EHV Sub-station	3 Pages	Section- I
02	Civil foundation drawings for EHV Sub-stations	63 Pages	

# VOLUME - I

## INDEX

S.No.	Particulars	Page No.
01	Tender Form	5
02	N.I.T.	6-7
03	General Description of Project & Scope of works	8-12
	<b>SECTION- I</b>	13
1.	Special instruction to Bidders for E-bidding and instruction to Bidders	14-17
2.	Earnest Money Deposit	18
3.	Pre-Qualification Requirements.	19-20
4.	Pre-contract integrity pact, Eligibility Criteria or qualifying requirement	21-26
5.	Price-bid & its evaluation	27-28
6.	Taxes	29-30
	<b>SECTION-II</b>	
	<b>General Condition of Contract</b>	31
1.	General Condition of Contract	32-52
	<b>SECTION- III</b>	<b>53</b>
	<b>Abstract of Annexures, Schedules &amp; Formats</b>	54
A-1	General Information to be furnished by bidder	55
A-2	Declaration Form	56
A-3	Questionnaire	57-60
A-4	Undertaking for Personal Capabilities	61
A-5	Undertaking for Equipment Capabilities for sub-station	62
A-6	Financial Capabilities	63
A-7	Format for evidence of access to or availability of credit/facilities	64
A-8	Experience Record	65
A-9	Deviation from Technical Specification/Condition	66
A-10	Deviation from the Condition of Contract (Commercial)	67
A-11	Completion schedule for sub-station	68
A-12	Litigation History of the bidder	69
A-13	Current Contract Commitment(s)	70
A-14	Agreement Proforma	71-72
A-15	Proforma for Bank Guarantee towards Security Deposit	73
A-16	Proforma for Bank Guarantee towards Performance	74
A-17	Proforma for Bank Guarantee for Loss/Damages to CSPTCL	75-76
A-18	Proforma for Indemnity Bond	77-78
A-19	Proforma for Deed of Extension of Bank Guarantee	79
A-20	Proforma for undertaking by the Joint Venture Partners	80-81
A-21	Proforma for Power of attorney for joint venture	82

<b>S.No.</b>	<b>Particulars</b>	<b>Page No.</b>
A-22	Pre-Contract Intergrity Pact	83-87
A-23	Inspection Plan for substation equipment	88
A-24	List of Vendors for Sub-station	89-95
A-25	Quantity of major equipment and material required for Sub-station	96-97
A-26	Illustrative example for capitalization of losses	98
A-27	Check List	99-100
A-28	Certificate issued by Chartered Accountant	101
A-29	Declaration by the bidder	102
	<b>Section – IV</b>	<b>103</b>
	<b>(PRICE BID ANNEXURES)</b>	
	<b>Abstract of Price Bid Annexures (Grand Summary)</b>	104
B-1	132 KV side switchyard & control room Equipment	105-106
B-2	33 KV side switchyard & control room Equipment	107-108
B-3	Conductor, Clamps & Connectors Disc Insulators & Hard ware	109-111
B-4	Cable, Battery set & Battery Charger	112-113
B-5	Luminaires & Miscellaneous Equipments	114-115
B-6	G. I. Steel Structure	116-117
B-7	T & P and other Instruments	118-121
B-8	Furniture for control room.	122
B-9	Automatic Data Logging System	123
C-1	Civil Works for EHV Sub-station	124-131
D-1	Erection Charges for EHV Sub-station	132-136
D -2	Testing & Commission Charges for EHV Sub-station	137-138

\*\*\*



## CHHATTISGARH STATE POWER TRANSMISSION CO. LTD

(A Government of Chhattisgarh Undertaking)

**O/o Chief Engineer (Planning & Project)**

Address : Third floor, SLDC Building, Danganiya Raipur-492013.

Website : [www.cspc.co.in](http://www.cspc.co.in) Phone 0771-2574209/14/45 Fax:0771-2574246

### **TENDER FORM**

#### **TENDER SPECIFICATION TR-20/01 FOR CONSTRUCTION OF 132/33 KV SUB-STATION BAIJALPUR (Silhati) DISTT: DURG ON TURNKEYBASIS**

Tender document SL.No.....\*

Issued to M/s..... \*

Cost of Tender documents Rs.....

D.D.No.....Dtd.....

Name of Bank .....

*\* Not required in case tender document is downloaded*

**Signature & Seal of Issuing Authority  
CSPTCL; Raipur**

The undersigned hereby tender and offer (subject to CSPTCL's conditions of tendering), the Chhattisgarh State Power Transmission Company to test and supply, plant, machinery, materials, deliver and execute and do the several works and things which are described or referred to in the enclosures & Annexures to the specification **TR-20/01** copies of which are annexed hereto and which under the terms thereof are to be supplied, executed and done by the contractor in a thoroughly good and workman like manner, and to perform and observe the provisions and agreements or the part of the contract contained in or reasonably to be inferred from the said tender documents for the sum and at the rates set out in schedules annexed hereto.

It is confirmed that:

- (I) Questionnaire for Commercial terms and conditions.
- (II) Questionnaire for Technical specifications of the Equipments, and
- (III) All other conditions wherever described in the tender documents have been replied in full giving clear details. It has been noted that in case any reply is not given or any reply is incomplete/ambiguous the Company will have right to take the same to be advantageous for the Company. Company's decision in this regard will be final. The bidder will have no right to furnish any technical or commercial clarification after opening of the bid which may in any way alter the offered prices.

Dated, this ..... day of .....

**Bidder's Signature**

**Bidder's Address.**

**CHHATTISGARH STATE POWER TRANSMISSION CO. LTD**

(A Government of Chhattisgarh Undertaking)

**O/o Chief Engineer (Planning & Project)**

Address : Third floor, SLDC Building, Danganiya Raipur-492013.

Website : [www.cspc.co.in](http://www.cspc.co.in)

Phone No. 0771-2574245/ 14/ 09

Fax:0771-2574246

No.02-04/NIT/TR-20/01/704

Raipur /dtd. 25.08.2020

**NOTICE INVITING TENDER**

Sealed tenders are invited from experienced bidders for taking up the following project on turnkey basis-

Sl. No	Tender No.	Particulars	Cost of Tender Documents (Non-refundable)		Earnest money deposit	Due date of opening of tender
			Printed Tender form	E-tender form online (Downloaded from website)		
01	TR-20/01	Construction of 132/33 KV Sub-station at Baijalpur, Distt. Kabirdham on turnkey basis	Rs.5,600/- (including 12% GST)	Rs 5,900/- (including 18% GST)	Rs. 5.00 lacs	22.09.2020

**SCOPE OF WORK:** The scope of specification includes -

- All civil works associated with construction of EHV sub-station including construction of foundation, cable trench, control room building, water supply arrangements & road etc. along with supply of cement, steel and other construction material.
- All designing & drawing of sub-station including supply of galvanized steel structures as per CSPTCL's design, all equipments/ material including 40MVA Power transformer & all other material conforming to relevant I.S.S./ International Standards as per tender specification & as approved by CSPTCL, required for construction of sub-station.
- All associated control room activities viz. cable termination, wiring, testing and commissioning and also commissioning of various outdoor equipments including power transformers etc.
- Supply of testing equipments, T&P, furniture etc.
- Erection, Testing, Commissioning of individual equipments, energization of complete substation and handing over of the same to CSPTCL complete in all respect and satisfactory conclusion of the contract within the stipulated time limit.
- The tender will be considered as in-divisible composite works contract in totality.

**NOTE:**

- In case any of the above date is declared as holiday, then the particular date will automatically get shifted to next working day.
- Any notice for extension of due date of tender opening shall not be published in newspapers. It will be displayed only on official website of the company.
- Price bid shall be submitted through e-bidding on or before last date. & time of bid submission. The e-bidding portal for the price bid will be <https://ebidding.cspcl.co.in:50714/irj/portal>

**TERMS AND CONDITIONS:-**

- (i) The tender documents can be obtained from the office of the ED/CE (Planning & Projects), CSPTCL, Raipur in person on payment of cost of tender document in the form of D.D. only made out in the name of 'Manager (RAO : HQ), CSPTCL, Raipur' accompanied with firm's application on its letter head. If tender document is required by post, Rs.280/- (i.e.250/- + 12% GST) shall be paid by D.D. additionally along with the cost of documents. If more than one tender document is required, separate DDs should be furnished for each tender. CSPTCL shall not be responsible for any postal delay in receipt/ non-receipt of tender documents. No receipt of tender shall be issued in any case.
- (ii) The tender document can also be downloaded from official website of CSPTCL '[www.cspc.co.in](http://www.cspc.co.in)' (go through Chhattisgarh State Power Transmission Co. Ltd. - Tender Notice) and required tender fee Rs.5600/- {(i.e. Rs.5,000/- + 12% GST) if purchased} or Rs.5900/- {(i.e. Rs.5,000/- + 18% GST) if downloaded} in form of DD in favour of Manager (RAO: HQ), CSPTCL, Raipur payable at Raipur should be submitted along with cost of Earnest Money Deposit (EMD) in separate envelope. The envelope containing DDs towards cost of tender document & EMD should be suitably super scribed "DDs containing cost of tender document and EMD". The details of DDs should be mentioned on the outer side of the envelope also. Please note carefully that in absence of aforesaid requisite tender fee, further bid shall not be considered for opening.
- (iii) Tender documents and the detailed specification can be obtained on any working day one day prior to the due date. The tenders duly filled in shall be dropped/get dropped in the specified tender box up to 15:00 Hrs. on the due date. Any other means of delivery shall not be accepted. No receipt of tender shall be issued in any case. The tender box shall be locked/sealed at 15:00 Hrs. on the due date and shall be opened at 15:30 Hrs. on the same date.
- (iv) After publication of NIT & before the date of opening of TC Bid, corrigendum/ other information (if any) shall be displayed on our official web only. The bidders are requested to remain in contact with this office or visit our web-site for any development/ clarification/amendment issued subsequently.
- (v) CSPTCL reserves the right to accept or reject any or all the offers, in part or full without assigning any reason whatsoever.

**Website: - [www.cspc.co.in](http://www.cspc.co.in) -> csptcl**

**Chief Engineer (Planning & Projects)  
CSPTCL: Raipur**

## **GENERAL DESCRIPTION OF PROJECT AND SCOPE OF WORK**

The detailed scope of work under this turnkey project includes but is not limited to:-

1. All civil works associated with construction of 132/33KV sub-station including construction of foundations, cable trenches, control room building and associated works along with supply of cement, steel and other construction material.
2. Supply of galvanised steel structure for equipments, gantry, bus-bar as per design & drawing of CSPTCL & tubular pole/ high mast lighting arrangements.
3. Design of sub-station and supply of 40MVA transformers, all equipments for 132 KV and 33 KV switchyard and control room equipments, control cables etc.
4. Supply of testing equipments, T & P and furniture, ADLS etc.
5. Erection, Testing, Commissioning of all equipments, energization of substation, handing over of the same to CSPTCL complete in all respect and satisfactory conclusion of the contract within the stipulated time limit.
6. *System fault level is 31.5 KA for 132 KV and 25 KA for 33 KV switchyard equipments. However, the short time current ratings of various equipments have been mentioned in their technical specification and the equipments are to be supplied with the desired Short time current rating.*

### **6.1 SUPPLY, ERECTION, TESTING & COMMISSIONING OF THE FOLLOWING EQUIPMENTS:**

- (i) 40 MVA, 132/33 KV Transformers,
- (ii) 132KV equipment viz; SF6 Circuit Breakers, Lightning Arrestors, Wave Traps, Coupling Capacitors and Isolators (132 KV Current Transformer, 132 KV Potential Transformer shall be provided by CSPTCL)
- (iii) 33KV equipment viz; VCB, Current Transformers, Potential Transformers, Isolators, LAs, 12MVAR Capacitor Bank, 200KVA 33/0.4 KV Station Transformer, DO Fuse etc.
- (iv) Luminaries, High Mast lights, etc
- (v) GI Steel structures,
- (vi) Control & Relay Panels,
- (vii) RTU, PLCC equipments (Carrier Cabinet, Coupling Device & Coaxial Cables),
- (viii) 110V & 48V Battery sets & Battery Chargers,
- (ix) ACDB/ DCDB Boards, Marshalling/ Junction box,
- (x) Control & Power Cables,
- (xi) GI Cable trays,
- (xii) ACSR conductor, earth wire
- (xiii) Hardwares, clamps & connectors.
- (xiv) Disc & post insulators,
- (xv) Earth-mat & earthing materials,
- (xvi) Testing equipment, T&Ps and Fire fighting equipments.
- (xvii) Sub-station automatic data logger system,
- (xviii) Furniture etc.
- (xix) Any other equipment/ material which the contractor feels is required for completion of the sub-station on Turnkey basis.



**6.2 132 KV SIDE SWITCHYARD:**

Total **05 No. 132 KV bays** will be constructed at 132/33 KV S/S Baijalpur as per tentative switchyard plan layout attached with the tender as detailed here under:-

- i) 02 No. 132KV feeder bay comprising of gantry structure, CB, CT, CC, LA, Isolators, C&R panel, PLCC equipments etc. (**132 KV CT shall be provided by CSPTCL**).
- ii) 02 No. 132 KV transformer bay for 40MVA, 132/33 KV Power Transformer (fully equipped).
- iii) 01 No. 132 KV Bus Transfer Bay (fully equipped).
- iv) Two Sets (06 No.) of 132 KV PT. (**132 KV PT shall be provided by CSPTCL**).
- v) The bus arrangement is for one main bus and one transfer bus scheme. The bus conductor shall be double zebra for main bus and single zebra for transfer bus.

**6.3 33KV SIDE SWITCHYARD:**

Total **09 No. 33 KV bays** will be constructed as per tentative switchyard plan layout attached with the tender and as detailed here under:-

- i) 5 No. 33 KV Feeder Bays with gantry structure, isolators, CB, CT and C&R panel etc. (fully equipped).
- ii) 02 No. 33KV transformer incoming bays for 40MVA Transformer. (fully equipped)
- iii) 33 KV Bus transfer bay (fully equipped)
- iv) 33 KV bay for 36 KV 12 MVAR capacitor bank. (fully equipped)
- v) Two Sets (6 No.) of 33KV PT
- vi) Two no.200 KVA, 33/0.4 KV Station Transformer with DO Fuse protection.
- vii) Additional 132 & 33KV bays for following shall also be constructed with civil foundations (including foundation bolts), cable trenches, site levelling/ metal spreading, laying earth mat etc and associated structures **but without equipments**
  - (a) 1 No. for future 132 KV Feeder Bay
  - (b) 1 No. for future 33 KV Feeder Bay

A Tentative switchyard layout plan of substation is enclosed with this tender document showing 132 & 33 KV feeders & transformer bays (incl. future bays) to be constructed.

**All Steel structure shall be as per CSPTCL's design & drawings of structures.**

Weight of steel structure is given in Schedule-C of Section-I of Volume-II of this tender document.

**6.4 CIVIL WORKS:**

The scope of civil works for substation shall be as follows:-

- i) Construction of Control Room Building modified type-IV (Four) with internal water supply, internal and external sanitation, electrification, plinth protection, pre-construction anti-termite treatment, drainage arrangement etc. complete in all respects as per specifications and direction of Engineer-in-charge of CSPTCL.  
The drawing of modified Type-IV control room is enclosed in Volume-III of this tender.
- ii) Construction of 5.0 metre wide concrete road as defined in price bid "Annexure C-1" for civil works in the proposed EHV sub-station, from the main gate of the switch yard up to loading/ unloading Gantry structure passing in front of main transformer and near control room etc., with roadside (brick type drain) & outside the switchyard and RCC NP-3

Hume pipe culverts with wing wall & apron of adequate size for draining out storm water of the substation area etc as per requirement.

Construction of 3.0 meter wide concrete road shall be also constructed as per the requirement and approved layout.

The road shall be laid over W.B.M. coat with proper base course and sub base as per IRC standards. Min. thickness of concrete apron shall be 100 mm thick M-20 grade concrete (1:1.5:3) laid over 100 mm thick P.C.C. (1:3:6) with proper expansion joints and dowel bars etc. as per approved drawing and IRC specifications. In case of B.C. soil/Expansive soil strata well compacted layer of hard muroom of at least 300 mm (compacted thickness) shall be provided below soiling.

- iii) Switchyard levelling up to desired finished yard level with selected top layers comprising 100 mm thick layer of 40 mm hard crusher broken hard metal over underlying layer of sand 100 mm thick (compacted thickness). In case of Black cotton soil/expansive soil strata, one additional layer of hard muroom 100 mm thick shall be provided below the 100 mm thick layer of sand. Application of approved herbicides in entire yard area as per manufactures specifications. Disposing/stacking unwanted/ rejected spoils in the manner and at the location as decided by Engineer-in-charge of CSPTCL.
- iv) Construction of RCC Cable trenches suitably designed to take the super imposed loads & adequate inside dimension, concrete coping, concrete base, plastering, weep hole arrangements at suitable intervals angle nosing, chases support MS angle for GI cable tray, RCC covers etc. complete with proper bed slope for efficient drainage in such a manner that all the water falling in the trenches shall be finally collected in a RCC pit of size 3.5m x 3.5m x 4 meter with adequate rain water harvesting and over flow spill channel of adequate size, slope and length up to natural drainage. The main Cable trench shall be covered with **RCC cast in situ slab**.
- v) Construction of Foundation of all structure & equipments with design/drawing provided by CSPTCL as per soil strata at site, as per applicable IS codes. Soil investigation report indicating soil bearing capacity of sub-station & civil foundation drawings are enclosed in Volume-III of this tender document.
- vi) Construction of Two number 150 mm dia tube wells, each with minimum 5000 litre per hour yield, separate pump houses, two nos. interconnected overhead water tanks of 1000 litre capacity each, above control room building, complete water supply arrangements from both the bores to water tanks, from water tank to Control Room Building and from both the bores as well as from tank to all the earth pits, with submersible pumps, panels, cables, water tanks, GI pipe lines, all fittings, fixtures etc. of approved make as per specifications, in standard manner, as per direction of engineer-in-charge of CSPTCL.
- vii) Construction of MS Main gate with RCC pillar with mesh covered decorative lamps on control room entrance side of size 2.4m x 7.5m with wicket gate min. 1500 mm wide and rollers.
- viii) Construction of 2.4 mtr high GI chain link mesh yard fencing (size of mesh 75 x 75 x 8 guage) on GI angle posts, GI horizontal angle bracings, six rows of barbed wire (weight 9.38 kg/per 100 RM) on 'V' shape (minimum height 450 mm) GI angle at top of mesh two nos. 4 mm dia. G.I. straining wires equidistant from top and bottom to be tightened by turn buckles at every 25 metres, strainer posts at every corner and at every 10<sup>th</sup> post on both sides of main post as well as one strainer post on inner side also etc. of adequate size, as per approved drawing, as per specifications, in standard manner and as per direction of engineer-in-charge of CSPTCL.

- ix) Arrangement of slope protection such as pitching, retaining wall, turfing on slope, drains diversion works etc. due to topography of the site and surrounding area or change in yard level at different points or any other reason, as per direction of Engineer-in-charge.
- x) Construction of earth pits & water supply arrangement for it & Rain harvesting pit.
- xi) Construction of RCC sump tank for collecting burnt oil with NP3 Hume pipe of min. 450 mm dia laid at required slope to drain out oil in 30 minutes from soak pit to burnt oil pit. The transformer foundation shall have soak pit to store at least 33% of oil content of transformer in cavity created below metal. The metal in soak pit shall be 40 mm single size metal and the metal shall be spread over perforated iron grating. The iron grating shall be made of perforated MS plate of required thickness supported on R.S. joist and shall be properly designed to support the metal and oil load. The capacity to store at least 33% of oil content of transformer shall be created between grating bottom and top of floor of soak pit.
- xii) Level survey of sub-station site and adjoining area up to nearest available natural outlet from storm water drain shall be done as directed by Engineer-in-charge.
- xiii) Before commencement of work, the area described and shown on land utilization plan shall be cleared of all obstructions, including abandoned brick masonry/concrete/ steel structures, loose stones, materials, vegetation such as grass, shrubs, bushes and stumps of trees, roots etc. by the contractor at his own cost.

Complete design and detailed engineering of sub-station shall be done by the Contractor, based on specifications and conceptual drawing of the sub-station layout attached with the tender document in Volume-III of this tender document.

Design of sub-station and its associated electrical & civil auxiliary system includes preparation of foundation & cable trench layout, finalizing various levels of sub-station on the basis of contour drawing to ensure effective drainage, electrical and physical clearance diagrams.

Control and protection schematics, wiring and termination schedules, outdoor lighting/illumination and other relevant drawings & documents required for engineering of all facilities within the fencing to be provided under this contract are covered under the scope of the Contractor.

The Contractor shall execute the civil work at site as per drawings provided by CSPTCL. Civil drawings of structure & equipment foundations, control room, rain water harvesting pit, burnt oil tank, road, retaining wall, chain link mesh fencing etc. are enclosed in Volume-III of this tender document. The drawings for some equipment which are make dependant viz. Circuit breakers, transformer auxiliaries (fan, marshalling box, jacking pad, roller locking support etc.), capacitor bank, lighting high mast etc shall be provided by CSPTCL only after foundation layout drawings and load details for such equipments are made available to CSPTCL by successful bidder.

**Bidders are advised to visit the sub-station site to acquaint & satisfy themselves with its surrounding, topography, condition of soil strata, availability of construction material, labour, approach road, availability of water for construction purpose etc. and other local parameters, infrastructure and means to access the site, prior to submission of offer.**

**Bidders shall be deemed to have full knowledge of the site, whether he inspects it or not and no extra charges towards visit or otherwise shall be allowed. Submission of the offer by the bidder implies that he has read the tender document and made himself aware of the**

**scope of the work to be done, local conditions and all other factors bearing on execution of the work.**

**Any other item which are not specifically mentioned in the bill of quantities/price schedule, but are essential for completion of the project and its satisfactory operation, are deemed to be included in the scope of the work unless specifically excluded. Such works, which are beyond the scope of the contract, shall have to be done by the contractor as per clause-4 of GCC and as per approved drawing, specifications and as per direction of engineer-in-charge of CSPTCL.**

#### **VARIATION IN QUANTITIES:**

The quantities of equipments indicated in the schedules/Annexure B-1 to B-9, C-1, D-1 & D-2 are tentative and there may be variations at the time of actual execution of the work. The contractor shall have to complete the works as per prevailing site and field conditions/ requirements/approved drawing/ scope of work/ specifications and will have to ensure complete supply of equipments, steel structures including civil work etc. and also erection & commissioning of equipment in the sub-station as per the direction of concerned engineer- in-charge of CSPTCL

\*\*\*\*\*

# **S E C T I O N – I**

***(INSTRUCTION TO BIDDERS, EARNEST MONEY DEPOSIT,  
PRE-QUALIFYING REQUIREMENT, EMD, TAXES)***

## **SECTION – I**

### **Special Instructions to bidders for submission of bid through SAP-SRM module (E-bidding)**

The price bid against tender specification No. **TR-20/01** is to be processed through e-bidding. For participation in E-bidding, it is mandatory for prospective bidders to get registered online through our website & portal **<http://www.cspc.co.in> & <https://ebidding.cspcl.co.in:50724/irj/portal>**, on registration the bidders will get User ID and Password for participating in the tender. The techno commercial bids bid is to be submitted in hard copy whereas the price bid is to be submitted online (E-Bidding portal). Details of NIT & Tender Documents are available on our website and portal as indicated above.

The bidder may download the same from the above site. In e-bidding portal, tender documents will be displayed in online tender display at Technical RFx section.

**For bidders, it is recommended to open the e-bidding portal by the following the path [www.cspc.co.in](http://www.cspc.co.in)->e-Bidding->”click here for e-Bidding Web portal”.**

Last date & time of submission of bid in hard copy and also in softcopy is **22.09.2020 upto 03:00 pm** and due date & time of opening of part -I and part-II of the tender is **22.09.2020 upto 03:30 pm**.

#### **Important Instructions:-**

1. Please note that this tender shall be processed online as well as offline. The bidder has to submit all the documents in hard copy as per tender specifications in four envelopes.
2. **The abstract (total) amount of Annexure from B-1 to B-9, C-1 and D-1 & D-2 are to be filled in the item tab in e-bid in SAP SRM System (online e-tender). Amount should be quoted online & in specified fields only. It is required to upload scanned copy of ONLY price bid SCHEDULES DULY FILLED IN AND SIGNED WITH SEAL OF FIRM IN THE specified FOLDER along with the duly filled excel sheets of price schedules. It may be noted that the bid will not be considered for evaluation in case the bidder has not uploaded the scanned copies of duly filled price Bid annexure with seal & signature of bidder even he submit the summary in E-bidding portal.**

**Discount (if any) offered by the bidder should be filled in the respective field in the SAP SRM system (E-bidding Portal) only. Discount for each of the schedules i.e. B-1 to B-9, C-1, D-1 & D-2 is to be indicated separately in the respective fields. No discount offer shall be considered which is indicated elsewhere for the purpose of evaluation and comparative statement. Once the rates are filled, the bidders may change their rates upto the due date and time of submission of tender. After due date and time, no change on any ground whatsoever will be accepted.**

3. After scrutiny of techno-commercial bid, the price bid will be opened in e-bidding system only of eligible bidders for which suitable intimation will be given to the bidders offline & through email.
4. Please note that e-mail is always system generated, hence bidders are advised to regularly check their inbox/ junk mail box.

5. CSPTCL shall not assume any responsibility for non-supporting of system, internet, line & associated hardware & software for bidding their tender. No extension in time shall be granted on such grounds. The bidder should submit their bid well before submission dead line to avoid any system related problem. It is strongly recommended not to wait for submission of bid in last minutes as internet/technical problem may disrupt their works.
6. Reference time for submission dead line shall be the time displayed in the portal and shall be treated as final.
7. After end of submission dead line, no alteration in the tender will be allowed by the system. However, in case of extension of due date of opening of tender, the bidders will be allowed to submit revised bid in the system.
8. CSPTCL will not accept incomplete bid.
9. The bidder must have a valid Digital Signature (class –III digital certificate) to establish the identity of the bidder & SAP SRM User ID. User ID & Password from CSPTCL and Digital Signing Certificate and Digital Encryption Certificate from any recognized digital signature issuing authority are required for participation in any Tender. The bidder shall intimate in advance regarding details of digital signature issuing authority for ensuring the reliability of the same. ***It may please be noted that the tender be submitted with valid digital signature of Lead partner only in case of joint venture/consortium else the same will not be considered for evaluation.***
10. The e-bidding vendor user manual displayed on website-<https://ebidding.cspcl.co.in:50724/irj/portal> for the help of the bidders. For any further queries the bidder may contact at Helpline no. 0771-2576672/73 (EITC, CSPDCL, Raipur).
11. Tender shall be opened in the scheduled time as notified. If the due date of opening/ submission of tender documents is declared a holiday by the Govt. or local administration, it will be automatically shifted to next working day for which no prior intimation shall be given. Tender opening shall be continued on subsequent days, in case the opening of all tenders is not completed on due date because of the technical constraints of system on the day of opening. It may be noted that the due date of opening/ time may be altered/ extended if desired by CSPTCL without assigning any reason. However, intimation shall be available on company's tender portal/bidders email (if participation shown). The bidders are requested to keep track of the same.
12. Amendment in tender specification will be published on our website as well as in SRM system and the intimation regarding amendment in date extension will be conveyed through system generated e-mail to registered bidders only.
13. Before participating the bidder shall carefully read all the instructions and processes.
14. Tender duly completed in all respects will be accepted online up to due date & time and will be opened on the due date at specified time in the presence of tenderers or their authorized representatives. In case of authorized representative(s) they shall bring the original authorization letter with their signature attested by the bidder.

**Chief Engineer (P&P)**  
**CSPTCL: Raipur**

## **1 INSTRUCTION TO BIDDERS**

- 1.1 Sealed Tenders in duplicate in Four envelopes (each complete with all details in the manner specified together with drawings, test reports, descriptive literature if any) and declarations form duly signed by the bidder are to be submitted in the office of the **ED/CE (Planning & Projects), CSPTCL, Dangania, Raipur (CG)** in double sealed cover & super scribed on each of the covers the relevant tender specification number and due date of opening as indicated in “Notice Inviting Tenders”.
- 1.2 This tender Specification is divided into following three parts namely:-

### **VOLUME – I :-**

1. This volume comprises of following four sections -

- a) Section- I Instruction to Bidders.
- b) Section- II General Conditions of Contract.
- c) Section- III Annexure, schedules and formats, vendor list etc.
- d) Section –IV Price bid Annexures.

### **VOLUME – II :-**

This volume comprises of following three sections -

- a) Technical specifications of equipments / material for construction of 132/33 KV Sub-station.
- b) Price variation formulae for Sub-station equipments.

### **VOLUME – III :-**

This volume comprises of following sections -

- a) Drawings related to EHV Sub-Station.
  - b) Civil foundation & other civil drawings for EHV Sub-station.
- 1.3 CSPTCL reserves the right to alter the quantities with respect to materials/equipments/ volume at the time of placing of order.
- 1.4 Tenders will be opened online as well as offline in the O/o E.D/C.E (Planning & Projects), CSPTCL in the presence of the bidders or their authorised representatives (limited to two persons only with a valid authorisation from their employer). At the time of opening, the techno-commercial bid and other relevant details will be read out. Price bid of Techno commercially successful bidder would be opened only in online SAP SRM Module (E-bidding Portal) at a later date with due information to all the successful bidders.
- 1.5 The bidder may deviate from the specification while quoting if in his opinion such deviation is in line with the manufacturer’s standard practice and conducive to a better and more economical offer. All such deviations should however be clearly indicated giving full justifications for such deviations in separate sheet(s) under “Deviations/ Departures” title in Annexure-A-9 & A-10.
- It may please be noted that any deviation mentioned elsewhere (other than the prescribed formats of Technical deviation (Format A-9) & Commercial deviation (Format A-10) shall not be considered and shall have no effect.**
- 1.6 Only those who have purchased / downloaded the copy of relevant Specification No. **TR-20/01** can submit their tender. Tenders submitted by others will be rejected. The Tender form duly signed by the bidder with the seal of the company must be furnished with the bid, failing which the tender may be rejected.



- 1.7 CSPTCL reserves the right to reject the lowest or any other tenders or all tenders without assigning any reason whatsoever if it is considered expedient in the overall interest of CSPTCL.
- 1.8 The Tenders shall be submitted in **DUPLICATE** in Four envelopes should be enclosed in sealed cover both addressed to the E.D/C.E (Planning & Projects), CSPTCL, Dangania, RAIPUR and online price bid in SAP SRM Module (E-Bidding Portal )of CSPTCL . Both inner and outer cover envelopes should be sealed and super scribed with tender specification No. **TR-20/01** and date of opening.

- 1) **Envelope No. 1** should contain a covering letter with EMD & cost of tender document (if tender document is downloaded from the website),
- 2) **Envelope No. 2** shall contain the original and duplicate copy of documents in support of PQR & check list along with Pre-contract Integrity pact (for entire project).
- 3) **Envelope No. 3** shall contain the technical & commercial parts of the specification with Annexure-A-1 to A-13 & Un-priced Annexures B, B-1 to B-9, C-1, D-1 & D-2 complete in all respect in duplicate copy.
- 4) **Envelope No. 4** should contain all the above three envelopes.

No any envelope apart from above mentioned envelope shall be entertained.

The tender should be dropped in specified tender box, kept at the office of the Executive Director/ Chief Engineer (Planning & Projects), CSPTCL, Raipur before due date and time of submission of tender or by post / courier. No receipt will be issued for tender received through post/courier. It is responsibility of bidder to drop/get dropped the tender in respective tender box. Any other means of delivery shall not be accepted. The tender box shall be locked/sealed at 15.00 hrs of due date and offers received after will not be accepted.

- 1.9 Tenders received after due date and time shall be returned without being opened.
- 1.10 FAX or E-mail tenders shall not be accepted under any circumstances.
- 1.11 The submitted offer by the bidders should contain page numbers along with Index.
- 1.12 **Discount (if any) offered by the bidder should be indicated in E-bidding portal only. No discount offer shall be considered which is given elsewhere for evaluation and comparative statement.**
- 1.13 **Bidders to note this to avoid bid rejection-** It will be the responsibility of the sole bidder/ partners of joint venture (JV)/ consortium to make sure that all the documents required as per tender are submitted along with bid on or before due date of tender. The bid submission date is cut-off date of submission of all the documents required as per tender and every bidder must adhere to this dead line.

**If a bidder has quoted 'NIL' deviations in Annexure A-9 (Deviation from technical specification / condition) and Annexure A-10 (Deviation from Commercial conditions of contract), this will have an overriding effect on any other conditions noted as deviations elsewhere in the bid.**

**Please note that in case of any of the required document is not submitted along with the bid; the bid will be rejected without any further correspondence in the matter.**

- 1.14 **CHECK LIST:** The check list (Annexure A-27) in respect of various documents/schedules in respect of PQR is required to be submitted by the bidder without which the tender will be considered incomplete and liable for rejection. The bidder should submit all schedules duly filled in along with this offer.

**2. EARNEST MONEY DEPOSIT:**

2.1 The tender shall be accompanied by Earnest Money Deposit of **Rs.5.00 lakh (Rs. Five Lakh) only**. The Earnest Money Deposit shall be offered in the form of demand draft, subject to conditions mentioned below:-

- i. Bank Draft to be drawn in favour of 'Manager (RAO: HQ) CSPTCL, Raipur (CG)'.
- ii. No interest shall be paid on Earnest Money Deposit.
- iii. No adjustment towards Earnest Money Deposit shall be permitted against any outstanding amount with CSPTCL.
- iv. In the case of unsuccessful bidder, the Earnest Money will be refunded after finalization of tender. In case of successful bidder Earnest Money will be refunded only after furnishing Bank Guarantee against security deposit & its acceptance.
- v. Earnest Money will be forfeited if the bidder fails to accept the letter of intent and / or work order(s) issued in his favour.
- vi. Tenders not accompanied by Earnest Money shall be disqualified.
- vii. Cost of tender document is not refundable.

2.2 Fully owned Under Taking of the State Govt. / Central Govt. e.g. BHEL etc. are exempted from furnishing the EMD as per rules on furnishing documentary proof.

**2.3 FORFEITURE OF EARNEST MONEY:-**

The Bid security is required to protect CSPTCL against the risk of Bidder's conduct, which would warrant the Earnest Money's forfeiture, due to following reasons:

- a) If a Bidder withdraws his Bid during the period of Bid validity specified.
- b) In the event of refusal to accept the Letter of Intent placed by CSPTCL within the validity period.
- c) In case of a successful Bidder, if he fails to sign Agreements and fails to furnish Security Deposit as specified in the Tender Specification.

The successful Bidder's Earnest Money will be discharged only after the execution of various Agreements and Security deposit by the Bidder (as specified in this tender Specification).

2.4 **VALIDITY:** The bid should be kept valid for a period of 180 days from the date of opening of the tenders as notified in the tender notice and subsequent amendment thereof, failing which the tenders will be rejected.

2.5 Bidders are expected to be fully conversant with the meaning of all the clauses of the specifications before submitting their tenders. In case of doubt regarding the meaning of any clause, the bidder may ask for clarification in writing from the O/o Executive Director/ Chief Engineer (Planning & Projects), CSPTCL, Raipur that must reach at least 15 days before the scheduled date of opening of tender. This however, does not entitles the bidder to ask for time extension beyond due date of opening of the tender.

**3. PRE-QUALIFYING REQUIREMENTS (PQR):-**

The bidder shall comply with the following requirements:-

**3.1 FINANCIAL CRITERIA OF PQR :-**

- (i) **Net Worth:** Net Worth of the sole bidder/ each partner of joint venture (JV)/ consortium for each of the last three Financial Years (2017-18, 2018-19 & 2019-20) should be positive.

***In case audited balance sheet for FY 2019-20 is not available; net works as per audited balance sheet of previous three years i.e. 2016-17, 2017-18 & 2018-19 shall be considered for above criteria and for this, the bidder shall submit the self declaration countersigned by CA regarding non-availability of audited balance sheet for FY 2019-20.***

Net worth means the sum total of the paid up capital and free reserves (excluding reserves created out of revaluation) reduced by aggregate value of accumulated losses (including debit balance in profit and loss account for current year) and intangible assets.

- ii) **MAAT:** The sole bidder/partners of joint venture (JV)/consortium collectively must have minimum average annual turnover (MAAT) for best 3 years out of last 5 financial years (i.e. FY 2015-16 to FY 2019-20) equal to **Rs.21.52 Cr.** Self-attested copies (i.e. copies attested by authorised signatory of the tender) of the audited Balance Sheets and profit & loss accounts for last 5 years of sole bidder/each of the partners of the joint venture should be furnished in support, duly certified by chartered accountants of the firm. For calculation of turnover, other income indicated in balance sheet shall not be taken into account.

***In case where audited balance sheet for FY 2019-20 is not available; a self declaration to this effect countersigned by a practicing Chartered Accountant needs to be attached and in such cases audited balance sheets of financial years for FY 2014-15 to 2018-19 shall be considered.***

In case of joint venture/consortium, the lead partner should meet not less than **Rs.12.91 Cr.** of minimum financial criteria regarding turn over requirement. The other partner should meet not less than **Rs.5.38 Cr.** of minimum financial criteria regarding turn over requirement. Both the partners of joint venture/consortium shall collectively meet the minimum financial criteria.

- iii) **Liquid Assets:** The bidders (sole bidder/ members of joint venture collectively) shall currently have liquid assets (LA) and/or evidence of access to or availability of credit facilities of not less than **Rs.3.59 Cr.**

A certificate from Chartered Accountant in original indicating details (break up) of available liquid assets should be furnished in support of this.

*Liquid assets would include cash (and equivalents), bank deposits, securities that can be freely traded and receivables which has general certainty of getting received.*

As regards certificate pertaining to evidence of access to or availability of credit facilities, a certificate from their banker(s) {as per Annexure-A-7} indicating various fund based / non fund based limits sanctioned to the bidder/JV partners and the extent of utilization as on date should be furnished. Wherever necessary, CSPTCL may make queries with the bidder's banker. **Such certificate should have been issued not earlier than 3 months prior to the date of bid opening.**

In case bidder is a holding company, the Financial Position criteria referred above (i.e., Networth, MAAT & LA), shall be that of holding company only (i.e. excluding its subsidiary/ group companies)

In case bidder is a subsidiary of a holding company, the Financial Position criteria referred above, shall be that of subsidiary company only (i.e. excluding its holding company).

**Note: For the instant tender, the turnover of last 5 financial years i.e. 2015-16, 2016-17, 2017-18, 2018-19 and 2019-20 shall be considered for calculation.**

***In case where audited balance sheet for FY 2019-20 is not available; a self declaration to this effect countersigned by a practicing Chartered Accountant needs to be attached and in such cases audited balance sheets of financial years for FY 2014-15 to 2018-19 shall be considered.***

- iv) The sole bidder/ Lead partner as well as other partner of the joint venture (JV) shall submit certificates (in original as per prescribed annexure A-28) issued by CA confirming fulfilment of following criteria:
  - a) The sole bidder/ Lead partner as well as other partner of joint venture (JV) should have discharged all its payment obligations (principal/interest) on outstanding debentures (i.e. debentures which have not yet been redeemed), if any and no such payments as on **30.06.2020** should be outstanding/overdue.
  - b) The sole bidder/ Lead partner as well as other partner of joint venture (JV) should not be presently in default in payment of any bank loan or interest thereon for more than three months or any loan account of the bidder should not have been classified as NPA (Non performing assets) by the creditor/ lending bank, as on date of issue of NIT.
  - c) ***The sole bidder/ each partner of JV should not be under process of insolvency or liquidation as on the date of issue of NIT. Even if at a later date up to date of opening of price bid against the instant tender if it comes to the notice of CSPTCL that the sole bidder/ any partner of JV has been going through the process of insolvency or liquidation, their bid will be rejected.***
- v) The sole bidder/ each partner of JV should not be debarred/ blacklisted by Bank/State Govt/ Central Govt/State PSU/CPSU/SEB/public utility as on date of issue of NIT. A declaration in this regard (as per prescribed annexure A-29) shall be furnished by the sole bidder/ each partner of JV (separately).

However, the bid may not be considered for further processing in following cases also:

- i) If sole bidder/ any partner of joint venture (JV) is debarred/ blacklisted by Bank/ State Govt/Central Govt./State PSU/CPSU/SEB/public utility up to date of opening of price bid of the instant tender.
  - ii) If a case comes to notice regarding submission of forged / fake document in any other tender under process in CSPTCL, up to date of opening of price bid against the instant tender.
- vi) All the documents / statements / attachments / information submitted by the sole bidder/ each partners of joint venture (JV) in proof of the qualifying requirements must be authentic / genuine /correct and in case, any of the said documents / statements / attachments / information is found to be false / fake / misleading, the bidder will be disqualified and action will be taken against the bidder as per relevant provision of the tender. A declaration in this regard (as per prescribed annexure A-29) shall be furnished by the sole bidder/each partner of JV (*separately*).

### **3.2 TECHNICAL EXPERIENCE CRITERIA OF PQR :-**

Bidders are requested to carefully note the Pre-qualification requirement mentioned hereunder in respect of technical experience capability. They are required to furnish self-attested documentary proof in support of having the following Pre-Qualifying Requirement (PQR).

**Project Capability:** Sole bidder or Joint Venture/ consortium bidder should have constructed & commissioned at-least following EHV Sub-station on turnkey basis during last 5 financial years i.e. FY 2015-16 to FY 2019-20 (between 1<sup>st</sup> April' 2015 & 31<sup>st</sup> March' 2020) against order issued by following Indian entities:

- a. Power utilities owned and controlled by Central or State Govt. **or**
  - b. PSUs **or**
  - c. Govt. organizations
- (i) 1 (One) No. 132 KV **OR** 110 KV Sub-station (or above voltage class) of at-least two voltage level on turnkey basis (with or without supply of power transformer). The date of order should not be older than 7 years from the date of issue of NIT of the instant tender **and**
- (ii) The above sub-station should be in successful operation for minimum 1 (one) year from the date of commissioning as on date of issue of NIT of the instant tender.

*The bidder shall submit complete detailed order copies and performance certificate of corresponding work order (for which work order has been furnished) for satisfactory operation of sub-station issued from the entities mentioned in (a), (b) & (c) in the name of participating bidder, indicating date of commencement of work and it's commissioning.*

*The word "Commissioning" shall mean energization of Sub-station duly certified by above entities.*

**Note:-**

- (i) In case of Sole bidder, the experience of the bidder shall be that of "Sole bidder" or any other partner of the JV/ consortium" in the projects executed by them earlier.
- (ii) In case the bid is submitted by JV / consortium "either of the JV" i.e. the "Leadpartner" or the "Other partner" should meet the requirement as required for sole bidder.

The experience of any one of the partners of the joint ventures / consortium (lead partner or other partner) meeting the above 'Project Capability' criteria shall either be as "Sole bidder" or "Any Other Partner of the JV/ consortium" in the projects executed by them earlier.

Bidders may note that evaluation of various pre-qualifying experience criteria shall be done on the basis of documents / certificates submitted by the bidder, for which responsibility to furnish essential authentic, genuine & correct documentary proof / statements / attachments / information etc., entirely rests on the participating bidder(s). CSPTCL will not be responsible if the bid is considered non-responsive and rejected in the absence of such documentary proof.

- 3.3 PRE-CONTRACT INTEGRITY PACT:** The bidder shall have to submit pre contract integrity pact in the format enclosed as Annexure A-22 on non-judicial stamp paper worth Rs.300/- duly signed by the bidder for the project along with techno commercial bid. The validity of this integrity pact shall be from the date of its signing and extended up to 2 years or the complete execution of the contract to the satisfaction of both the Buyer and the Bidder/Seller, whichever is later. In case Bidder is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.

Although details presented in this tender specification have been compiled with all reasonable care, it is the responsibility of the bidder to satisfy himself that the information given in each section are adequate and there are no conflicts between various clauses/ sections/ specifications. The clarification/ decision of the Executive Director/ Chief Engineer (Planning & Projects), CSPTCL, Raipur shall be final and conclusive.

#### **4. OTHER ELIGIBILITY CRITERIA:-**

- i) **Sole bidder** or joint venture / consortium (not more than 2 firms) shall be eligible to participate in the tender.
- ii) The sole bidder / **lead partner** of the joint venture / consortium should submit a certified copy of 'A' class electrical contractor license issued by **C.G. Anugyapan Mandal /CG State licensing Board** along with his offer and the license should be valid as on the date of opening of tender **OR** the bidder shall furnish an Undertaking to submit 'A' class electrical contractor license issued by C.G. Anugyapan Mandal / CG State licensing Board within 30 days after issue of Letter of Award (LOA).
- iii) The sole bidder/ **lead partner** of the joint venture/consortium should have EPF code number allotted by EPF Commissioner and a copy of registration certificate should be submitted alongwith the T/C Bid.
- iv) The sole bidder/joint venture or consortium partners should collectively have adequate tools & plants, financial and technical resources and infrastructure backed with qualified agencies to execute the work properly and expeditiously within the specified time frame.
- v) Power of attorney issued to legally authorised signatory should be submitted with the TC bid.
- vi) Those bidders which are not registered under GST shall not be allowed to participate in the tender.
- vii) Detailed information on any litigation or arbitration arising out of contracts completed or under execution by it over the last five years (counted from the date of bid submission) shall be provided in Annexure A-12 by the sole bidder/joint venture or consortium partners. A consistent history of awards involving litigation against the bidder or any partner of JV may result in rejection of bid.

#### **In case of Joint Venture (JV)/Consortium, the following conditions shall also apply:-**

- (i) No bidder/member of a JV/consortium can participate in more than one bid.
- (ii) One of the partners shall be nominated as lead partner and the joint venture/consortium shall be represented by Lead Partner. An agreement for authorizing one partner to act as "Lead partner" in Annexure A-21 (Form of Power of attorney for Joint Venture) signed by legally authorized signatories of both the partners on nonjudicial stamp paper duly attested by Public Notary with seal and revenue stamp affixed thereon should be submitted with the technical bid. The "Lead Partner" shall be authorized to incur liabilities and receive instructions for and on behalf of any and all partners of the Joint Venture/Consortium. The "lead partner" shall be responsible for timely execution & completion of all the activities. Entire execution of the contract shall be done by the "Lead Partner" and payment under the contract shall be received by the "Lead Partner" on behalf of the Joint Venture/Consortium as per power conferred to him in the Power of Attorney. All the correspondences etc, shall be done exclusively with the "lead partner". The bid document should have been purchased and submitted by the "Lead Partner" only.

- (iii) The partners of the Joint Venture/Consortium shall be liable jointly and severally for the execution of the Contract in accordance with the Contract terms, and a statement to this effect shall be included in the authorization mentioned under (ii) above as well as in the Bid Form and in the Contract Form (in case of a successful bid). The lead partner shall be authorized to incur liabilities and receive instructions for and on behalf of all the members.
- (iv) The agreement entered into, signed by the Joint Venture/Consortium partners, shall be submitted with the bid. Original copy of JV Undertaking in Annexure A-20 (form of undertaking by the Joint Venture Partners) on judicial stamp paper duly attested by Public Notary with seal and revenue stamp affixed thereon indicating joint and several liabilities among the parties to the Joint Venture should be provided with the bid. No joint venture will be accepted after submission of the tender bid. The joint venture/consortium shall remain valid for entire contractual period and the same shall be mentioned in the agreement. In case of any breach of contract by any of the joint venture/consortium partners during execution of the contract, the same shall be deemed to be default by both the partners. It will be the sole discretion of CSPTCL to allow the other partner to complete the work or to terminate the total contract.
- (v) The bid shall be signed so as to be legally binding upon both the partners of the joint venture/consortium. The non-judicial stamp paper shall be purchased in the name of joint venture and the date of purchase should not be later than six months of date of execution of the undertaking/agreement. The undertaking/agreement shall be signed on all the pages by authorized representatives of each of the partners and should invariably be witnessed.

The bidders are required to submit tenders in the manner described in following clauses. All documents / information as per Annexure, schedules and formats enclosed in Volume –I of this tender document and as described below shall be placed in a sealed envelope containing four separate sealed envelopes as mentioned below.

In certain cases confusion takes place regarding furnishing of Earnest Money Deposit since the Envelopes are not properly super-scribed and sealed by the bidder. It is therefore, intimated that envelopes shall be submitted by bidders as under:-

- a) **Envelope-I:** This envelope should contain a covering letter (in company's letterhead) with earnest money deposit (EMD) in the form of Demand Draft and cost of tender document. The cover of envelope should be suitably super-scribed with details of EMD and cost of tender document. The envelope should be sealed properly.
- b) **Envelope-II:** This envelope should contain the documents meeting the Pre-Qualifying Requirements (PQR). The Main documents to be furnished should be:-
  - (A) **Documents for PQR;-**
    - (i) Self attested copies (i.e. copies attested by authorised signatory of the tender) for profit & loss account statement and audited balance sheets for last 5 financial years (i.e. FY 2015-16 to FY 2019-20).

*In case where audited balance sheet for FY 2019-20 is not available; a self declaration to this effect countersigned by a practicing Chartered Accountant needs to be attached and in such cases audited balance sheets for FY 2014-15 to 2018-19 shall be considered.*

Further, calculation of MAAT and Liquid Assets shall be done considering best three years out of the previous five years for which audited balance sheets are submitted. Un-audited balance sheet shall not be considered for MAAT and LA calculation.

- (ii) A certificate of Chartered Accountant in original indicating details (break-up) of available liquid assets (LA) in respect of sole bidder/lead partner of JV and also other partner of JV should be furnished in support of this. Such certificates should have been issued not earlier than three months prior to the date of bid opening. The bidder shall also furnish certificate (in original) from their banker(s) (as per prescribed annexure A-7) indicating various fund based /non fund based limits sanctioned to the bidder/ JV partners and the extent of utilization, issued not earlier than three months prior to date of bid opening.
- (iii) The bidder/JV partner shall submit certificates (in original) as per prescribed (Annexure A-28 ) issued by CA, confirming fulfilment of following criteria:
  - a) The sole bidder/Lead partner as well as other partner of the joint venture should have discharged all its payment obligations (principal / Interest) on outstanding debentures (i.e. debentures which have not yet been redeemed) if any and no such payment as on dtd. **30.06.2020** should be outstanding / overdue.
  - b) The sole bidder/Lead partner as well as other partner of the joint venture should not be presently in default in payment of any bank loan or interest thereon for more than three months or any loan account of the bidder should not have been classified as NPA (Non performing assets) by the creditor/ lending bank as on date of issue of NIT.
  - c) ***The sole bidder/ each partner of JV should not be under process of insolvency or liquidation as on the date of issue of NIT. Even if at a later date up to the date of opening of price bid against the instant tender if it comes to the notice of CSPTCL that the sole bidder/ any partner of JV has been going through the process of insolvency or liquidation, their bid will be rejected and action will be taken against the bidder as per relevant provisions of the tender.***
- (iv) A declaration by the sole bidder/lead partner of JV as well as other partner of JV (separately as prescribed in annexure A-29) that their firm is not debarred / black-listed by Bank / State Govt. / Central Govt. / State PSU / CPSU / SEB / Public utility as on date of issue of NIT.
- (v) A declaration by the sole bidder/lead partner of JV as well as other partner of JV (separately as per prescribed annexure A-29) that all the documents / statements / attachments / information submitted by the bidder in proof of the qualifying requirements are authentic / genuine /correct and in case any of the said documents / statements / attachments / information are found to be false / fake / misleading, the bidder will be disqualified and action will be taken against the bidder as per relevant provisions of the tender.
- (vi) Following documents fulfilling the “Technical experience criteria of PQR”:-
  - (a) Complete detailed order copy (self attested by authorised signatory of the tender),in support of technical experience criteria of PQR for having constructed & commissioned 1 (one) No. 132KV OR 110KV (or above voltage class) Sub-station of at-least two voltage level on turnkey basis (with



or without supply of power transformer) during last 5 years i.e. FY 2015-16 to FY 2019-20 (between 1<sup>st</sup> Apr'2015 & 31<sup>st</sup> March'2020) *against order issued by Power Utilities owned and controlled by central or State Govt. or PSU's or Govt. organizations.* Complete order copy along with annexures containing bill of quantity/ scope of work etc shall be invariably submitted in support of technical experience criteria of PQR. **The date of order should not be older than 7 years from the date of issue of NIT of the instant tender.**

- (b) Self attested copy (by authorised signatory of the tender) of performance certificate of corresponding work order (for which orders have been furnished) for successful commissioning & satisfactory operation of the above 1 (one) No. sub-station for a period of at least one year (from the date of commissioning) as on the date of issue of NIT of instant tender, indicating date of commencement of work and date of commissioning of the sub-station, duly issued by the concerned Power Utilities owned and controlled by Central or state Govt. Or PSUs or Govt. Organizations in the name of participating bidder.

**(B) Requirement for other eligibility criteria:-**

- (i) Copy of Valid 'A' class Electrical Contractor License issued by CG Anugyapan Mandal/ CG state licensing board in the name of sole bidder / **lead partner** of the joint venture/ consortium **or** an undertaking to submit 'A' class electrical contractor license issued by C.G. Anugyapan Mandal / CG State licensing Board within 30 days after issue of LOA, by the sole bidder or lead partner of the joint venture/consortium.
- (ii) Copy of EPF code number/ EPF registration No. allotted by EPF Commissioner in the name of the sole bidder / **lead partner** of the joint venture / consortium.
- (iii) **Pre-contract Integrity pact** in prescribed format in Annexure A-22 on non judicial stamp paper worth Rs.300/- duly signed by legally authorized signatory of sole bidder or lead partner of the joint venture/consortium.
- (iv) Bidder shall enter deviations /departures (if any) from the technical specification/ commercial conditions of contract clearly indicated giving full justifications for such deviations in separate sheet(s) under "Deviations/Departures" title in annexure A-9 & A-10 respectively.
- (v) In case of JV, an Undertaking entered into, signed by the Joint Venture/Consortium partners, in proforma A-20 (form of undertaking by the Joint Venture Partners) on Non-judicial stamp paper worth Rs.100/- duly attested by Public Notary with seal and Rs.1/- revenue stamp affixed thereon indicating joint and several liabilities among both the parties in case of Joint Venture/ Consortium.
- The non-judicial stamp paper shall be purchased in the name of Joint Venture and the date of purchase should not be later than six months of date of execution of the Undertaking. The Undertaking shall be signed on all the pages by the authorized representatives of each of the partners and should invariably be witnessed.
- (vi) In case of JV, an agreement for authorizing one partner to act as "Lead partner" in proforma A-21 (form of power of attorney for Joint Venture) signed by legally authorized signatories of both the partners on non-judicial stamp paper worth

Rs.100/- duly attested by Public Notary with seal and Rs.1/- revenue stamp affixed thereon in case of Joint Venture/Consortium.

The non-judicial stamp paper shall be purchased in the name of Joint Venture and the date of purchase should not be later than six months of date of execution of the Agreement. The Agreement shall be signed on all the pages by the authorized representatives of each of the partners and should invariably be witnessed.

- (vii) Power of attorney issued to legally authorized signatory should be submitted with the TC bid.
- (viii) Bidder shall also furnish undertakings (as prescribed in Annexure A-4 & Annexure A-5) in support that the bidder has adequate sub-station design infrastructure, erection facilities, capacity & procedures including quality control.
- (ix) Detailed information on any litigation or arbitration arising out of contracts completed or under execution by it over the last five financial years (counted from the date of bid submission) shall be furnished in prescribed Annexure A-12 by sole bidder/Lead Partner as well as other partner of the JV.
- (x) **Vital document to be submitted with the T/C bid:** - Duly filled in “Check List” in Annexure A-27 and “Questionnaire” in Annexure A-3 attached with this tender document, indicating Name of organisation with address, turn over details, guaranteed losses of offered transformer and capacitor bank etc. The losses should not exceed the permissible limit specified at clause 5.2.1 of section-I (B) of Volume-II of this tender document under technical specification of transformer. In case any of the offered losses (i.e. no load loss, load loss or auxiliary loss) quoted by the bidder is more than the maximum permissible limits or not quoted in Annex. A-3, the bid shall be considered as non-responsive and shall be out rightly rejected without any correspondence in the matter.
- c) **Envelope-III:** This envelope should contain the Technical Bid and Commercial Bid complete in all respects in duplicate. The bidders are requested to invariably furnish all the Un-priced price bid schedules B-1 to B-9, C-1, D-1 & D-2 to assess the quantities being offered.

For evaluation of techno-commercial bid, duly filled in **Annex. A-1 to Annex.A-13** shall be furnished by the bidder.

- d) **Envelope-IV:** This large envelope should contain all the above three envelopes. In case above instructions are not followed properly and any of the envelope of the bidder is not available for inspection on opening, no representation at the time of tender opening shall be accepted and such offers shall not be opened. The large envelope should be properly superscribed with Tender No., Due Date & Name of Project in Bold & should bear complete address of the Bidder.

**It may be noted that in no case the request for return of offer/ bid dropped in the tender box shall be considered.**

- e) **Submission of price bid :**

For submission of online price bis may please refer the “Special Insstuctions to bidders for submission of bid through SAP-SRM Module (E-bidding)” annexed with this tender document.

**The bidders are required to submit the Summaries of the prices bid annexures {B-1 to B-9 (supply), C-1 (civil works), D-1 (Erection charges) & D-2 (Testing &**

**Commissioning charges}} in E-bidding portal and to upload these schedules in form of excel sheets as well as the scanned copies of all these annexure duly filled in & signed by the bidder. It may be noted that the bid will not be considered for evaluation in case the bidder has not uploaded the scanned copies of duly filled price Bid annexures with seal & signature of bidder even he submit the summary in E-bidding portal.**

## **5. PRICE-BID & ITS EVALUATION:**

Bidders must quote their price in e-bidding portal in accordance with the specifications and conditions. Any deviation from the above shall be considered as an alternate bid.

- i. The bidders shall upload the abstract of price schedule i.e. B-1 to B-9, C-1, D-1 & D-2 in e-bidding portal only. Further the detail breakup of above schedules shall also be uploaded in excel formats. It may be noted that the prices uploaded in e-bidding portal and i.e. total of breakup prices of schedules in excel sheets should match. In case of discrepancy, the lower of the quoted price shall be considered.
- ii. The quoted price should be kept valid for the contractual period/ completion of the project. However the provision of price variation shall be applicable as per the relevant clause of the tender.
- iii. All columns shall be completely filled up properly and neatly.
- iv. No conditional prices should be quoted.
- v. The evaluation of price bids shall be done by comparing the Grand total (i.e. Total of all the price bid annexures) quoted by the bidder in price schedule Annex- B-1 to B-9, C-1, D-1 & D-2 of all the items including GST & levies. Based on the comparative evaluation, LOA shall be placed on the L-1 bidder (lowest quoted price for entire project) on the final accepted price.
- vi. The loading of the items for which the prices are not being quoted by bidder: - In such cases, loading will be done at highest prices quoted amongst the participating bidder. But, while ordering, lowest price amongst the bidders will be considered.
- vii. If the quantity quoted is less than B.O.Q. /or required for turnkey completion of the job, loading will be done on the pro-rata basis.
- viii. In case the bidder makes contradictory statement in the Technical & Commercial Bid or for items for which the prices are not being quoted by bidders, loading will be done at highest prices quoted among the participated tenderers. But, while ordering, lowest price among the bidders will be offered.
- ix. All the equipments/material, accessories, including charges for erection & commissioning etc required for construction & commissioning of Sub-station have been included in the price schedule i.e. B-1 to B-9, C-1 and D-1 & D-2.
- x. If there is discrepancy between the Unit Price and the total price that is obtained by multiplying the unit price & quantity, the Unit Price shall prevail and total price shall be corrected accordingly. If there is discrepancy between words and figures the amount in words shall prevail.
- xi. For price bid evaluation, the losses of 02 No. Power transformer quoted by the bidder in Annexure-A-3 (Questionnaire) shall be taken into account. The losses of 40MVA, 132/33 KV transformer should be within the range prescribed below for respective losses (without any positive tolerance) :

Sl. No.	Particulars	Minimum	Maximum
1	No load loss in KW	18.0	20.0
2	Load loss at rated voltage, rated frequency and rated current at 75°C in KW	93.0	103.0
3	Auxiliary Loss in KW	1.8	2.0

The bidder shall have to offer no load loss, load loss or auxiliary loss separately.

In case any of the offered losses (i.e. no load loss, load loss or auxiliary loss) quoted by the bidder is more than the maximum permissible limits, the bid shall be considered as non responsive and shall be out rightly rejected without any correspondence in the matter.

In case, any of these losses are below the minimum range prescribed above, the bid shall be treated as responsive. However, for price bid evaluation purpose, the minimum range of the respective losses prescribed above shall be considered.

**CAPITALISATION OF LOSSES:** The capitalisation of no load loss, load loss and auxiliary loss for the bidder who has quoted the losses within the respective range of losses specified above shall be done on following rates (differential of quoted loss and minimum value of the range of respective loss):-

- (a) For differential no load loss above Min value: Rs.4,01,840.00 per KW
- (b) For differential load loss above Min value : Rs.2,13,780.00 per KW
- (c) For differential auxiliary loss above Min value: Rs.1,60,700.00 Per KW

In case a bidder quotes any of the losses below the minimum value of the range prescribed above, the value of loss shall be considered equal to minimum of the range specified above for respective loss for price bid evaluation purpose. An illustrative example for capitalization of losses is indicated in Annexure- A-26.

However, it should be clearly noted that during final testing of each of transformer, the measured losses individually (i.e. No load, load & auxiliary losses as applicable) should not exceed the values quoted by the bidders in the bid (in Annex. A-3). In case, any of the losses exceed the quoted losses, respective transformer shall not be accepted.

The capitalised value of the losses worked out on differential loss basis as mentioned above shall be loaded on the total cost of the project for price bid evaluation purpose.

**Losses for Capacitor Bank:** For comparison of offers, capitalization on account of differential losses of capacitor bank quoted by the bidders in their offer shall be done @ Rs.4,01,840/- per KW & evaluation shall be on the basis of differential prices. The permissible losses in Kilowatt at rated voltage and rated frequency shall be between 0.18 W/KVAR to 0.2 W/KVAR. The minimum value (0.18 W/KVAR) shall be taken as base value and the difference between base value & that quoted by a particular bidder shall be considered as differential loss. Capacitor bank losses should be given at 50° Celsius and reactor losses at 75°C.

- xii. CSPTCL's decision in such cases shall be final.
- xiii. **NEGOTIATION OF PRICES:** CSPTCL reserves the right to hold negotiation with L-1 bidder as deemed necessary. Procedure adopted by CSPTCL for holding negotiation shall be final and binding on all bidders.

**Although details presented in this tender specification have been compiled with all reasonable care, it is the responsibility of the bidder to satisfy himself**

**that the information given in each section are adequate and there are no conflicts between various clauses/ sections/ specifications. The clarification/ decision of the Executive Director/ Chief Engineer (Planning & Projects) shall be final and conclusive.**

## **6. TAXES**

The bidder should furnish valid GST registration number in Annexure A-1. In absence of GST registration the offer shall not be accepted.

- (i) GST and other levies in respect of supplies and services under the Contract should be indicated separately in respective columns in the Price Bid Proposal Sheets. The ITC (Input tax credit) available to bidder should be duly considered while quoting the rate. Any variation in tax rate during scheduled completion period will be on CSPTCL's account.
- (ii) **Cess under "Building and other Construction Workers Welfare cess Act, 1996:-** The contractor for carrying out any construction work in Chhattisgarh State must get themselves registered under section 7 (1) of the "Building and Other Construction Workers Welfare Cess Act, 1996" and rules made thereunder by the Chhattisgarh Govt. and submit Certificate of Registration issued by the Registering Officer of the Chhattisgarh Government (Labour Department) for enforcement of the Act. The cess @ 1% on cost of supply of materials (except cost of power transformer) and construction charges including civil works shall be borne by the contractor and same shall be deducted from each bill. Any variation in this respect within scheduled completion period shall be to the account of CSPTCL.

If the rate of applicable cess beyond contractual completion period undergoes upward revision, the payment will continue to be made only on the basis of rates prevailing during completion period. In case the rate of cess undergoes downward revision then the delayed works beyond contractual completion period will attract reduced rate of cess.

- (iii) **Payment of other taxes/charges which are not described above:** The bidder should be aware of the various taxes, duties, levies imposed by the Central Government, State Government or Local Bodies applicable in this contract as on the date of TC bid opening. Further, in the price bid, it should be specifically stated regarding each tax whether it is inclusive or exclusive. However, if there is no specific mention of any duties/levies as exclusive in the price bid, it will be presumed to be inclusive if it is applicable as on the date of TC bid opening and will not be paid extra.
- (iv) Any variation in statutory taxes within stipulated completion period shall be in the account of CSPTCL.

**Tax Beyond contractual completion period:** If the rate of applicable taxes / duties beyond contractual completion period undergoes upward revision, the payment will continue to be made only on the basis of rates prevailing during scheduled completion period. In case the rate of statutory levies undergoes downward revision then the supplies/ work performed beyond contractual completion period will attract reduced rate of taxes.

- (v) **Any other new tax:** If any other tax or duty becomes payable during the completion period of contract (after TC bid opening) the same shall be paid extra by CSPTCL to the contractor as per actual on submission of documentary evidence, having paid the same as per the rules. However, tax due to increase of Turnover or withdrawal of tax exemption earlier available to the vendor etc. will not be reimbursed.
- vi) The contractor shall be solely responsible for payment of all taxes, duties, license fee etc. if any, for all the equipments and materials covered under this contract to the concerned authority as may be applicable from time to time.

\*\*\*

# **S E C T I O N – II**

## ***(GENERAL CONDITIONS OF CONTRACT)***

## **SECTION - II**

### **GENERAL CONDITIONS OF CONTRACT FOR SUB-STATION**

Clause No.	PARTICULARS
01	Definition of Terms
02	Contract document
03	Manner of execution
04	Variation, additions & omissions
05	Inspection during erection
06	Completion of work
07	Contractors default liabilities
08	Force majeure
09	Rejection of works
10	Extension of time
11	Guarantee period
12	Performance guarantee
13	Terms of payment
14	Liquidated Damage for delay in completion of contract
15	Security Deposit
16	Insurance
17	Inspection of equipments
18	Dispatch instructions
19	Payment due from the contractor
20	Jurisdiction of High Court of Bilaspur
21	Contractors responsibility:
22	Responsibility to rectify loss & damage
23	Non-assignments
24	Certificates not to affect rights of CSPTCL
25	Settlement of dispute
26	Arbitration
27	Laws governing contract
28	Language and measures
29	Correspondence
30	Secrecy
31	Agreement
32	Time schedule & clarifications
33	Claims for items not entered in the schedule of items
34	Safety precautions
35	Engagement of workers by contractor
36	Nature of contract
37	Prices
38	Design of 132 KV Substation switch yard
39	Issue of structural drawings
40	Variation in weight of structure/earth flats/quantity of equipments
41	Engagements of sub vendors
42	Power and water supply for construction work
43	Award of contract.
44	Storage & shipment of equipment/material
45	Unsatisfactory performance
46	Drawing & literatures
47	Discrepancy with approved drawing
48	Electrical inspector fee
49	Compliance with regulations
50	Full time site engineer
51	EPF code
52	List of vendor
53	Limitation of liability



## **GENERAL CONDITIONS OF CONTRACT**

### **01. DEFINITION OF TERMS:**

In writing this General Condition of Contract, the specification and bill of quantity, the following words shall have the meaning hereby indicated, unless there is something in the subject matter content inconsistent with the subject.

- **‘CSPTCL’** shall mean the Chhattisgarh State Power Transmission Company represented through the Executive Director/Chief Engineer (Planning& Projects).
- **‘The Engineer-in-Charge’** shall mean the Engineer or Engineers authorised by the Chief Engineer (Planning& Projects) for the purpose of this contract.
- **‘CSPTCL Engineer’** shall mean an Engineering person or personnel authorised by the CSPTCL to supervise and inspect the erection of the sub-station.
- **‘The Contractor’** shall mean the successful bidder awarded with the contract or their successors and permitted assigns.
- **‘Contract Price’** shall mean the sum named in or calculated in accordance with the provisions of the contract as the contract price.
- **‘General Conditions’** shall mean these General Conditions of Contract.
- **‘Owner’** shall mean CSPTCL.
- **‘Specification’** shall mean the specification annexed to these General Conditions of Contract and shall include the Schedules and drawings attached thereto or issued to the contract as well as all samples and patterns, if any.
- **‘Month’** shall mean calendar month.
- **‘Writing’**: shall include any manuscript, typewritten, printed or other statement reproduced in any visible form whether under seal or under hand.
- **‘Project’** shall mean & include EHV sub-staion
- **‘Package’** shall mean & include combination of all the project(s) described in Scope of Work.
- **‘Date of Tendering’** shall mean the original due date of opening of TC bid.

### **02. CONTRACT DOCUMENT:**

The term ‘Contract’ shall mean and include the General Conditions, specifications, Annexures, drawings, work orders issued against the contract Annexures of price or the final general conditions, any special conditions applying to the particular contract specification and drawings and agreement to be entered into. Terms and conditions not here in defined shall have the same meaning as assigned to them in the Indian Contract Act falling that in CG Act.

### **03. MANNER OF EXECUTION:**

- a) The manner of execution shall be such that the supply of materials/ equipments reaches the site, only when the foundation/Control Room etc are ready to take up erection work of the respective equipment. Construction of the sub-station shall be carried out in an approved manner as outlined in the technical specification or where not outlined, in accordance with latest relevant Indian Standard Specification, to the reasonable satisfaction of the Engineer-in-charge.
- b) The contractor shall within 15 days after the date of acceptance of letter of award (LOA) submit to the ED/CE (Planning & Projects), a detailed program for the execution of

work for his consent. This detailed programme should be in the form of a P.E.R.T. Network/ Bar Chart within the time frame agreed considering adequate number of activities covering various key phases of the works such as Design, procurement, manufacturing, shipment & Erection activities. The P.E.R.T. chart shall be approved by ED/ CE (Planning & Projects) & shall form a part of contract document. Based on this P.E.R.T. network, fortnightly progress shall be submitted by the contractor to O/o ED/CE (Planning & Projects). The contractor shall whenever required by the CSPTCL also provide in writing for his information if general description of the arrangements and methods which the contractor proposes to adopt for the execution of the work.

- c) If at any time it should appear to CSPTCL that the actual progress of works does not conform to the program to which consent has been given under sub-clauses (b), the contractor shall produce at the request of CSPTCL a revised program showing the modifications to such program necessary to ensure completion of the works within the time of completion.

#### **04. VARIATION, ADDITIONS & OMISSIONS:**

CSPTCL shall have the right to alter, amend, omit, or otherwise vary the quantum of work by notice in writing to the contractor. The contractor shall carry out such variations in accordance with the rates specified in the contract, so far as they may apply.

In case of requirement of material(s) which is not included in the price schedule and rates are not available, but mandatory as per site condition, prior approval of order placing authority should be obtained before using such unscheduled items. The rates of such item shall be finalized by the nominated committee shall then be approved after obtaining competent approval.

#### **05. INSPECTION DURING ERECTION:**

The Engineer-in-Charge or his authorised representative(s) shall be entitled at all reasonable times to inspect and supervise and test during erection of sub-stations. Such inspection will not relieve the contractor from their obligations under this contract.

In addition to the routine inspection to be carried out by the Engineer-in-charge, the field officers from Civil, EHT & Testing of the level of Superintending Engineer shall carry out inspection at least once in two months at different stages of construction i.e. marking of civil foundations, excavation, structure erection, transformer erection, breaker & CT PT erection, testing & commissioning. The Senior Engineer from the contractor's side shall be present during such inspection and the guide lines issued by the SEs shall be noted and complied by the contractor. A copy of the inspection note and its compliance shall also be submitted to the ED/CE (Planning & Projects).

If after testing & commissioning, the material is found to be defective, the same shall be replaced free of cost immediately and commissioning charges for equipment will not be paid.

#### **6. COMPLETION OF WORK:**

- 6.1 Time being deemed to be the essence of contract on the part of the contractor, the construction of the Sub-station shall be completed within the period specified i.e. **15 (Fifteen) months** from the date of handing over of site. The letter of handing over of the site for construction of Sub-station shall be issued separately by Engineer in-charge for civil works authorized by CSPTCL.
- 6.2 Handing over of Sub-station site: The construction site free from hindrances shall be handed over to the contractor separately by Engineer-in-charge for civil works. The date

of letter conveying handing over of site issued by concerning civil division shall be the date of handing over of site. This letter shall be issued by OIC for civil works, after joint inspection by SE (EHT: C&M), SE (Civil), SE (S/S:O&M) in presence of contractor's representative.

- 6.3 Taking over of sub-station: Upon receipt of intimation about completion of the substation in all respect including civil works and after inspection, CSPTCL Engineer-in-charge of EHT works shall issue a taking over certificate in which he shall certify the date on which the sub-station has been so taken over. The necessary certificate of taking over of completed work shall be issued within 30 days of the notice/intimation received from the contractor.
- 6.4. The issuance of taking over certificate shall in no way relieve the contractor of his responsibility for the satisfactory operation of the Sub-Station in terms of the specifications.

## **7. CONTRACTOR'S DEFAULT LIABILITIES:**

- 7.1 The CSPTCL may upon written notice of default to the contractor terminate the contract in circumstances detailed here under:-
- (I) If, in the judgement of CSPTCL, the contractor fails to
- (i) complete the contractual formalities within the time specified in the contract agreement or within the period for which extension has been granted by CSPTCL to the contractor
  - and / or
  - (ii) comply with any of the provisions of this contract.

CSPTCL under the provisions of this contract shall take one or more of the following penal actions:-

- (a) Terminate the contract
  - (b) Forfeiture of security deposit, if available or EMD.
  - (c) Debar the firm for future business with CSPTCL for a period of two years from the date of issue of letter to this effect.
  - (d) This debarring may be applicable in respect of other Chhattisgarh State Power Companies also as may be decided by their management.
- (II) In case the contractor fails to commence the work within the reasonable period as decided by CSPTCL or fails to complete the works within the contractual completion period or the progress is not commensurate with the time period provided for completion of entire substation or within a period for which extension has been granted by CSPTCL, one or more of following penal actions may be taken by CSPTCL against the contractor.
- (a) Terminate the contract.
  - (b) Forfeiture of security deposit, if available or EMD.
  - (c) Debar the firm for future business with CSPTCL for a period of two years from the date of issue of letter to this effect.
  - (d) This debarring may be applicable in respect of other Chhattisgarh State Power Companies also as may be decided by their management.
  - (e) The payment of pending RA bills of the instant contract shall be withheld till the liabilities as per tender conditions are settled.
  - (f) The payment of pending RA bills of the other running contracts shall also be withheld till settlement of all liabilities of the instant contract.
- (III) In case the work of construction of substation is not completed in accordance to relevant clause of the tender "completion of work" and CSPTCL does not terminate the contract, the contractor shall continue to execute the work, in

which case he shall liable to CSPTCL for deduction of liquidated damages for delay as per relevant clause of this contract until the substation is completed.

**8. FORCE MAJEURE:**

The contractor shall not be liable for any liquidated damages penalty for delay or for failure to perform the contract for reasons of FORCE MAJEURE such as acts of God, acts of public enemy, act of Government, cyclones, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes etc provided that the contractor shall within 10 (ten) days from the beginning of such delay notify CSPTCL in writing, the cause of delay. CSPTCL shall verify the facts and grant such extension as facts justify.

**9. REJECTION OF WORKS:**

In the event of any of the material supplied/work done by the contractor is found defective in material or workmanship or otherwise not in conformity with the requirement of this contract specification, CSPTCL shall either reject the material and/ or work and request the contractor to rectify the same. The contractor on receipt of such notices rectify or replace the defective material and rectifies the work, free of cost. If the contractor fails to do so the CSPTCL may:

- a) At its option replace or rectify such defective materials and/or works and recover the extra cost so involved from the contractor plus fifteen percent from the contractor and/or terminate the contract for balance work/supplies with enforcement of penalty as per contract.
- b) Defective materials/workmanship will not be accepted under any conditions and shall be out-rightly rejected without compensation. The contractor shall be liable for any loss/damage sustained by CSPTCL.

**10. EXTENSION OF TIME:**

If the completion of the sub-station is delayed due to reason beyond the control of the contractor, the contractor shall without delay give notice/intimation to CSPTCL in writing of his claim for an extension of time. CSPTCL on receipt of such notice/intimation may agree to extend the contract delivery date of the sub-station with or without levy of liquidated damages as may be reasonable but without prejudice to other terms and conditions of the contract.

**11. GUARANTEE PERIOD:-**

- 11.1(a) The work done, material/ equipment except power transformer supplied by the contractor as per the contract specification should be guaranteed for satisfactory operation and against any defect in material and workmanship **for a period of 24 (Twenty Four) months from the date on which the sub-station is taken over.** Any defect noticed during this period should be rectified by the contractor on free of cost basis upon written notice. The date of delivery of sub-station as described in this clause shall mean the date of taking over the sub-station by the Engineer. CSPTCL will arrange 132 KV supply to sub-station within one month from the date of completion of sub-station. If the sub-station is taken over in un-energised condition due to non- completion of feeding line then **guarantee will be for 30 (Thirty) months from the date of taking over or 24 (Twenty Four) months from the date of energization of substation whichever is earlier.**
- (b) **Guarantee for power transformers: The Power transformer shall be guaranteed for a period of 42 months from the date of satisfactory commissioning of transformer**

**along with all accessories.** Please note that the date of commissioning of last accessory will be treated as date of commissioning of transformer. The transformer found defective/ failed within the above guarantee period shall be got replaced/ repaired by the contractor free of cost, within **four months** from date of issue of intimation letter to the contractor by CSPTCL regarding its defect/failure.

If the contractor fails to arrange repair/replace the failed/defective transformer within four months, the contractor shall be liable to pay penalty charges for delayed repairs at the rate of 0.5% of the cost of transformer per week of delay or part thereof, subject to a maximum ceiling of 10% of the cost of the transformer. This penalty shall be in addition to the liquidated damages as per clause 14.1 of GCC for delay in completion of the contract.

If the defective/failed transformer is not lifted for replacement/ repairing within 2 months from the date of intimation by CSPTCL regarding defect/ failure OR one month from date of acceptance of additional Indemnity Bond submitted by the contractor, (in case the transformer is required to be taken back to the works for repairing) whichever is later.

OR

not repaired within **seven months** from date of lifting of failed/ defective transformer, penal action may be taken which will include forfeiture of performance guarantee of transformer and debarring of turnkey contractor in addition to the other applicable penalty.

The above provisions shall be applicable for second time failure also, if any.

## **11.2 EXTENDED GUARANTEE PERIOD POST REPAIRS:**

The following extended guarantee shall be applicable, in case the transformer fails within guarantee period.

### **a) First time failure within guarantee period:**

- i) If the transformer fails within 12 months from the initial commissioning, the guarantee period shall get extended to 42 months from the date of satisfactory re-commissioning of transformer after repairs along with all accessories.
- ii) If the transformer fails after 12 months within the original guarantee period, the original guarantee period shall get extended for a period equal to the time period lapsed between date of failure to date of re-commissioning after repairs i.e. the residual guarantee period or 12 months from date of re-commissioning after repairs, whichever is later.

### **b) Second time failure of transformer within guarantee period:**

If the transformer fails again (second time) within the original/extended guarantee period, the guarantee shall automatically get extended for further period of two years from the date of re-commissioning (post repair) or from the end of the original/ previously extended period, whichever is later. Further the contractor shall be required to submit an additional performance bank Guarantee equivalent to 10 % of the FOR destination price of Power Transformer with validity up to expiry of extended guaranteed period plus six months additional claim period. This performance bank Guarantee shall be in addition to 10% performance guarantee submitted as per clause no. 12.1 (i).

### **c) Third time failure of transformer within guarantee period:**

If the transformer fails within guarantee /extended guarantee period for third time, this will be treated as adverse performance of contractor as well as manufacturer and in such case penal action shall be taken which will include

- i) Forfeiture of 10% BG submitted against Performance of transformer.
- ii) Forfeiture of additional 10% performance BG of transformer furnished subsequent to second time failure.
- iii) The contractor shall be debarred from future business with CSPTCL and other Chhatishgarh state power companies for a period as decided by management.
- iv) The name of the transformer manufacture shall be deleted from the vendor list of CSPTCL for power transformer of the capacity supplied for the instant case and higher capacities for forthcoming turnkey project and shall not be considered for procurement cases of CSPTCL as well as other Chhatishgarh state power companies for a period as decided by management.

If, for the purpose of replacement/ repairs, the equipment/material is required to be dispatched to manufacturer's works, all charges towards transportation/ insurance/ packing / forwarding will have to be borne by contractor for to and fro dispatches.

In this connection, please note that the following additional conditions will also be applicable in case any damages/defects are noticed in the transformer or its accessories-

If the material develops defect within guarantee/ extended guarantee period after installation at site or subsequent to installation after repairs (1<sup>st</sup> or 2<sup>nd</sup> time), for the purpose of replacement/repairs, the same will have to be dismantled and taken out by CSPTCL, in such cases actual cost of dismantling and replacement of the transformer will also be recoverable from contractor.

In case, transformer fails during guarantee/ extended guarantee period, the following terms shall also be applicable (in first or second time failure both)-

- (i) An additional Indemnity Bond on stamp paper of Rs.250.00 shall be required to be submitted by the contractor, in case the transformer is required to be taken back to the works for repairing. The value of this Indemnity Bond shall be equal to the cost of transformer along with all taxes, duties, freight and testing charges. The transformer shall be handed over for repairing only after submission and acceptance of additional indemnity bond.
- (ii) The transformer should be offered for inspection after completion of repairing work. The repaired Transformer shall be tested for all routine, additional routine, type and special test as per IS-2026 & as narrated in section-III-B, clause-6 under head "Tests" of technical specification of transformer.
- (iii) The Transformer should be offered for inspection after repairing within four months from date of intimation of failure by CSPTCL.
- (iv) The dispatch instructions shall be issued for repair transformer after its satisfactory inspection. The transformer should reach the destination (anywhere in C.G. state) within 45 days from date of issue of dispatch instruction failing which actual date of receipt of repaired transformer at site shall be treated as date of delivery of the repaired transformer for all contractual purposes.
- (v) In case of failure / defect in transformer (first or second time) within guarantee / extended guarantee period, the validity of performance guarantee for transformer submitted by the contractor against the contract as per clause-12.1(i) of GCC should be extended up to expiry of extended guarantee period with additional claim period of six months. In case, contractor fails to extend the guarantee period of transformer, claim shall be lodged with the issuing bank for encashment of the all performance bank guarantee for transformer.

- 11.3.** Guarantee period of equipments commissioned subsequent to charging of sub-station: If any equipment is not charged/ commissioned at the time of substation charging, the

guarantee period of that particular equipment shall be counted from its date of commissioning.

In case of failure of any equipment within guarantee period, the contractor shall be liable for the replacement/repairing of that particular equipment. However, the guarantee period of the replaced/repared equipment shall be for a further period of 24 months from the date of commissioning of replaced/ repaired equipment for its faithful performance.

## **12. PERFORMANCE GUARANTEE:**

- 12.1** After completion of work in all respect and commissioning of Sub-station and before issue of final taking over certificate by the engineer-in-charge of CSPTCL, contractor shall furnish CSPTCL, following performance Bank Guarantee from a nationalised/ Scheduled Bank in the approved proforma of the CSPTCL for value equivalent to-
- i) 10% of the total FOR destination price of the power transformer and
  - ii) 5% of the contract price (i.e. Supply+Civil+ETC & excluding cost of power transformer).
- 12.2** These bank guarantee shall be executed in a stamp paper worth Rs.250/- or any other amount as per the CG state stamp duty act and shall be kept valid for a period exceeding 90 days from completion of original/ extended guarantee period of particular equipment/power transformer as specified in foregoing clause-11 (Guarantee Period) plus six months claim period.
- 12.3** The bank guarantees mentioned at 12.1(i) & 12.1(ii) shall be released after successful completion of original /extended guarantee period of particular equipment/ power transformer as specified in foregoing clause-11 (Guarantee Period) and issue of no liability certificate from the Engineer-in-charge of work.
- 12.4** No interest shall be paid by CSPTCL for the aforesaid Bank Guarantee.  
In case of non-performance of the equipment/power transformer as per the contract specification, the performance Bank Guarantee shall be forfeited.

## **13. TERMS OF PAYMENT:**

- 13.1** The payment on running bills will be allowed in the following manner to relieve the contractor from financial hardship, if any, so as to facilitate him for timely completion of the work.

- (A) **SUPPLY:** - The payment against supply of equipments /materials shall be released in the following manner.
- i) 70% of the value of equipments/materials supplied, duly verified by Engineer-in-charge at accepted rates shall be paid normally within a fortnight from the date of presentation of bill with required documents stipulated at clause (D) below. The contractor shall present the bill as soon as the equipments/material is supplied, for verification & processing to the Engineer-in-Charge.
  - ii) 20% of value of equipments/materials shall be released after erection of the corresponding equipment/material normally within a fortnight from the date of presentation of bill, complete in all respect for erection of equipment/material & its due verification by Engineer-in-Charge.
  - iii) Balance 10% retention amount of the value of equipments/materials shall be released after successful completion of work in all respect and taking over of sub-station by CSPTCL.

**Note:** 90% payment for RTU & Automatic Data logging system shall be released only after it's successful commissioning and integration of RTU with running system of CSPTCL. Part payment against supply of these two items will not be done.

- (B) **CIVIL:** The contractor shall present at the end of each calendar month, a bill for the completed civil works during the month. On the basis of accepted rates, 90% of cost of completed civil works duly verified by the Engineer-in-charge shall be released normally within a fortnight from presentation of bill, complete in all respect. Balance 10% retention amount shall be released after successful completion of work and taking over of sub-station by CSPTCL.

The 90% payment for control room building shall be released in accordance with the progressive work as detailed below –

		Progressive payments (in % of the cost of control room)
i	Plinth level	13%
ii	Internal cable trenches	20%
iii	Lintel level	24%
iv	Roof slab level	33%
v	Outer plaster	38%
vi	Inner plaster	44%
vii	Fixing of doors & window	53%
viii	Concealed wiring, internal water supply, fixing of tube light fans etc.	58%
ix	Complete painting work	64%
x	External water supply, I/C fixing of tank with inlet, outlet & over flow arrangement	68%
xi	Balance finishing work, plinth protection, steps, porch tiling, false ceiling etc.	90%

Note – The aforesaid percentages have been worked out taking into consideration the deduction of 10% towards retention amount.

- (C) **ERECTION, TESTING & COMMISSIONING:** -

The contractor shall present at the end of each calendar month, a bill for the completed Erection, Testing & Commissioning works etc. during the month. On the basis of accepted rates, 90% of cost of completed works duly verified by the Engineer-in-charge shall be released normally within fortnight from presentation of bill, complete in all respect. Balance 10% retention amount shall be released after successful completion of work and taking over of sub-station by CSPTCL.

- (D) The contractor shall furnish following documents for claiming the payments:-

- The Original invoice.
- Material inspection report.
- DI (Dispatch Instruction) issued by ED/CE (Planning & Projects) CSPTCL.
- Original packing list/Delivery challan.

The invoices raised by the vendor should be in the name of contractor and A/c (Name of EHV S/s) CSPTCL.

- (E) The payments shall be made through RTGS/NEFT. Please furnish following details :-

- Name of Bank and its address.
- Bank A/c Number.
- Bank IFSC Number.
- e-mail ID & mobile number of Principal officer.

- (F) The contractor shall also furnish following documents with the first RA bill (Supply or Civil) for claiming the payment:-

- Copy of the letter issued by order placing authority, conveying acceptance of indemnity bond towards safe custody of various material/equipments as per Annexure A-18.



- (ii) Copy of the letter issued by order placing authority, conveying acceptance of PERT chart.

- 13.2 ADVANCE PAYMENT:** If requested by the contractor, CSPTCL may at its option grant an advance payment of maximum 10% of contract value after obtaining approval of competent authority. "The advance shall attract interest at the rate notified by PFC for capital projects of STU's in category under which CSPTCL falls plus a margin of 2%. The interest shall be charged monthly outstanding advance. Presently, CSPTCL is rated as 'A+' and rate notified by PFC for capital works of 'A' category STU's is 11.25% p.a. which implies that applicable interest rate at present would be 13.25% to be charged on monthly basis". Separate order shall be issued to this effect. The contractor will furnish an unconditional and irrevocable Bank Guarantee from a Nationalized/ Scheduled Bank in favour of CSPTCL for an amount equal to the advance granted plus interest upto the completion period calculated on it. The bank guarantee shall be initially valid till six months (180 days) after expiry of completion period and shall be extended from time to time 180 days as required. This B.G. may be reduced on pro-rata on quarterly basis based on contractor's request. The advance, if granted, shall be recovered from the running bills along with accrued interest as per CSPTCL's terms and conditions which shall be brought in the order for advance payment. The Bank guarantee shall be released on recovery of entire amount of advance granted plus interest.

**Procedure for reduction in the Advance Payment Security Guarantee:-**

The BG furnished towards advance payment may be considered to be reduced in every three months in case the validity of bank guarantee is more than one year. It should be clearly understood that reduction in value of advance Bank Guarantee shall not in any way dilute the contractor's responsibilities under the contract including in respect of the facilities for which reduction in the value of securities is allowed.

- 13.3 DEDUCTION OF ADVANCE PAYMENT:** The advance payment with interest accrued on the advance made to the contractor will be adjusted against their running bills. The adjustment of advance will be done from the running bills of the contract proportionately to the extent of 20% in supply of materials, 20% of civil works and 20% on ETC charges only till the total advance plus interest gets adjusted.

**14. LIQUIDATED DAMAGE FOR DELAY IN COMPLETION OF CONTRACT & DELAY IN REPAIR/ REPLACEMENT OF DEFECTIVE TRANSFORMER:**

- 14.1** If the contractor fails to perform the work covered under the project, within the completion period specified in the work order or any extension granted thereto, CSPTCL shall recover from the contractor as liquidated damages, a sum of (0.5%) of the total price of Sub-station (Supply, Civil works & ETC works) for each calendar week (or part thereof) for delay of the work covered under the project of this tender. For this purpose, the date of taking over by CSPTCL Engineer-in-charge of EHT works shall be reckoned as the date of completion.

The liquidated damages shall not exceed 5% (FIVE percent) of the total price for completed and uncompleted portion of the sub-station (supply, Civil & ETC work) of the project.

The payment or deduction of such damages shall not relieve the contractor from obligations to complete the work or from any of other obligations and liability under the contract.

- 14.2** In case transformer is found defective/failed within the guarantee period and the contractor fails to arrange repair/replace the failed/defective transformer within four

months from date of issue of intimation letter to the contractor by CSPTCL regarding its defect/failure, the contractor shall be liable to pay penalty charges for delayed repairs at the rate of 0.5% of the cost of transformer per week of delay or part thereof, subject to a maximum ceiling of 10% of the cost of the transformer. This penalty shall be in addition to the liquidated damages recoverable as per clause 14.1 for delay in completion of the contract.

#### **15. SECURITY DEPOSIT:**

The contractor shall furnish a bank guarantee from a nationalized/scheduled bank for an amount of 10% (ten percent) of the cost of the contract (including GST) as a contract security. This bank guarantee shall be submitted exceeding the scheduled completion date by two months with claim period of six months within 30 days of receipt of individual orders and shall be kept valid for a period

- a. In case the project is delayed (running beyond schedule) on any account, the contractor will be required to extend the validity of BG well in advance for atleast for six months or period of expected delay plus six months claim period, whichever is more. This extension in validity will be at contractor's cost only. The validity of the bank guarantee shall be extended on stamp paper worth Rs.250/- or as per the prevailing legal requirements. Any other amount as per the C.G. State Stamp Duty Act shall be from a Nationalised/ Scheduled Bank in the prescribed form of CSPTCL. No interest shall be paid by CSPTCL on the security deposit. In case of non-fulfilment of contractual obligations by the contractor, the security deposit shall be forfeited.
- b. The security deposit will be released only after completion of entire works, issue of No dues certificate from the Executive Engineer in charge of work and after submission of performance B.G.

#### **16. INSURANCE:**

- 16.1 The contractor shall arrange insurance coverage for the materials at his custody and substation under execution as per the conditions laid down in the relevant clause of the technical specification.
- 16.2 The contractor shall take up insurance or such other measures of his work force which covers the claim for damage arising under workmen's compensation Act and other applicable State/Central laws. CSPTCL shall not bear any responsibility on this account. The contractor shall insure the entire sub-station during construction and shall kept it insured against loss by theft, destruction or damage by fire, flood, riot, civil commotion, sabotage or rebellion for the full value of the sub-station from the time of delivery until the S/S is taken over.

The contractor shall ensure following insurances also :-

Workmen compensation insurance	: This shall protect against claims applicable against workmen's Compensation Act, 1948 (Govt of India)
Workmen's compensation	: As per statutory provisions
Employees liability	: As per statutory provisions

#### **17. INSPECTION OF EQUIPMENTS:**

The turnkey contractor shall ensure that pre-dispatch inspection for materials are intimated only when the material is ready for inspection. On due date of inspection, if it is found that materials are not ready in required quantities or the inspection could not be carried out due to non availability of sufficient testing material/ handling staff at

manufacturer work etc all expenditures incurred on deployment of various inspecting officials along with a fine of Rs.50,000/- shall be recovered from the bills of the firm.

**18. DESPATCH INSTRUCTIONS:**

After inspection, the equipment / material shall be despatched to the site only on issue of Despatch Clearance from O/o ED/CE (Planning & Projects). The contractor should ensure that the material except power transformer is delivered at site stores within 21 days of despatch clearance. In case material is not received within 21 days from date of issue of dispatch instructions the material is liable for re-inspection at the cost of contractor.

The despatch clearance of equipments, power transformers, structures, C&R panels shall be given on the basis of readiness at site.

- i) **Structure:** D.I. will be issued after completion of respective foundations.
- ii) **Equipments:** D.I. will be issued after the readiness of foundations and structural erection is under progress.  
The DIs in respect of equipments which are supplied alongwith the structures and foundation bolts viz. circuit breaker, capacitor banks etc. shall be issued during process of laying of foundation.
- iii) **C&R panels, Carrier panel, AC DC panels, RTU, Exchange, Battery & Battery charger:** D.I. will be issued after the readiness of Control Room Building for the placement of C&R panels directly in the control room.
- iv) **Power Transformers:** D.I. will be issued after the readiness of all the foundations of the Sub-station and completion of structural erection of equipments and the erection of gantries.
- v) **Cables:** D.I. will be issued after readiness of main cable trenches.

However, ED/CE (Planning & Projects) may issue dispatch clearance of various equipments/materials based on the assessment of the works, looking to its pace and review of progress of work, various site conditions, urgency of work and other factors like time required for transportation, loading and unloading etc.

**TRANSPORTATION:** The contractor shall ensure that all the equipments/ materials required for the project are dispatched to site through vehicles, within their permissible load carrying capacity, sanctioned by Transport Department of state where vehicle is registered.

**19. PAYMENT DUE FROM THE CONTRACTOR:**

All costs of damages for which the contractor is liable to the CSPTCL will be deducted by the CSPTCL from any amount due to the contractor under the contract.

**20. JURISDICTION OF THE HIGH COURT OF BILASPUR:**

Suit, if any, arising out of this contract shall be filed by either party in a Court of Law at Raipur within the jurisdiction of the High Court of Bilaspur.

**21. CONTRACTOR'S RESPONSIBILITY:**

Notwithstanding anything mentioned in the specification or subsequent approval or acceptance of the substation by CSPTCL, the ultimate responsibility for satisfactory performance of the substation shall rest with the contractor.

**22. RESPONSIBILITY TO RECTIFY THE LOSS AND DAMAGE:**

If any loss or damage happens to the work or any part thereof or materials/plant/ equipments during storage, construction, erection & commissioning, the contractor shall

be responsible for the damage / loss and he shall at his own cost shall rectify / repair or replace the same for which the contract may arrange necessary insurance cover at his cost.

**23. NON-ASSIGNMENTS:**

The contractor shall not assign or transfer the work orders issued as per this contract or any part thereof.

The contractor for ease and expeditious completion of the assigned works may appoint various agencies/ sub-vendors. The intimation for appointment of such agencies/ sub-vendors should be furnished to order placing authorities.

CSPTCL shall not be responsible for payment of any dues to these agencies / sub-vendors appointed by the contractor and also default of any statutory requirement.

**24. CERTIFICATES NOT TO AFFECT RIGHTS OF CSPTCL:**

The issuance of any certificate by CSPTCL or any extension of time granted by CSPTCL shall not prejudice the rights of CSPTCL in terms of the contract nor shall this relieve the contractor of his obligations for due performance of the contract.

**25. SETTLEMENT OF DISPUTES:**

- 25.1 Except as otherwise specifically provided in the contract, all disputes concerning question of fact arising under the contract shall be decided by CSPTCL provided a written appeal by the contractor is made to CSPTCL. The decision of CSPTCL shall be final to the parties hereto.
- 25.2 Any disputes or difference including those considered as such by only one of the parties arising out of or in connection with this contract shall be to the extent possible be settled amicably between parties. If amicable settlement cannot be reached then all disputes/ issues shall be settled by Arbitration as provided in this contract

**26. ARBITRATION:**

- i. No dispute or difference arising between the contractor and CSPTCL under or relating to or in connection with the Contract shall be referred to Arbitration unless an attempt has first been made to settle the same amicably.
- ii. Where any dispute is not resolved amicably then such dispute shall be referred to & settled by Arbitration under and in accordance with the provisions of Arbitration and Conciliation Act 1996 and any statutory modification thereof, by three Arbitrators. One to be appointed by each party and the third to be appointed by the two Arbitrators appointed by the parties at the commencement of Arbitration proceedings and failing agreement between them, in accordance with said Act, the third Arbitrator so appointed shall act as the presiding arbitrator. The award shall be final and binding upon the parties. The venue of Arbitration shall be Raipur.
- iii. The language of the arbitration proceedings and of all documents and communications between the parties shall be English. Arbitration award shall be speaking, final and binding.
- iv. Notwithstanding anything to the contrary contained herein the work under the Contract shall continue during the pendency of any disputes or differences in Arbitration proceedings and no payment due from CSPTCL shall be withheld on account of such proceedings except to the extent which may be in dispute and CSPTCL shall be entitled

to make recoveries of amounts, if any, due from the Contactor, as per the provisions of the Contract.

**27. LAWS GOVERNING CONTRACT:**

The contract shall be governed according to and subject to the Laws of India and jurisdiction of the High Court of Bilaspur & Civil Court at Raipur.

**28. LANGUAGE AND MEASURES:**

All documents pertaining to the Contract including specifications, Annexures / schedules, notice correspondence, operating and maintenance instructions, drawings or any other writings shall be written in English language. The metric system of measurement shall be used exclusively in this contract.

**29. CORRESPONDENCE:**

29.1 Any notice to the contractor under the terms of the contract shall be served by registered mail or by hand to the authorised local representative of the contractor and copy by post to the contractor's place of business.

29.2 Any notice to CSPTCL shall be served to the Chief Engineer (P & P), CSPTCL, Dangania, Raipur in same manner.

**30. SECRECY:**

The contractor shall treat the details of the specification and other documents as private and confidential and they shall not be reproduced without written authorisation from CSPTCL.

**31. AGREEMENT:**

The successful bidder shall have to enter into an agreement with the ED/C.E. (Planning & Projects), in the approved contract agreement format, latest within 15 days of the receipt of the work order for construction of 132/33 KV Sub-station.

**32. TIME SCHEDULE & CLARIFICATIONS: -**

a) It is necessary that the tender documents are read by Bidders carefully and clarifications, if any, required before furnishing of tenders is promptly obtained. For any delay in this regard, Company will not be responsible and any request for extension of due date will not be entertained.

b) In case, the specification for the same item/material/work are noticed to be different in two schedules, the contractor should ask clarification before submitting the tender, otherwise whatever is beneficial to CSPTCL shall be considered and decision of CSPTCL shall be final in this regard.

**33. CHECK LIST:** The check list (Annexure A-27) in respect of various documents/schedules in respect of PQR is required to be submitted by the bidder without which the tender will be considered incomplete and liable for rejection. The bidder should submit all schedules duly filled in along with this offer. The bidder should fill the check list carefully and they will be solely responsible for any mismatch in attached documents/annexures.

**34. SAFETY PRECAUTIONS:**

The contractor shall strictly follow, at all stages of erection of steel structures, the stipulations contained in the latest editions of IS-7205 "Indian Standard Safety code for erection of structural steel work".

**35. ENGAGEMENT OF WORKERS BY CONTRACTOR:-**

- a) The contractor shall at his own expense provide or arrange for the provision of footwear for labour doing cement mixing work which the contractor has undertaken to execute under this contract to the satisfaction of Engineer-in-charge.
- b) The contractor shall submit a statement to the Engineer-in-charge showing:-
  1. Number of Labours employed by him on the work
  2. Their working hours
  3. The wages paid to them, and
  4. The accidents that occurred during the working period of which information required stating the circumstances under which they occurred and the extent of damage and injury caused by them. The contractor should intimate all concerned about any accident & take immediate actions as governed by Rules.

Failure to supply such information or supplying materially incorrect statements may amount to breach of contract. The decision of the Engineer-in-charge shall be determining whether a breach has taken place.

- c) In respect of all labourers employed in the works, the contractor shall comply-with all the rules framed by the Government from time to time for the protection of Health and Sanitary arrangement of the workers.

**36. NATURE OF CONTRACT**

Notwithstanding anything stated elsewhere in the bid document, the contract to be entered will be treated as divisible in Supply, Civil works and Erection, Testing & Commissioning contract award shall be placed on successful bidder as follows:-

1. Supply of 132 KV & 33 K.V. substation equipments, C&R Panels, conductors, hardware etc. & other accessories, Supply of G.I. steel structures, Supply of T&P and furniture.
2. Civil Works.
3. Erection of equipments& structure, Testing & commissioning charges.

All the 3 contracts will contain interlinking cross fall breach clause specifying that breach of one contract will constitute breach of other contracts also. The tender will be considered as In-divisible composite Works Contract in totality.

**37. PRICES:-**

- 37.1 The quoted price should be kept valid till the completion of the project. Bidders are requested to quote price only in the prescribed formats showing Ex-works price/unit rate and GST.

The prices for the following equipments shall be variable on the basis of Price Variation formula prescribed by IEEMA as per latest IEEMA circular, with base indices as issued by IEEMA in its circular one month prior to the due date of opening of TC bid. In case of extension of due date, the base date for working out the price variation shall be calculated as per the original due date of opening of TC bid.

- (i) 40MVA 132/33 KV Transformer.
- (ii) 132KV & 33 KV Current Transformer & Potential Transformer/CVT (as applicable) & Coupling capacitor.
- (iii) 132KV & 33KV Isolators.
- (iv) 132 KV & 33 KV LA
- (v) 132 KV Circuit breaker & 33 KV VCB

- (vi) All GI structures.
- (vii) Power Line carrier equipments & Wave Trap.

For all other equipments / materials prices should be offered on FIRM basis.

The prevailing price variation formulas prescribed by IEEMA for Power Transformer, instrument transformer & coupling capacitor, isolators & switchgear, Lighting arrestor, PLCC equipments, Wave trap, GI structures are enclosed in the Annexure PV-1 to PV-8 of Volume-II of the tender document.

In case IEEMA notifies either modification in prevailing formula or new formula for these equipments within contractual completion period, the price variation shall be applicable as per revised IEEMA PV Formula and guidelines issued by IEEMA in this regard.

The payment shall initially be done on the basis of base rate offered by bidder subject to price adjustment to reflect changes in the cost. **Price variation shall be applicable for ex-works component only.**

The price adjustment shall be invoked by either party subject to the following further conditions:-

- a. For calculation of Price adjustment, date of notification regarding readiness of equipment/material for inspection at the works of the manufacturer, shall be reckoned as the "date of delivery". In case of delay of project beyond the scheduled date of completion, price variation up to scheduled completion period or actual date of delivery, whichever is advantageous to CSPTCL, shall be considered. CSPTCL shall be entitled to any decrease in the price which may be caused due to lower price adjustment amount in case of delivery beyond scheduled completion period, therefore, in case of delivery of equipments beyond the scheduled completion period, the liability of CSPTCL shall be limited to the lower of the price adjustment amount which may be worked out either on scheduled completion date or actual date of delivery (inspection).
- b. If price adjustment works out to be positive the same is payable to the contractor by CSPTCL and if it works out to be negative, the same is to be recovered by CSPTCL from the contractor.
- c. The contractor shall submit price adjustment invoices for supplies **positively within 6 (Six) months from date of supply of equipment/material**, whether positive or negative. The price adjustment bills for supply of equipment/material submitted after six months (from the date of supply) shall not be entertained. However, negative variations shall be recoverable.

The invoices should be supported with calculation of price variation along with documentary evidence of different indices applicable for price adjustment. Payment of price adjustment invoices shall be made after due verification, as follows:-

- (i) 90% of the price adjustment for respective equipment shall be paid after verification of invoices & receipt of material.
- (ii) Balance 10% amount shall be paid after successful commissioning and handing over of substation.

- 37.2 The quoted prices should be clearly mentioning Ex-Works Price and GST making total unit price chargeable for the items quoted. Packing, forwarding & Freight charges (inclusive of insurance) should be quoted separately in the relevant columns. The freight

shall be on FIRM basis irrespective of whether the ex-works prices are firm or variable. The total F.O.R. destination price should also be quoted in relevant column.

It may please be noted that statutory variations due to Govt. Regulation in the rate of GST shall be permitted by CSPTCL only within contractual completion period. In case supplies against the contract are affected late i.e. beyond contractual completion period and rate of GST undergoes upward revision, the payment will continue to be made only on the basis of rates prevailing during the contractual completion period. However, in case the rate of statutory levies undergoes downwards revision than the delayed supplies beyond contractual completion period will attract reduced rate of levies/ GST.

- 37.3 The prices of standard and reputed manufacturer items in accordance with vendor list shall be quoted so that quality assurance and performance of equipments are guaranteed in future.
- 37.4 For the items where the BoQ has not been specified by CSPTCL if the quantities quoted by the bidder varies at the time of final engineering/ execution the approval of the same has to be taken from CSPTCL.

**38. DESIGN OF 132/33 K.V. SUB STATION SWITCH YARD:-**

The contractor is required to submit the design & switchyard plan layout for 132/33 KV switchyards for sub-station and SLD as per tender specification. These should be developed in line with the tentative switchyard plan layout provided with this tender. All steel structure of 132/33 KV Switchyard shall be as per design & drawing of CSPTCL. The weight of steel structure is given in Section-I of Volume-II of the tender document. The successful bidder shall be provided with two sets of CSPTCL approved drawing of structures for above purpose. Equipment & structures should be offered according to the tentative layout. The layout should take into consideration the Indian Electricity Rules, incorporating latest amendments, regarding ground clearances, sectional clearances and inter-phase clearances. The bidder has to take into consideration of the land in possession of CSPTCL, while designing the layout, civil foundation, Equipment & structure should be offered accordingly to approve layout requirements.

**39. ISSUE OF STRUCTURAL DRAWINGS:-** The structural drawings shall be issued to L-1 bidder by ED/CE (Planning & Projects). Since designing is in the scope of contractor, it is the sole responsibility of the contractor for –

- i) Observing all the required clearances (phase to phase, phase to earth, sectional clearances & ground clearances) as per tender specifications.
- ii) Calculation of force at all the joints/ sections and their load carrying capacity as per the tender specification.
- iii) In case the structures do not comply with points (i& ii) given above, the contractor shall have to modify/ replace the structure as the case may be and acceptable to CSPTCL without any cost implication.  
If any modification required the same should be submitted for prior approval from this office.

**40. (a) VARIATION IN QUANTITY OF STRUCTURES/ WEIGHT OF EARTH FLATS ETC:** Since the quantity of the structure & weight of flats for earthing have been worked out by CSPTCL and unit rates have been quoted by the bidder; if during actual execution the quantity of structure or weight of earth flats varies, the



bidder will be paid the extra charges/ less charges due to increase/ decrease in quantity/ weight.

- (b) **VARIATION IN QUANTITY OF EQUIPMENTS:** In the event of revision of *quantity* on completion of project, total ordered value of supply of material, civil works and erection charges of sub-station for complete project under this tender shall be worked out with the unit rates of L-2 bidder. In case the total value when calculated with unit rate of L-2 bidder is found lower than the revised value of order value, the total payment shall be limited to the lower of the two. This condition may be kept in view while quoting the rates.
- (c) **EXECUTION OF EXTRA ITEMS OF CIVIL WORKS:** In the event of execution of extra item defined in price bid Annexure C-1 (Civil Works), on completion of sub-station, total ordered value of supply of material, civil works and erection charges of substation in the tender shall be worked out with the unit rate of L-2 bidder. In case the total value when calculated with the unit rates of L-2 bidder is found lower, then the total payment shall be limited to the lower of the two. This condition may be kept in view while quoting the rates.

**41. ENGAGEMENT OF SUB-VENDORS – CLEARANCE OF THEIR DUES AND OBSERVANCE OF INDUSTRIAL/LABOUR LAW.**

- 41.1 The contractor shall furnish list of various agencies/sub-vendors proposed to be engaged for execution of different type of works under scope of this contract to the ED/CE (C&LM), CE (Civil) CSPTCL, Raipur and concerned Engineer-in-charge.
- 41.2 Wages and fringe benefits according to the Labour Law / Industrial Law and fixed by concerned District Collectorate as in force during the execution of the work shall have to be paid by contractor or his appointed sub-vendor. It shall be the sole responsibility of the main contractor for observing the prevailing laws and contractor shall be abided for such statutory requirements absolving CSPTCL fully in case of any dispute, if so arises. Notwithstanding above, CSPTCL reserves the right to make direct payment to the sub-vendors/sub-contractor in case of failure of the main contractor to do so within a reasonable time period on whatever ground and deduct from the bills due to the Contractor under this contract or any other contract with CSPTCL including his amount of performance / security for adjusting the aforesaid payment.
- 41.3 The termination/completion of the sub-vendor's job shall be informed to CSPTCL promptly. The contractor shall furnish a statement to the effect that all the dues of all sub-vendors/other agencies engaged by him for the execution of the contract have been fully cleared. The B.G. shall be released only after submission of the aforesaid statement to CSPTCL.
- 41.4 The contractor shall observe Labour Law/Industrial Law and Wages Law strictly with regard to payment and fringe benefits to be delivered to the labourers/workers engaged by the Contractor or his sub-vendor. It shall be the sole responsibility of main contractor for arranging due insurance of personnel / materials to meet out any exigencies. It shall be the sole responsibility of main contractor for observing all the prevailing Laws and CSPTCL shall not be held responsible for any liability / disputes or claim in any way if arises due to non-observance of such Laws. However, the decision of Honourable District Court / appropriate court of law shall be final and binding on CSPTCL, Contractor and sub-vendor in case of any dispute.

**42. POWER & WATER SUPPLY FOR CONSTRUCTION WORK:**

For providing power supply required for construction, erection, testing & commissioning work, CSPTCL shall extend supply up to the site of the Sub-station. Any line extension work etc required for this purpose shall be done by CSPTCL at their own cost.

However, the connection required for availing supply shall be arranged by the contractor. The expenditure on this account and the energy charges shall be borne by the contractor. Water supply shall be arranged by the contractor at his own cost.

**43. AWARD OF CONTRACT:-**

The contract will be awarded to the successful bidder, (also referred as L-1 bidder), whose bid has been evaluated to be the lowest. However, CSPTCL reserves its right to accept or reject any or all the offers, in part or full, without assigning any reason whatsoever.

**44. (A) STORAGE, SHIPMENT OF EQUIPMENT/MATERIAL:-**

The indoor equipments received at site for the work under execution has to be stored under a temporary shed in proper manner so as to avoid entry of rain water, flood water and safe from theft & fire hazards etc. The outdoor equipments can be stored in open space free from water logging and fire hazard. The Executing Division of the work to ensure that the bill raised by the contractor is passed only after storage of the equipments in proper manner. The site of the store shall be selected in consultation with engineer in charge of the work, in no way the store area shall create obstacles for construction of main switch yard. DI of materials shall be issued by this office only after getting confirmation of construction of storage shed from engineer-in-charge.

Materials /equipment have to be transported in proper manner with suitable package /cartoon to protect the equipment from damages due to injury during transportation.

Impact recorder shall be provided with power transformer during the transportation to site from the manufacturer's works to record shock/jerk/vibration. The report of the impact recorder is to be analysed at the time of receipt of transformer in the presence of CSPTCL engineer. The officer in charge of the work will ensure that the MRC is issued only after ensuring the shocks/vibration/jerk during the transportation is within limit. The contractor shall arrange the technical expertise required for the analysis of impact recorder. If the data of the impact recorder is not within the tolerable limit the transformer may not be received.

All the oil connecting conduit pipes, radiators oil conservators & turrets are to be blocked with the dummy MS flanges & gaskets in order to avoid ingress of moisture.

**(B) SUBMISSION OF INDEMNITY BOND TOWARDS SAFE CUSTODY OF EQUIPMENT/ MATERIAL:-**

The contractor shall submit indemnity bond (as per Annexure A-18) towards safe custody of various material/equipments equivalent to cost of material provided in price schedule of supply order, indemnifying CSPTCL towards loss and damages if any. This bond shall be valid till contractual completion period or actual completion period whichever is later.

**45. UNSATISFACTORY PERFORMANCE:**

The bidder(s) who have been debarred/ blacklisted for future business with CSPTCL/ or any other successor power companies of erstwhile CSEB or found to violate any provision(s) contained in the tender document during any stage of bid or during pre-

contract stage, their bid shall not be considered for further evaluation and the bidder can be disqualified from tender process or the contract, if already awarded, can be terminated for such reason.

**46. DRAWING & LITERATURES:**

The contractor is required to submit 06 sets of drawings for approval before execution of the work. The contractor is also required to submit 06 sets of **as built** drawings before handing over the Sub-station to CSPTCL.

**47. DISCREPANCY WITH APPROVED DRAWING:**

The suppliers are required to submit the drawings of the equipments/structures/T&P and all other materials strictly as per tender specifications. However, after approval of drawing, at a later stage, if it is detected that due to incorrect/incomplete/partially matching drawing with the tender specifications or due to any other reason the items actually supplied do not fulfil the requirements as per tender specifications the whole lot shall be liable for rejection unless the deviation is specifically approved by ED/CE (Planning & Projects).

**48. ELECTRICAL INSPECTOR FEE:**

All pre-commissioning tests on equipment shall be carried out by the contractor. Commissioning of the equipments shall be carried out after receipt of clearance from the engineer-in-charge and Chief Electrical Inspector. Payment of statutory Electrical Inspector Fees and filing of papers of such inspection shall be done by the contractor. All other materials required for erection, testing, and commissioning shall be supplied by the contractor at his own cost. Services of commissioning engineer wherever required would be on the contractor's account.

**49. COMPLIANCE WITH REGULATIONS:**

Unless other wise specified all works shall be carried out in accordance with the Indian Electricity Rules 2003 OR revision thereof which may be issued during the period of contract.

**50. FULL TIME SITE ENGINEER:**

Immediately on award of contract and handing over of the site, the contractor shall nominate one experienced site engineer having at least 3 years experience of similar work, who will be stationed near the substation site. The site engineer will execute all the works related to this substation on a full time basis. Immediately after handing over of the land, various activities are required to be carried out including preparation of lay out plan, soil investigation, fixing of levels etc. It is noted that some of the bidders have undertaken 2-3 projects but are carrying on with one site engineer only with the result that for achieving progress at one site, the works are delayed at other sites. Therefore, full time site engineer for each substation is a must. After award of the contract, the firm shall immediately inform CSPTCL about nomination of a full time site engineer and his contact numbers who will be approachable to CSPTCL for all works related to the substation.

**51. E.P.F. CODE:**

The contractor shall submit EPF code allotted by EPF Commissioner to the Engineer-in-charge of the work.

**52. LIST OF VENDORS:**

All the equipments/materials required for construction of the sub-station shall be supplied strictly as per the “list of vendors” indicated in Annexure A-24 of Vol-I of this tender document. This vendor list can also be viewed on CSPTCL’s official web-site. The vendor list as on date of issue of NIT shall be applicable for instant tender. No deviation in the vendor list shall be permitted during execution of the project at any stage. The equipments/ materials which are not covered in this vendor list shall be of reputed make with prior approval of CSPTCL.

**53. LIMITATION OF LIABILITY**

Except in cases of gross negligence or willful misconduct,

- (a) the Contractor and CSPTCL shall not be liable to the other party for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Contractor to pay liquidated damages to the CSPTCL and
- (b) the aggregate liability of the Contractor to CSPTCL, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the Contractor to indemnify CSPTCL with respect to patent infringement.

\*\*\*

## **S E C T I O N – I I I**

***(Annexure, schedules and formats, Vendor list for EHV  
Sub-station & BoQ of the project)***

**ANNEXURES, SCHEDULES& FORMATS****CONSTRUCTION OF 132/33 KV SUB-STATION BAIJALPUR  
ON TURN KEY BASIS****INDEX**

<b>S.No.</b>	<b>PARTICULARS</b>	<b>ANNEXURE</b>	<b>Page No.</b>
1.	General Information to be furnished by bidder	A-1	55
2.	Declaration Form	A-2	56
3.	Questionnaire.	A-3	57-60
4.	Personal Capabilities	A-4	61
5.	Equipment Capabilities for sub-station	A-5	62
6.	Financial Capabilities	A-6	63
7.	Formatfor evidence of access to or availability of credit/facilities	A-7	64
8.	Experience Record	A-8	65
9.	Deviation from Technical Specification/Condition	A-9	66
10.	Deviation from the Condition of Contract (Commercial)	A-10	67
11.	Completion schedule for sub-station	A-11	68
12.	Litigation History of the bidder	A-12	69
13.	Current Contract Commitment(s)	A-13	70
14.	Agreement (Proforma )	A-14	71-72
15.	Proforma for Bank Guarantee towards Security Deposit	A-15	73
16.	Proforma for Bank Guarantee towards Performance	A-16	74
17.	Proforma for Bank Guarantee for Loss/Damages to CSPTCL	A-17	75-76
18.	Proforma forIndemnity Bond	A-18	77-78
19.	Proforma for Deed of Extension of Bank Guarantee	A-19	79
20.	Proforma for undertaking by the Joint Venture Partners	A-20	80-81
21.	Proforma for Power of attorney for joint venture	A-21	82
22.	Pre-Contract Integrity Pact	A-22	83-87
23.	Inspection Plan of Equipments	A-23	88
24.	List of Vendors for Sub-station	A-24	89-95
25.	Quantity of major equipment and material required for S/s	A-25	96-97
26.	Illustrative example for capitalization of losses	A-26	98
27.	Check List	A-27	99-100
28.	Certificate issued by Chartered Accountant	A-28	101
29.	Declaration by the bidder	A-29	102

**ANNEXURE – A-1****GENERAL INFORMATION TO BE FURNISHED BY BIDDERS**

The bidders shall furnish General information of their firm in the following format:-

1. Name of the Firm
2. Head Office address
3. GST Registration No.
4. Contact Person
5. Mobile No. of contact person
6. Telephone No. Office
7. Telephone No. Residence
8. Fax No.
9. E-mail:-
10. Place of incorporation / Region
11. Year of incorporation / Region

Date  
Place

SIGNATURE OF BIDDER  
NAME  
DESIGNATION  
(SEAL)

**ANNEXURE – A-2****DECLARATION FORM****Tender specification No. TR-20/01**

To,

Sir,

1. Having examined the above specification together with tender conditions referred to therein. I/We the undersigned hereby offer to execute the work contract covered therein complete in all respect as per the specification and general conditions, at the rates entered in the attached contract Annexure – of prices in the tender. Our offer is valid upto 180 days from the date of tender opening and the prices, which are on firm basis, will remain valid till the completion of the work.
2. I/We hereby undertake to have the works completed within the time specified in the tender.
3. I/We certify to have purchased a copy of the Specification by remitting cash/ demand draft and this has been acknowledged by you in your letter no. \_\_\_\_\_ dtd. \_\_\_\_\_.
4. In the event of work order being decided in my/our favour, I/We agree to furnish the Bank Guarantee in the manner acceptable to CSPTCL and for the sum as applicable to me/us as provided in the General conditions of contract (Section-II) of this specification within 30 days of issue of work order, failing which I/We clearly understand that the said work order will be liable to be withdrawn by CSPTCL.

Signed this \_\_\_\_ day of \_\_\_\_\_ 2020.

Yours faithfully,

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

*(This form should be duly filled up by the bidder & submitted along with the original copy of tender.)*



### ANNEXURE A-3: QUESTIONNAIRE

**Note :** The bidders may please note that submission of this questionnaire duly and properly filled in all respect is essential. While in entries against the questions given below, no reference should be made to comments entered elsewhere in the tender. All queries should be answered and these answers should be complete in themselves. Please note that none of the column should be left blank and clear reply against all columns should be furnished. **In case this is not done the offers will be liable for rejection.**

**Bidders to note this to avoid bid rejection:** It will be the responsibility of the sole bidder/ partners of joint venture (JV)/ consortium to make sure that all the documents required as per tender are submitted along with bid on or before due date of tender. The bid submission date is cut-off date of submission of all the documents required as per tender and every bidder must adhere to this dead line. If a bidder has quoted 'NIL' deviations in Annexure A-9 (Deviation from technical specification / condition) and Annexure A-10 (Deviation from Commercial conditions of contract), this will have an overriding effect on any other conditions noted as deviations elsewhere in the bid.

**Please note that in case of any of the required document is not submitted along with the bid; the bid will be rejected without any further correspondence in the matter.**

1.	Name and address of tenderer. Telephone & fax No.	
2.	Mention GST registration number	
3.	i. Whether you are State or Central Govt. Undertaking/unit with 100% Govt. share. ii. If yes, whether documentary evidence in support of the above has been enclosed.(In absence of documentary evidence your claim to be State/Central Govt. under-taking shall be ignored.)	Yes / No
4.	Mention Earnest Money furnished 1. Amount & Bank Draft No. 2. Proof of support of EPM Region/ DGS&D/ NSIC	
5.	Mention Tender cost (amount & DD Number)	
6.1	Whether quoted as a sole bidder or JV/ consortium	
6.2	If JV/ consortium, name of Lead partner/ other partner	
7.	Whether dully filled in check list (Annexure A-27) is enclosed	Yes / No
8.	Whether the offer is valid for 180 days from the date of opening of commercial/tech. bid	Yes / No
9.	For all equipments& accessories, the price shall be FIRM (except for equipments/structures specified in clause 1.37 section-II, Vol-I)	Yes / No
10.	Please confirm that the breakup of prices i.e., cost of equipment (Ex-works, Freight,package& Insurance and GST) has been furnished separately in the Price bid annexures	Yes / No
	a) Confirm that the Ex works price for all supply items are exclusive of GST	Yes /No
	b) Confirm that the unit rate for all Civil works are exclusive of GST	Yes / No
	c) Confirm that the unit rate for ET &C works are exclusive of GST	Yes / No
	d) All Testing charges for all equipments as per specification are included in the price of equipment.	Yes / No
11	<b>Terms of payment</b> – Whether agreeable to CSPTCL's terms or not?	Yes / No
12	Please confirm that you have noted the responsibility for payment of taxes as stipulated in Section-I, Vol-I.	Yes / No
13	Please confirm you have noted & agreed that if the break-up of prices has not been furnished in respective price schedules/annexures and if the prices are furnished as without taxes, then it will be presumed that the GST, cess under BOCWA or any other applicable taxes are included as per prevailing rates in respective price schedules.	Yes / No

14	Schedule date of completion of EHV Sub-station (15 months) - Whether agreeable to CSPTCL's terms	Yes / No
15	Transformer Guarantee Period – Whether agreeable to CSPTCL's terms	Yes / No
16	Equipment Guarantee Period – Whether agreeable to CSPTCL's terms	Yes / No
17	Liquidated damages– Whether agreeable to CSPTCL's terms	Yes / No
18.	Whether agreed to guarantee/extended guarantee period clause	Yes / No
19.	Whether agreeable to submit 10% BG against SD as per clause-15 GCC section-II, Vol-I	Yes / No
20.	Whether agreeable to submit BG against Performance guarantee for 5% of the contract price (excluding cost of transformer) & 10% BG against performance guarantee for Power transformer as per clause-12.1 of section-II & additional 10% BG in case of second time failure of power Xmer within the guarantee period as per clause-11.2 of of GCC	Yes / No
21.	Whether agree to Technical Specifications & drawings as mentioned in Vol-II.	Yes / No
22.	Self attested detailed order copy along with annexures containing BoQ/ scope of work,in support of technical experience criteria of PQR for having constructed &commissioned 1 (one) No. 132KV <u>OR</u> 110KV (or above voltage class) Sub-station of at-least two voltage level on turn key basis (with or without supply of power transformer) during last 5 years (between 1 <sup>st</sup> Apl'2014& 31 <sup>st</sup> March'2019) <i>against order issued by</i> Power utilities owned and controlled by Central or State Govt. or PSUs <b>or</b> Govt. organizations. <b>The date of order should not be older than 7 years from the date of issue of NIT of the instant tender</b> a) Name of 132 KV/110 KV S/S commissioned & name of order placing utility	Enclosed or not. If Yes mention Page No.
23.	Performance certificate for successful commissioning & satisfactory operation of above mentioned Sub-station for a period of atleast one year (from the date of commissioning) indicating date of commencement of work and its commissioning (constructed by sole bidder / any of the partners) as on date of NIT of the instant tender. a) Name of performance certificate issuing utility.	Enclosed or not. If Yes mention Page No.
24.	In support of their 'Financial Position', the Bidder (Sole bidder or the JV partners in case of JV bidder) must provide the relevant information, alongwith documentary evidence for the following :-	
A	Turn over Details	Yes/No
	<b>Financial Year</b>	<b>Turn over (in Cr)</b>
	Do you have audited results for FY 2019-20	Yes/No
	a) 2019-20	
	b) 2018-19	
	c) 2017-18	
	d) 2016-17	
B	Net worth details ( with Self attested copies by authorised signatory)of the balance sheets for last 3 yrs):-	Yes/No
	Financial Year	Net worth (in Cr)
	a) 2019-20	
	b) 2018-19	
	c) 2017-18	
C	Liquid Assets	
	Details of evidence of liquid assets(LA)	
	Details of evidence of of access to or availability of credit facilities (Bank Certificate)	
D	Whether self attested copies of profit and loss account statement of the balance sheet for the last 5 financial years have been furnished.	Yes/No

E	Whether certificate of CA, in original that the bidder has discharged all its payment obligations (principal/interest) on outstanding debentures (i.e. debentures which have not yet been redeemed), if any and no such payments as on <b>30.06.2020</b> should be outstanding/overdue <b>AND</b> the bidder is not presently in default in payment of any bank loan or interest thereon for more than three months or any loan account of the bidder should not have been classified as NPA (Non Performing Assets) by the creditor/lending bank, as on date of issue of NIT, have been furnished.	Yes/No
25.	Whether the declaration is furnished that the bidder is not debarred/ blacklisted by Bank/State Govt/Central Govt./State PSU/CPSU/SEB/public utility .	Yes/No
26.	Whether self attested copy duly certified by CA, indicating Liquid assets, for sole / lead partner of JV and the other partner of JV is enclosed.	Yes/No
27.	Particulars of Contractor's "A" class H.T. License:- a. Licence Number. b. Name of Person. c. Valid Upto. d. Name of state level license issuing authority.	Yes/No
28.	Copy of EPF code number allotted by EPF Commissioner	Yes/No
29.	<b>GUARANTEED LOSSES OF OFFERED POWER TRANSFORMER:</b> <i>This information is mandatory or else the bid shall be considered as non-responsive and liable for rejection. The losses for offered transformer should be within the prescribed range for respective losses.</i>	
	i No Load Loss at 75°C & Normal Tap	
	ii Load loss at rated voltage and rated frequency at 75°C & Normal Tap	
	iii Auxiliary Loss at 75°C & Normal Tap	
30.	Please mention losses of 10 MVAR Capacitor bank in watts /KVAR	
31.	Please confirm that you have noted and agree to the conditions stipulated in clause 5(xv) of section-I, volume-I & sub-clause 5.2.1 of Section-I of volume II that if the losses of offered power transformers exceeds the permissible limit of respective losses then your bid shall be rejected.	Yes/No
32.	Please also confirm that you have noted & agreed to our requirement of liability towards Excess Guaranteed Losses for supply of Power Transformers as stipulated in clause no.5.2.2 of Section-I, Vol-II, that if during final testing of power Xmer, the measured losses (individually) exceeds the values guaranteed by the bidder then the respective transformer will not be accepted	Yes/No
33.	Whether you agree for inspection by <b>CSPTCL</b> 's representative prior to despatch and bear the testing charges for all tests as per IS to be conducted on samples, drawn by <b>CSPTCL</b> 's representative.	Yes/No
34.	Please confirm that you have noted & agree to submit price adjustment invoices for supplies, positively within 6 (Six) months from date of supply of equipment/material, whether positive or negative, as stipulated in clause 37 section-II, Vol-I	Yes/No
35.	Whether testing facilities for carrying out the type, acceptance and routine tests as per relevant is specification, on the materials offered are available with the manufacturer. If so, please furnish the list of testing machines and relevant details.	Yes/No
36.	Whether details of departures/ deviation from specification have been furnished in the respective schedule.	Yes/No
37.	Whether details of technical manpower of head office and field organisation furnished in respective schedule.	Yes/No
38.	Whether agreeable to arrange for storage cum erection insurance of substation equipments/materials as per relevant clause of the specification.	Yes/No
39.	Please indicate if use of private/forest/canal service of roads for transport of materials and constructional personnel if required, then the charges, if any, levied by the concerned authorities will be borne by you, without any extra cost to the <b>CSPTCL</b> .	Yes/No
40.	Have you furnished the power of attorney in respect of the person signing the tender on behalf of the bidder?	Yes/No

41.	Whether submitted Precontract Integrity pact with confirmation that no addition/ deletion has been made and if, at later stage any discrepancy is found as compared to the text of integrity pact attached with the tender document, you will be bound to correct the same.	Yes/ No
42.	Whether agree to supply all the equipments and materials as per our tender specification and as per “list of vendors” indicated in Annexure A-24, Section-III, Vol.I of tender document & displayed in CSPTCL’s official website as on the date of issue of NIT and you will not seek any deviation from vendor list in the event of award of contract.	Yes/ No

Note : Bidder shall use above questionnaire sheets in original for furnishing reply alongwith this offer. However if separate sheets are used for this questionnaire, it may please be ensured that the serial order and language of questions is maintained.

Date  
Place

SIGNATURE OF TENDERER  
NAME DESIGNATION WITH SEAL

**ANNEXURE – A-4**  
**UNDERTAKING FOR PERSONNEL CAPABILITIES**

*(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)*

I/We M/s ----- (designation) of ----- (Name of bidder) hereby undertake that we have adequate experienced personnel with necessary license/workman permit issued by the Electrical Licensing to execute the project and the details are hereunder:

**1) PERSONNEL IN MANAGERIAL POSITION**

Sl. No.	Name of person with designation	Educational/Tech. Qualifications	Year of experience	Details of Licence

**2) PERSONNEL IN SUPERVISORY POSITION**

Sl. No.	Name of person with designation	Educational/Tech. Qualifications	Year of experience	Details of Licence

**3) PERSONNEL IN WORKMEN CATEGORY**

SL. No.	Name of person with designation	Educational/Tech. Qualifications	Year of experience	Details of Licence

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

**ANNEXURE – A-5****UNDERTAKING FOR EQUIPMENT CAPABILITIES**

*(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)*

I/ We ----- (designation) M/s ----- (Name of bidder)

hereby undertake that we have adequate substation design infrastructure/ tools and plants required for execution of various activities involved in construction of EHV Substation

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

**ANNEXURE – A-6**  
**FINANCIAL CAPABILITIES**  
**ANNUAL TURNOVER**

*(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)*

Name of the bidder

(The bidder is requested to complete the information in this Annexure. The information supplied should be the annual turnover duly audited by the Chartered Accountant for preceding three years of work in progress or completed.)

**ANNUAL TURNOVER& NET WORTH DATA**

	FINANCIAL YEAR	TURN OVER (in Rs.)	NET WORTH (in Rs.)
1	2015-16		
2	2016-17		
3	2017-18		
4	2018-19		
5	2019-20		
<b>Average Annual Turn Over</b>			

The bidder shall also furnish the following information:

1. Name of Banker:
2. Address of Banker:
3. Telephone:
4. Contact Name and Title:
5. Fax / Telex

Financial information in Rupees	Actual previous three years			Projected Next Two years.	
	1	2	3	1	2
1. Total assets					
2. Current assets					
3. Total liabilities					
4. Current liabilities					
5. Profit before taxes					

**Proposed sources of financing**

	Source of financing	Amount (Rs.)
1.		
2.		
3.		

**Attach audited financial statements for the last three years.**

Date

SIGNATURE OF BIDDER

Place

NAME

DESIGNATION

(SEAL)

**ANNEXURE – A-7****FORMAT FOR EVIDENCE OF ACCESS TO OR AVAILABILITY OF  
CREDIT/FACILITIES***(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)***BANK CERTIFICATE**

This is to certify that M/s..... *(insert Name & Address of the Contractor)* who have submitted their bid to .....*(insert name of the Employer)*..... against their tender specification vide ref. No. .... for ..... *(insert name of the project along with the project name)* ..... is our customer for the past ..... years.

Their financial transactions with our Bank have been satisfactory. They enjoy the following fund based and non fund based limits including for guarantees, L/C and other credit facilities with us against which the extent of utilization as on date is also indicated below:

<b>Sl. No.</b>	<b>Type of Facility</b>	<b>Sanctioned Limit as on Date</b>	<b>Utilisation as on Date</b>	<b>Unutilized limit/Balance as on date</b>

This letter is issued at the request of M/s. \_\_\_\_\_.

Signature \_\_\_\_\_

Name of Bank \_\_\_\_\_

Name of Authorised  
Signatory \_\_\_\_\_

Designation \_\_\_\_\_

Phone No. \_\_\_\_\_

Address \_\_\_\_\_

DATE & SEAL OF THE BANK



**ANNEXURE – A-8**  
**EXPERIENCE RECORD**

The bidder shall furnish details of work orders for similar nature for construction of sub-stations received during the last three years & already completed or under execution.

SL. No.	Work order/ No. & date	Name & Address of order issuing Authority	Value of contract	Scheduled date of delivery/ completion of work	slippage with	Remarks

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

**ANNEXURE – A-9****DEVIATION FROM TECHNICAL SPECIFICATION/CONDITIONS**

Bidder shall enter below particulars of his alternative proposals for deviation from the specification, if any. If a bidder has quoted 'NIL' deviations in the bid, this will have an overriding effect on any other conditions noted as deviations elsewhere in the bid and no correspondence will be made to withdraw such specific contradictory conditions

SL. No.	Clause No. of Specification	Particulars of deviation	Remarks

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

**ANNEXURE – A-10**  
**DEVIATION FROM THE COMMERCIAL CONDITION OF CONTRACT**

The bidder shall enter below, departure if any, from the conditions of contract as herein. If a bidder has quoted 'NIL' deviations in the bid, this will have an overriding effect on any other conditions noted as deviations elsewhere in the bid and no correspondence will be made to withdraw such specific contradictory conditions.

SL. No.	Clause No. of Specification	Particulars of deviation	Remarks

Date  
Place

SIGNATURE OF BIDDER  
NAME  
DESIGNATION  
(SEAL)

**ANNEXURE – A-11****COMPLETION SCHEDULE FOR SUB-STATION**

We hereby declare that following work completion schedule shall be followed by us in execution of the subject project for the period commencing from the date of handing over of site to us:

Sl. No.	Description of work	Period in <u>months</u> from date of handing over of site		Dates calendar monthwise	
		Commencement	Completion	From	To
<b><u>FOR EHV SUB-STATION</u></b>					
1.	Submission of PERT chart, sub-station layout & elevation drawings, detailed engineering equipment drawings, earthing of S/S etc.				
2.	Construction of civil foundation work of equipments& structure, etc.				
3.	Constn.of control room building & other switch yard civil works etc				
4.	Supply of structure & switch yard equipment including stringing material etc.				
5.	Supply of control room equipments, control cables etc.				
6.	Supply of T&P, furniture, ADLS, etc.				
7.	Erection of structures/equipments in switch yard				
8.	Erection of control room equipments etc.				
9.	Testing & Commissioning of equipments etc.				

NOTE:-Bar chart showing the commencement and completion of various activities indicated above for completion of substation shall be furnished alongwith this schedule with the bid.

Date  
Place

SIGNATURE OF BIDDER  
NAME  
DESIGNATION  
(SEAL)

**ANNEXURE – A-12****LITIGATION HISTORY OF THE BIDDER***(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)*

Name of the bidder:

The bidder should provide detailed information on any litigation or arbitration arising out of contracts completed or under execution by it over the last five years. A consistent history of awards involving litigation against the bidder or any partner of JV may result in rejection.

Year	Name of client, cause of litigation/ arbitration and matter in dispute	Details of contract and date	Award for or against bidder	Disputed amount (current value in Rs.)
1				
2				
3				
4				
5				

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

**ANNEXURE : A-13****CURRENT CONTRACT COMMITMENTS**

Bidders should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

<b>Current Contract Commitments</b>					
S. No.	Name of Contract	Employer's Contact Address, Tel, Fax	Value of Outstanding Work [Rs.]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Rs.]
1					
2					
3					
4					
5					

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

**ANNEXURE – A -14****PROFORMA FOR AGREEMENT**

**(To be executed on non judicial stamp paper worth Rs.300/- only with a revenue stamp of**

**Rs.1/- affixed on it)**

This Agreement is made this \_\_\_\_\_ day of \_\_\_\_\_ between Shri \_\_\_\_\_ on behalf of the Contractor \_\_\_\_\_ (hereinafter called the Contractor which expression shall where the context so admits, be deemed to include his heirs, executors, administrators and representatives) of the one part, and the Chhattisgarh State Power Transmission Company Limited, Raipur being the Company constituted under Companies Act, 1956, (hereinafter called the CSPTCL which expression shall, where the context so admits, be deemed to include its successors in office and permitted assigns) of the other part.

WHEREAS in accordance with a Tender No. \_\_\_\_\_ dtd. \_\_\_\_\_ issued by Chief Engineer (P&P) of the CSPTCL, the Contractor submitted his tender dated \_\_\_\_\_ for

**Construction of 132/33 KV Sub-station Baijalpur (Silhati), Distt: Kabirdham**

All these works on turnkey basis more particularly described, mentioned, enumerated or referred to in the general conditions, specifications, schedules, drawings etc. forming part of tender, covering letters, schedule of prices and further correspondence, a copy of which is hereto annexed and is for purposes of identification signed by the contractor \_\_\_\_\_ on behalf of the contractor and Chief Engineer (P&P) of CSPTCL and all of which shall be deemed to form part of this agreement as though separately set out herein and are included in the expression “Contract” herein used (herein after referred to as the said works).

AND WHEREAS CSPTCL has accepted the tender of the Contractor vide following work Order which have been placed by CSPTCL for construction of aforesaid works on turnkey basis for the total net price of \_\_\_\_\_ upon the terms and subject to the condition hereinafter mentioned.

NOW THEREFORE THIS AGREEMENT WITNESSES AND IT IS hereby agreed as follows:

1. The contractor shall undertake following works :
  - (i) Supply for design, supply of galvanising steel structure for equipments, gantry, bus and lighting towers etc. for supply of Transformer, all switchyard & control room equipments with recommended spares, and supply of testing equipments, T&P and furniture etc. for **Construction of 132/33 KV Sub-station Baijalpur (Silhati), Distt: Kabirdham**
  - (ii) The contractor shall perform civil works like construction of control room building, construction of earth pits, construction of concrete works, RCC works, Cable trenches, Sanitation and water supply arrangement, excavation, back filling, yard levelling /metalling, peripheral fencing with iron gates of the switch yard, foundations of all equipment/structures and all other works detailed in the respective work order.
  - (iii) Erection, testing & commissioning of all the equipment of the substation as detailed in the respective orders within the time specified in and in accordance with the terms and conditions specified in the CSPTCL aforesaid Work Orders.
2. The contractor shall commence the work described in the Notice Inviting Tender No. 02-04/ NIT/TR-20/01, ... dated ....., namely, the construction of 132/33KV Sub-station

**Baijalpur** on turn key basis and thereafter execute the work in accordance with the completion schedule submitted in the format set out in Annexure A-11 of Section III, Volume-I of the Tender Specifications No. TR-20/01 read with the PERT Network / Bar Chart submitted in accordance with clause-3 of the General Conditions of Contract. The Works shall be completed by the contractor on turnkey basis not later than fifteen (15) months from the date the contractor is handed over the site for construction of the Sub-station. In the event the contractor fails to undertake the works in accordance with the Schedule, the contractor may be liable for penalty at the discretion of CSPTCL in accordance with the terms of clause 07 of the General Conditions of Contract

3. In the event of a conflict or contradiction between: (a) any provision(s) in this agreement and any provision(s) in the Tender Specifications No. TR-20/01, i.e. the tender document, the provision(s) of this agreement shall prevail to the extent of such conflict, and (b) two or more provisions in the tender document, the provision(s) laying down more stringent obligations on the contractor shall prevail."
4. For the work done under the scope of the CSPTCL Work Orders referred above, the CSPTCL shall pay to the Contractor a total sum of Rs. \_\_\_\_\_ (In words Rupees \_\_\_\_\_) or such other sum as may become payable in accordance with the said work order.
5. If at any time, any question, dispute or difference whatsoever arises between CSPTCL and the contractor upon, in relation with or in connection with this contract either party may forthwith give the other party a notice in writing of the existence of such question, dispute or difference and same shall be referred to the adjudication of three Arbitrators one to be nominated by CSPTCL, the other by the Contractor and third to be appointed by the two Arbitrators nominated by the parties at the commencement of arbitration proceedings and failing agreement between them, in accordance with the Arbitration and Conciliation Act 1996, the third Arbitrator so appointed shall act as the Presiding Arbitrator. The award so passed shall be binding on both the parties. The place of arbitration shall strictly be RAIPUR CG.
6. In all matters arising under out of or in relation with this agreement, the terms and conditions contained in the aforesaid Work Orders shall apply and all such matters shall be determined accordingly.
7. This agreement shall be deemed to be entered into at Raipur and all disputes and claims, if any, out of or in respect of this Agreement are to be settled at Raipur or be subject to jurisdiction of competent court situated only at Raipur in Chhattisgarh State.  
IN WITNESS whereof the parties hereto have signed this agreement on the dates and year mentioned against their respective signature.

Signature of Witness :

1. Signature : \_\_\_\_\_  
Address : \_\_\_\_\_

Signature : \_\_\_\_\_  
Address : \_\_\_\_\_

Signature of Witnesses :

1. \_\_\_\_\_

2. \_\_\_\_\_

Name & Signature for Contractor

Signature  
(On behalf of the Contractor)

Name : \_\_\_\_\_

Designation : \_\_\_\_\_

Seal \_\_\_\_\_

Signature  
(On behalf of CSPTCL)

Name \_\_\_\_\_

Designation \_\_\_\_\_



## ANNEXURE – A- 15

## PROFORMA FOR BANK GUARANTEE TOWARDS SECURITY DEPOSIT

(To be executed on non-judicial stamp paper of Rs. 250/- and  
Revenue stamp may be affixed on Bank Guarantee)

Bank Guarantee No..... Dated.....

In consideration of the Chhattisgarh State Power Transmission Company Limited, Raipur ( A successor company of Chhattisgarh State Electricity Board, Raipur hereinafter referred to as 'CSPTCL') having agreed to accept this Bank Guarantee in lieu of cash deposit by way of Security for due and faithful performance required from M/s. \_\_\_\_\_

\_\_\_\_\_ (herein after referred to as "Contractors", the Bank of \_\_\_\_\_ hereby agrees unequivocally and unconditionally to pay **within 48 hours** on demand in writing from the Chhattisgarh State Power Transmission Company Limited or any officer authorized by it in this behalf of any amount upto and not exceeding Rs.....(in \_\_\_\_\_ words)

..... only to the said Chhattisgarh State Power Transmission Company Limited on behalf of the aforesaid M/s. .... who have tendered and contracted for the supply of materials, equipments or services to the said the Chhattisgarh State Transmission Company Ltd, against order No..... dated..... For the order value of Rs.....

The beneficiary of this Bank Guarantee shall be Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur). The proceeds / encashment of this Bank Guarantee would go in the name of Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur).

This agreement should be valid and binding on this bank up to and including \_\_\_\_\_ 20\_\_ or for such further period as may here under be mutually fixed from time to time in writing by the Chhattisgarh State Transmission Company Ltd. And the contractor shall not be terminable by notice or any change in the constitution of the aforesaid bank or the firm of Contractors or by any others reasons whatsoever and the Banker's liability hereunder shall not be impaired or discharged by any extension of time or variations or alteration made, given conceded or agreed to with or without the Bank knowledge or consent by or between the Chhattisgarh State Transmission Company Ltd. and contractor in the existing contract.

It is agreed by the Bank with the CSPTCL that if for any reason a dispute arises concerning the Bank's liability to pay the requisite amount to the CSPTCL under the terms of this guarantee the competent court at Raipur alone shall have the jurisdiction to determine the said dispute and that this shall be without prejudice to the liability of the Bank under the terms of this guarantee being unequivocal and unconditional as mentioned above.

The liability under this guarantee is restricted to Rs..... (in words) .....only. This guarantee shall remain in force until dtd....., unless a demand to enforce a claim under the guarantee is made by CSPTCL to the Bank upto dtd..... the rights of the CSPTCL under this guarantee shall be forfeited and Bank shall be relieved and discharged from all liabilities there under.

WITNESSES:-

SIGNATURE

1. ....
2. ....

Authorized Signatories of Bank  
Signed. \_\_\_\_\_  
for \_\_\_\_\_ Bank

**ANNEXURE – A- 16****PROFORMA FOR BANK GUARANTEE TOWARDS PERFORMANCE**

(To be executed on non-judicial stamp paper of Rs. 250/- and Revenue stamp may be affixed on Bank Guarantee)

Bank Guarantee No..... Dtd.....

In consideration of the Chhattisgarh State Power Transmission Company Limited, Raipur ( A successor company of Chhattisgarh State Electricity Board, Raipur hereinafter referred to as 'CSPTCL') having agreed to accept this Bank Guarantee in lieu of cash deposit by way of Security for due and faithful performance required from M/s. \_\_\_\_\_ (herein after referred to as "Contractors", the Bank of \_\_\_\_\_ hereby agrees unequivocally and unconditionally to pay within 48 hours on demand in writing from the Chhattisgarh State Power Transmission Company Limited or any officer authorized by it in this behalf of any amount upto and not exceeding Rs.....(in words) ..... only to the said Chhattisgarh State Power Transmission Company Limited on behalf of the aforesaid M/s ..... who have tendered and contracted for the supply of materials, equipments or services to the said the Chhattisgarh State Transmission Company Ltd, against order No..... dated..... For the order value of Rs.....

The beneficiary of this Bank Guarantee shall be Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur). The proceeds / encashment of this Bank Guarantee would go in the name of Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur).

This agreement should be valid and binding on this bank upto and including \_\_\_\_\_ 20\_\_\_\_ of for such further period as may hereunder be mutually fixed from time to time in writing by the Chhattisgarh State Transmission Company Ltd. And the contractor and shall not be terminable by notice or any change in the constitution of the aforesaid bank or the firm of Contractors or by any others reasons whatsoever and the Banker's liability hereunder shall not be impaired or discharged by any extension of time or variations or alteration made, given conceded or agreed to with or without the Bank knowledge or consent by or between the Chhattisgarh State Transmission Company Ltd. and contractor in the existing contract.

It is agreed by the Bank with the CSPTCL that if for any reason a dispute arises concerning the Bank's liability to pay the requisite amount to the CSPTCL under the terms of this guarantee the competent court at Raipur alone shall have the jurisdiction to determine the said dispute and that this shall be without prejudice to the liability of the Bank under the terms of this guarantee being unequivocal and unconditional as mentioned above.

The liability under this guarantee is restricted to Rs..... (in words) .....only. This guarantee shall remain in force until dtd....., unless a demand to enforce a claim under the guarantee is made by CSPTCL to the Bank upto dtd..... the rights of the CSPTCL under this guarantee shall be forfeited and Bank shall be relieved and discharged from all liabilities there under

WITNESSES:-

SIGNATURE

1. ....
2. ....

Authorized Signatories of Bank  
Signed. \_\_\_\_\_  
for \_\_\_\_\_ Bank

**ANNEXURE – A- 17**  
**PROFORMA FOR BANK GUARANTEE FOR LOSS/ DAMAGE TO CSPTCL**

*NOTE FOR BIDDERS: (Not to be typed in the Bank Guarantee) To be furnished in non-judicial stamp paper of Rs. 250 applicable as per MP/ Chhattisgarh Duty Act from any Nationalised /Scheduled Bank with a revenue stamp worth Rs.1/- affixed thereon).*

In consideration of the Chhattisgarh State Power Transmission Company Limited, (herein after called “CSPTCL”) having agreed to exempt Ms. \_\_\_\_\_ (herein after called “the said Contractors”) from the demand under the terms and conditions of an agreement No. \_\_\_\_\_ Dated \_\_\_\_\_ made between \_\_\_\_\_ And \_\_\_\_\_ for \_\_\_\_\_ (herein after called “the said agreement”) of security deposit for satisfactory performance of materials ( as detailed in the said agreement) and for the due fulfilment by the said Contractor(s) of the terms and conditions contained in the said agreement, on production of a Bank Guarantee for Rs. \_\_\_\_\_ (Rs. \_\_\_\_\_ Only).

1. We \_\_\_\_\_ Bank (herein after referred to as “the Bank”) at the request of \_\_\_\_\_ contractor(s) do hereby undertake unequivocally and unconditionally to pay to CSPTCL, an amount not exceeding Rs. \_\_\_\_\_ (Rs. \_\_\_\_\_ Only) against any loss or damage caused to or suffered or would be caused to or suffered or would be caused to or suffered by CSPTCL by reason of any breach by the said Contractors(s) of any of the terms or conditions contained in the said agreement.
2. We \_\_\_\_\_ (indicate the name of the bank) Bank do hereby undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from CSPTCL stating that the amount claimed is due by way of loss or damage caused to or would cause to or suffered by CSPTCL by reason of any breach by the said Contractor(s) of any of the terms or conditions contained in the said agreement or by reasons of the Contractor(s).
3. We, the \_\_\_\_\_ (indicate the name of the bank) do hereby further undertake unequivocally and unconditionally pay the amount due and payable under this Guarantee without demur, merely on demand from CSPTCL stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by CSPTCL by reason of each breach by the said Contractor(s) of any of the terms or conditions and failure to perform said Bid. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. \_\_\_\_\_.
4. We, the \_\_\_\_\_ (indicate the name of the bank) further agree that the guarantee herein contained shall remain in full force and effect during the aforesaid period of \_\_\_\_\_ days \_\_\_\_\_ and it shall continue to be so enforceable till all the dues of the CSPTCL under or by virtue of the said Bid have been fully paid and its claims satisfied or discharged or till Chief Engineer (P&P), CSPTCL certifies that the terms and conditions of the said Bid have been fully and properly carried out by the said Contractor(s) and accordingly discharge this guarantee. Unless a demand or claim under this discharges from all liability under this guarantee thereafter.

5. We, the \_\_\_\_\_ (indicate the name of the bank) further agree with the CSPTCL that CSPTCL shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Bid or to extend time of performance by the said Contractor(s) from time to time or to postpone for any time or from time to time only of the powers exercisable by CSPTCL against the said Contractor(s) and to forebear or enforce any of the terms and conditions relating to the said Bid and we shall not be relieved from our liability by reason of any such variation, postpone or extension being granted to the said Contractor or for any forbearance, act or omission on the part of CSPTCL or any indulgence by CSPTCL to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.
6. The beneficiary of this Bank Guarantee shall be Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur). The proceeds / encashment of this Bank Guarantee would go in the name of Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor company of erstwhile CSEB Raipur).
7. It is agreed to by the Bank with the CSPTCL that if for any reason a dispute arises concerning the Bank Liability to pay the requisite amount to the CSPTCL under the terms of this guarantee the competent court at Raipur alone shall have the jurisdiction to determine the said dispute and that this shall be without prejudice to the liability of the Bank under the terms of this guarantee being unequivocal and unconditional. The beneficiary of this Bank Guarantee shall be Chhattisgarh State Power Transmission Company Limited, Raipur (A Successor Company of erstwhile CSEB Raipur).
8. We, the \_\_\_\_\_ (indicate the name of the bank) lastly undertake not to revoke this Guarantee during its currency except with the previous consent of CSPTCL in writing.

Dated, the \_\_\_\_\_ days of \_\_\_\_\_.

WITNESS (SIGNATURE WITH NAME & ADDRESS)

1.

2.

For \_\_\_\_\_

(Indicate name of Bank)

**ANNEXURE – A- 18****PROFORMA FOR INDEMNITY BOND**

(To be executed on non-judicial stamp paper worth Rs.250/- with a revenue stamp worth Rs.1/- affixed thereon).

THIS INDEMNITY BOND is made this .....day of .....20.....

By M/s. ...., a company registered under the Companies Act (hereinafter called as 'Contractor' or 'Obligator' which expression shall include its successors and permitted assigns) in favour of Chhattisgarh State Power Transmission Company Limited, Raipur being the Company constituted under Companies Act, 1956, (hereinafter called the CSPTCL) and its project for supply of galvanising steel structure for equipments, gantry, bus and lighting towers etc. for supply of all switchyard & control room equipments with recommended spares, and supply of testing equipments, T&P and furniture etc. and complete erection/commissioning thereof .....(hereinafter called "Employer" which expression shall include its successors and assigns):

WHEREAS EMPLOYER has awarded to the 'Contractor' a Contract for supply of galvanising steel structure for equipments, gantry, bus and lighting towers etc. for supply of all switchyard & control room equipments with recommended spares, and supply of testing equipments, T&P and furniture etc. and complete erection/commissioning thereof for .....sub-station vide Order No..... dtd..... And Amendment No.....(applicable when amendments have been issued) (hereinafter called the "Contract") in terms of which Employer is required to hand over various Material to the 'Contractor' for execution of the Contract.

And WHEREAS by virtue of Clause No..... of tender specification No....., the 'Contractor' is required to execute an Indemnity Bond in favour of Employer for the Material handed over to it by Employer for the purpose of performance of the Contract/Erection portion of the Contract (hereinafter called the 'Materials').

Now THEREFORE, This Indemnity Bond witnessed as follows:

1. That in consideration of various Material like Galvanised steel structures, switchyard and control room equipments, testing equipments etc. as mentioned in the Supply Order No..... dated. .... At clause No....., Valued at (Amount in figures) Rs..... (amount in words) (Rupees ..... ) handed over to the 'Contractor' in instalments from time to time for the purpose of performance of the Contract, the 'Contractor' hereby undertakes to indemnify and shall keep Employer indemnified for the full value of the Material. The 'Contractor' hereby acknowledges receipt of the initial instalment of the Material as per details in the schedule appended hereto. Further, the 'Contractor' agrees to acknowledge receipt of the subsequent instalments of the Material as required by Employer in the form of Schedules consecutively numbered which shall be attached to this Indemnity Bond so as to form integral parts of this Bond. It is expressly understood by the 'Contractor' that handing over of the dispatch title documents in respect of the said Materials duly endorsed by Employer in favour of the 'Contractor' shall be construed as handing over of the Material purposed to be covered by such title documents and the 'Contractor' shall hold such Material in trust as a Trustee for an on behalf of Employer.
2. That the 'Contractor' is obliged and shall remain absolutely responsible for the safe transit/protection and custody of the Material at Employer project Site against all risks whatsoever till the Material are duly used/erected in accordance with the terms of the Contract and the Plant/Package duly erected and commissioned in accordance with the terms of the

Contract, is taken over the Employer. The 'Contractor' undertakes to keep Employer harmless against any loss or damage that may be caused to the Material.

3. The 'Contractor' undertakes that the Material shall be used exclusively for the performance/execution of the Contract strictly in accordance with its terms and conditions and no part of the Material shall be utilized for any other work or purpose whatsoever. It is clearly understood by the 'Contractor' that non-observance of the obligations under this Indemnity Bond by the 'Contractor' shall inter alia constitute a criminal breach of trust on the part of the 'Contractor' for all intents and purpose including legal/penal consequences.
4. That Employer is and shall remain the exclusive Purchaser of the Material free from all encumbrances, charges or liens of any kind, whatsoever. The Material shall at all times be open to inspection and checking by the Purchaser's Representative or other employees/Agents authorized in this regard. Further, Employer shall always be free at all times to take possession of the Materials in whatever form the Materials may be, if in its opinion, the Materials are likely to be endangered, mis-utilized or converted to uses other than those specified in the contract by any acts of omission or commission on the part of the 'Contractor' or any other person or on account of any reason whatsoever and the 'Contractor' binds himself and undertakes to comply with the directions of demand of EMPLOYER to return the Material without any demur or reservation.
5. That this Indemnity Bond is irrevocable. If at any time any loss or damage occurs to the Material or the same or any part thereof is mis-utilized in any manner whatsoever, then the 'Contractor' hereby agrees that the decision of the Purchaser's Representative as to assessment of loss or damage to the Material shall be final and binding on the 'Contractor'. The 'Contractor' binds itself and undertakes to replace the lost and/or damaged Material at its own cost and/or shall pay the amount of loss to Employer without any demur, reservation or protest. This is without prejudice to any other right or remedy that may be available to Employer against the 'Contractor' under the Contract and under this Indemnity Bond.
6. NOW THE CONDITION of this Bond is that if the 'Contractor' shall duly and punctually comply with the terms and conditions of this Bond to the satisfaction of Employer, THEN, the above Bond shall be void, but otherwise, it shall remain in full force and virtue.

IN WITNESS WHEREOF, the 'Contractor' has hereunto set its hand through its authorized representative under the common seal of the Company, the day, month and year first above mentioned.

For and on behalf of

M/s. \_\_\_\_\_

WITNESS

- |                    |                   |
|--------------------|-------------------|
| 1. Signature ..... | Signature.....    |
| 2. Name .....      | Name .....        |
| 3. Address .....   | Designation ..... |

Authorized representative

2. 1. Signature .....
2. Name .....

(Common Seal)

3. Address .....

(In case of Company)

- 
- 1) Indemnity Bonds are to be executed by the authorized person having the Power of Attorney issued under common seal of the company with authority to execute Indemnity Bonds. The Original Power of Attorney if it is specifically for this Contract or a Photostat copy of the Power of Attorney if it is General Power of Attorney and such documents should be attached to Indemnity Bond.
-

**ANNEXURE – A- 19****PROFORMA FOR DEED OF EXTENSION OF BANK GUARANTEE**  
(To be executed on N.J. Stamp Rs. 250/- + One Revenue Stamp worth Rs. 1/-)

Extension Deed No \_\_\_\_\_

Date \_\_\_\_\_

B.G. No. \_\_\_\_\_ Date \_\_\_\_\_

C.S. Power Transmission Company Ltd.

Sub: - The Extension of Bank Guarantee No. \_\_\_\_\_ Dated \_\_\_\_\_ for the  
Rs \_\_\_\_\_ Favoursing yourself expiring on \_\_\_\_\_.

- i. At the request of our client M/s \_\_\_\_\_ we hereby extend our Guarantee No. \_\_\_\_\_ dtd. \_\_\_\_\_ given on their behalf for the further period from \_\_\_\_\_ to \_\_\_\_\_.
- ii. The beneficiary of this Bank Guarantee shall be Chhattisgarh State Power Transmission Company Ltd (A Successor Company of erstwhile CSEB).
- iii. Our liability under this guarantee is restricted to Rs \_\_\_\_\_ (Rupees \_\_\_\_\_). This guarantee shall remain in force up to \_\_\_\_\_. Unless a demand to enforce a claim is made under this Bank Guarantee by the CSPTCL to the Bank within six months from the date i.e. up to \_\_\_\_\_ the rights of the CSPTCL under this guarantee shall be forfeited and the Bank shall be relieved and discharged from all liability hereunder.

Witness:-

Signed for Bank

1)

2)

**ANNEXURE – A-20****PROFORMA FOR UNDERTAKING BY THE JOINT VENTURE PARTNERS**

*(To be executed on Non-Judicial Stamp Paper worth Rs. 100.00 &Rs. 1.00 revenue stamps)*

THIS JOINT DEED OF UNDERTAKING executed on this..... day of..... Two Thousand and..... by ..... a company incorporated under the laws of ..... and having its Registered Office at .....(hereinafter called the “Lead Partner” which expression shall include its successors, executors and permitted assigns) and M/s..... a company incorporated under the laws of .....and having its Registered Office at ..... (hereinafter called the “Other partner” which expression shall include its successors, executors and permitted assigns ) for the purpose of making a bid and entering into a contract [hereinafter called the “Contract”{in case of award}] against the Specification No **TR-20/01** for ..... (*insert name of the project* ) of C.S. Power Transmission Co. Ltd, a Company incorporated under the Companies Act of 1956 having its registered office at Dangania, Raipur (hereinafter called the “CSPTCL”).

AND WHEREAS CSPTCL invited bids as per the above mentioned Specification for construction of .....stipulated in the bidding documents under Specification No **TR- 20/01**(*insert name of the project*)

AND WHEREAS Qualification Criteria of the specification stipulates that an Undertaking of not more than two firms as partners, meeting the requirements of Qualification Criteria, as applicable may bid, provided, the Joint Venture fulfills all other requirements of Qualification Criteria and in such a case, the Bid Forms shall be signed by both the partners so as to legally bind the Partners of the Joint Venture, who will be jointly and severally liable to perform the Contract and all obligations hereunder.

**The above clause further states that this Undertaking shall be attached to the bid and the Contract performance guarantee will be as per the format enclosed with the bidding document without any restrictions or liability for either party.**

AND WHEREAS the bid is being submitted to CSPTCL vide proposal No.....dated ..... by the “Lead Partner” based on this Undertaking between both parties; under these presents and the bid in accordance with the requirements of Tender specification & Qualification Criteria has been signed by both the parties.

**NOW THIS UNDERTAKING WITNESSETH AS UNDER:**

In consideration of the above premises and agreements the parties of this Deed of Undertaking do hereby declare and undertake:

1. In requirement of the award of the Contract by the CSPTCL to the Joint Venture Partners, we, the Parties do hereby undertake that M/s..... shall act as “Lead Partner” and further declare and confirm that we the parties to the Joint Venture shall jointly and severally be bound unto the CSPTCL for the successful performance of the Contract and shall be fully responsible for the design, supply, erection, testing, commissioning and successful performance of the project in accordance with the Contract.
2. In case of any breach or default of the said Contract by the Lead Partner of the Joint Venture, the other partner do hereby undertake to be fully responsible for the successful performance of the Contract and to carry out all the obligations and responsibilities under the Contract in accordance with the requirements of the Contract.
3. Further, if the CSPTCL suffers any loss or damage on account of any breach in the Contract or any shortfall in the performance of the equipment/ material in meeting the performances guaranteed as per the specification in terms of the Contract, the Party(s) of these presents undertake to promptly make good such loss or damages caused to the CSPTCL, on its demand without any demur. It shall not be necessary or obligatory for the CSPTCL to proceed against Lead Partner to these presents before proceeding against or dealing with the other Party(s), CSPTCL can proceed against other partner who shall be jointly and severally



- liable for the performance and all other liabilities/obligations under the Contract to the CSPTCL.
4. The financial liability of the Parties of this Deed of Undertaking to the CSPTCL, with respect to any of the claims arising out of the performance or non-performance of the obligations set forth in this Deed of Undertaking, read in conjunction with the relevant conditions of the Contract shall, however not be limited in any way so as to restrict or limit the liabilities or obligations of any of the Partners of this Deed of Undertaking.
  5. It is also understood that this Undertaking is provided for the purposes of undertaking joint and several liabilities of the partners to the Joint Venture for submission of the bid and performance of the Contract and that this Undertaking shall not be deemed to give rise to any additional liabilities or obligations, in any manner or any law, on any of the Parties to this Undertaking or on the Joint Venture, other than the express provisions of the Contract.
  6. This Undertaking shall be construed and interpreted in accordance with the provisions of the Contract.
  7. In case of an award of a Contract, we the parties to this Deed of Undertaking do hereby agree that we shall be jointly and severally responsible for furnishing a Contract performance security from a bank in favour of the CSPTCL in the currency/currencies of the Contract.
  8. It is further agreed that this Deed of Undertaking shall be irrevocable and shall form an integral part of the bid and shall continue to be enforceable till the CSPTCL discharges the same or upon the completion of the Contract in accordance with its provisions, whichever is earlier. It shall be effective from the date first mentioned above for all purposes and intents.

IN WITNESS WHEREOF, the Parties to this Deed of Undertaking have through their authorized representatives executed these presents and affixed Common Seals of their companies, on the day, month and year first mentioned above.

Seal of .....  
has been affixed in my/ our  
presence pursuant to Board of  
Director's Resolution dated .....  
Name .....  
Designation .....  
Signature .....

For "Lead Partner"  
For and on behalf of M/s  
.....  
(Signature of the authorized  
Representative)

WITNESS :

I.....

II. ....

Seal of .....  
has been affixed in my/ our  
presence pursuant to Board of  
Director's Resolution dated .....  
Name .....  
Designation .....  
Signature .....

For "other Partner"  
For and on behalf of  
M/s.....  
(Signature of the authorized  
representative)

WITNESS :

I.....

II. ....

**Note :**

1. The non-judicial stamp papers of appropriate value shall be purchased in the name of Joint Venture and the date of purchase should not be later than six months of date of execution of the Undertaking.
2. The Undertaking shall be signed on all the pages by the authorized representatives of each of the partners and should invariably be witnessed.

**ANNEXURE : A-21****PROFORMA FOR POWER OF ATTORNEY FOR JOINT VENTURE**

*(To be executed on Non-Judicial Stamp Paper worth Rs. 100.00 & Rs.1.00 revenue stamps)*

KNOW ALL MEN BY THESE PRESENTS THAT WE, the Partners whose details are given hereunder ..... have formed a Joint Venture under the laws of ..... and having our Registered Office(s)/Head Office(s) at ..... (hereinafter called the 'Joint Venture' which expression shall unless repugnant to the context or meaning thereof, include its successors, administrators and assigns) acting through M/s ..... being the "Lead Partner" do hereby constitute, nominate and appoint M/s.....(*Lead Partner*) a Company incorporated under the laws of ..... and having its Registered/Head Office at ..... as our duly constituted lawful Attorney (hereinafter called "Attorney" or "Authorized Representative" or "Partner In-charge") to exercise all or any of the powers for and on behalf of the Joint Venture in regard to Specification No **TR-20/01** the bids for which have been invited by Chief Engineer(Planning& Projects), Dangania, Raipur of C.S. Power Transmission Co. Ltd. (CSPTCL) to undertake the following acts :

- i) To submit proposal and participate in the aforesaid Bid Specification of the CSPTCL on behalf of the "Joint Venture".
- ii) To negotiate with the CSPTCL the terms and conditions for award of the Contract pursuant to the aforesaid Bid and to sign the Contract with the CSPTCL for and on behalf of the "Joint Venture".
- iii) To do any other act or submit any document related to the above.
- iv) To receive, accept and execute the Contract for and on behalf of the "Joint Venture".

It is clearly understood that the Lead Partner shall ensure timely execution of the Contract. In case of any breach of contract by any of the joint venture/consortium partners during execution of the contract, it will be the sole discretion of CSPTCL to allow the other partner to complete the work or to terminate the total contract.

It is expressly understood that this Power of Attorney shall remain valid binding and irrevocable till completion of the Maintenance Period in terms of the Contract.

The Joint Venture hereby agrees and undertakes to ratify and confirm all the whatsoever the said Attorney/Authorized Representatives/Partner in-charge/Lead Partner quotes in the bid, negotiates and signs the Contract with the CSPTCL and/or proposes to act on behalf of the Joint Venture by virtue of this Power of Attorney and the same shall bind the Joint Venture as if done by itself.

IN WITNESS THEREOF the Partners Constituting the Joint Venture as aforesaid have executed these presents on this .....day of ..... under the Common Seal(s) of their Companies.

For and on behalf of the  
Partners of Joint Venture

.....  
.....  
.....

The Common Seal of the above Partners of the Joint Venture:

The Common Seal has been affixed there unto in the presence of:

WITNESS

1. Signature.....  
Name .....  
Designation .....  
Occupation .....

2. Signature.....  
Name .....  
Designation .....  
Occupation .....

**Note:**

1. The non-judicial stamp papers of appropriate value shall be purchased in the name of Joint Venture and the date of purchase should not be later than six months of date of execution of the Agreement.
2. The Agreement shall be signed on all the pages by the authorized representatives of each of the partners and should invariably be witnessed.

**ANNEXURE-A-22****PRE-CONTRACT INTEGRITY PACT***(To be executed on non judicial stamp paper worth Rs 300/-)***1. GENERAL**

- 1.1 This pre-bid contract Agreement (hereinafter called the Integrity Pact) is made on.....day of the month .....20..., between the CSPTCL acting through Shri.....CE (P&P) (hereinafter called the “BUYER”, which expression shall mean and include, unless the context otherwise requires, his successors in the office and assigns) and the First Party, proposes to procure (name of the Stores/Equipment/Work/Service) and M/s. .... represented by Shri.....Chief Executive Officer (hereinafter called the “BIDDER/Seller”, which expression shall mean and include, unless the context otherwise requires, his successors on permitted assigns) and the Second Party, is willing to offer/has offered.
- 1.2 WHEREAS the BIDDER is a Private Company/Public Company/ Government undertaking/Partnership/Registered Export Agency, constituted in accordance with the relevant law in the matter and the BUYER is a power company an undertaking of Govt. of CG, performing its function on behalf of the Government of Chhattisgarh.

**2. OBJECTIVES**

- 2.1 NOW, THEREFORE, the BUYER and the BIDDER agree to enter into this pre-contract agreement, hereinafter referred to as Integrity Pact, to avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the Contract to be entered into with a view to:-
- 2.2 Enabling the BUYER to obtain the desired Stores/Equipment/Work/Service at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and
- 2.3 Enabling BIDDERS to abstain from bribing or indulging in any corrupt practices in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing any corrupt practices and the BUYER will commit to prevent corruption, in any form, by its official by following transparent procedures.

**3. COMMITMENTS OF THE BUYER**

The BUYER commits itself to the following:-

- 3.1 The BUYER undertakes that no official of the BUYER, connected directly or indirectly with the contract, will demand, take promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting of implementation process related to contract.
- 3.2 The BUYER will, during the pre-contract stage, treat BIDDERS alike, and will provide to all BIDDERS the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to the other BIDDERS.
- 3.3 All the officials of the BUYER will report the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.

In case any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the BUYER with the full and verifiable facts and the same prima facie found to be correct by the BUYER, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the BUYER and such a person shall be

debarred from further dealings related to the contract process. In such a case while an enquiry is being conducted by the BUYER the proceedings under the contract would not be stalled.

**4. COMMITMENTS OF BIDDERS**

The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-

- 4.1. The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 4.2. The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage, or inducement to any official of the BUYER or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with the CSPTCL for showing or forbearing to show favour or disfavour to any person in relation to the contract or any other contract with the CSPTCL.
- 4.3. The BIDDER further confirms and declares to the BUYER that the BIDDER in the original Manufacture/Integrator/Authorized government sponsored export entity of the stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 4.4. The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payment he has made, is committed to or intends to make to officials of the BUYER or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 4.5. The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 4.6. The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 4.7. The BIDDER shall not use improperly, for purpose of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposal and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 4.8. The BIDDER commits to refrain from giving any compliant directly or through any other manner without supporting it with full and verifiable facts.
- 4.9. The BIDDER shall not instigate or cause to instigate any third person to commit any of the acts mentioned above.

**5. PREVIOUS TRANSGRESSION**

- 5.1. The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify BIDDER's exclusion from the tender process.
- 5.2. If the BIDDER makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

**6. EARNEST MONEY (SECURITY DEPOSIT)**

- 6.1. Every BIDDER while submitting commercial bid, shall deposit an amount as specified in RFP as Earnest Money/Security Deposit, with the BUYER through any of the following instruments:
- (i) Bank Draft or Pay Order in favour of.....
  - (ii) A confirmed guarantee by an Indian Nationalised Bank, promising payment of the guarantee sum to the .....(BUYER).....on demand within three working days without any demur whatsoever and without seeking any reasons whatsoever. The demand for payment by the BUYER shall be treated as conclusive proof of payment.
  - (iii) Any other mode or through any other instrument (to be specified in the RFP).
- 6.2. The Security Deposit shall be valid up to complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and BUYER, including warranty period, whichever is later.
- 6.3. In the case of successful BIDDER a clause would also be incorporated in the Article pertaining to Performance Bond in the Purchase Contract that the provisions of Sanctions for violation shall be applicable for forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
- 6.4. No interest shall be payable by the BUYER to the BIDDER on Earnest Money/Security Deposit for the period of its currency.

**7. SANCTIONS FOR VIOLATIONS**

- 7.1. Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the BUYER to take all or any one of the following actions, wherever required:-
- (i) To immediately call off the pre contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
  - (ii) To forfeit fully or partially the Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bond (after the contract is signed), as decided by the BUYER and the BUYER shall not be required to assign any reason therefore.
  - (iii) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
  - (iv) To recover all sum already paid by the BUYER, and in case of the Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate while in case of a BIDDER from a country other than India with Interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from the BUYER in connection with any other contract such outstanding payment could also be utilized to recover the aforesaid sum and interest.
  - (v) To encash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments, already made by the BUYER, along with interest.

- (vi) To cancel all or any other contracts with the BIDDER and the BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation/rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- (vii) To debar the BIDDER from participating in future bidding processes of the CSPTCL for a minimum period of five years, which may be further extended at the discretion of the BUYER.
- (viii) To recover all sum paid in violation of this Pact by BIDDER(s) to any middlemen or agent or broken with a view to securing the contract.
- (ix) In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the BUYER with the BIDDER, the same shall not be opened.
- (x) If the BIDDER or any employee of the BIDDER or any person action on behalf of the BIDDER, either directly or indirectly, is closely related to any of the officers of the BUYER, or alternatively, if any close relative of an officer of the BUYER has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filling of tender. Any failure to disclose the interest involved shall entitle the BUYER to rescind the contract without payment of any compensation to the BIDDER.  
The term 'close relative' for this purpose would mean spouse whether residing with the Government servant or not, but not include a spouse separated from the Government servant by a decree or order of a competent court; son or daughter or step son or step daughter and wholly dependent upon Government servant, but does not include a child or step child who is no longer in any way dependent upon the Government servant or of whose custody the Government servant has been deprived of by or under any law; any other person related, whether by blood or marriage, to the Government servant or to the Government servant's wife or husband and wholly dependant upon Government servant.
- (xi) The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the BUYER, and if he does so, the BUYER shall be entitled forthwith to rescind the contract and all other contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.

7.2.1. The decision of the BUYER to the effect that a breach of the provisions of this pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Monitor(s) appointed for the purpose of this Pact.

## **8. INDEPENDENT MONITORS**

- 8.1. The BUYER will appoint Independent Monitors (hereinafter referred to as Monitors) for this Pact.
- 8.2. The task of the Monitors shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.
- 8.3. The Monitors shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
- 8.4. Both the parties accept that the Monitors have the right to access all the documents relating to the project/ procurement, including minutes of meetings. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/ Subcontractor(s) with confidentiality.

- 8.5. As soon as the Monitor notices, or has reason to believe, a violation of this Pact, he will so inform the Authority designated by the BUYER.
- 8.6. The Monitor will submit a written report to the designated authority of BUYER/Secretary in the department/within 8 to 10 weeks from the date of reference or intimation to him by the BUYER /BIDDER and, should the occasion arise, submit proposal for correcting problematic situations.

**9. FACILITATION OF INVESTIGATION**

In case of any allegation of violation of any provision of this fact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents including the books of Account of the BIDDER and the BIDDER shall provide necessary information of the relevant documents and shall extend all possible help for the purpose of such examination.

**10. LAW AND PLACE OF JURISDICTION**

This pact is subject to Indian Law, the place of performance and jurisdiction shall be the seat of the BUYER.

**11. OTHER LEGAL ACTIONS**

The actions stipulated in this integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of any other law in force relating to any civil or criminal proceeding.

**12. VALIDITY**

- 12.1 The validity of this integrity Pact shall be from the date of its signing and extend up to 2 years or the complete execution of the contract to the satisfaction of both the BUYER and the BIDDER/Seller whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.
- 12.2. If one or several provision of this pact turn out to be invalid; the remainder of this pact shall remain valid. In such case, the parties will strive to come to an agreement to their original intention.
13. The parties hereby sign this integrity Pact at .....on.....

BUYER/BIDDER

Name of Officer

CHIEF EXECUTIVE OFFICER

Destination Department/PSU

Witness

Witness

1).....

1) .....

2).....

2) .....

**ANNEXURE-A-23****INSPECTION PLAN FOR SUB STATION  
EQUIPMENTS**

S.N.	Particular	CSPTCL Inspection	Contractor Inspection
1.	40MVA transformer	Yes	
2.	132 KV SF <sub>6</sub> circuit breaker with structure complete.	Yes	
3.	132 KV Current Transformer	Yes	
4.	132 KV Lightning Arrestor (120 KV)	Yes	
5.	EPAX (Exchange )		Yes
6.	Electronic Push Button telephone with Priority Key		Yes
7.	132 KV Coupling Capacitor	Yes	
8.	132 KV Wave trap	Yes	
9.	Carrier Cabinet (Twin Channel) without protection coupler	Yes	
10.	Programmable LMU (phase to phase coupling)	Yes	
11.	Remote Terminal Unit	Yes	
12.	132 KV Isolator with & without earth switch, 800 Amp & with insulators	Yes	
13.	132 KV side C & R panel for 40MVA	Yes	
14.	132 KV control & relay panel for feeder	Yes	
15.	132 KV control & relay panel for 132 KV bus transfer	Yes	
16.	132 KV & 33 KV Solid core Insulators / Post insulators	Yes	
17.	33KV Vacuum Circuit Breaker with Structure	Yes	
18.	33 KV Current Transformer	Yes	
19.	33 KV Potential X'mer	Yes	
20.	33KV Lightning Arrestor (30 KV)	Yes	
21.	33 KV Isolator with insulators	Yes	
22.	33 /0.415 KV, 200 KVA Stn. Xmer (with Oil & Accessories)	Yes	
23.	33 KV control & relay panel	Yes	
24.	Zebra ACSR Conductor	Yes	
25.	Galvanised Steel Ground Wire 7/3.66 m.m.		Yes
26.	G.I. Flats / pipes/ rods for earthing	Yes	
27.	Nuts & Bolts of Assorted Sizes		Yes
28.	Disc Insulators	Yes	
29.	Clamps, connectors & Hardwares	Yes	
30.	Armoured/Unarmoured copper cable	Yes	
31.	Power Cables	Yes	
32.	GI Cable trays of various size		Yes
33.	P L C CCables		Yes
34.	Battery: 48 V / 110 V,	Yes	
35.	Battery Charger: 48/110V,	Yes	
36.	G.I. Structure	Yes	
37.	High Mast, Illumination fittings & Accessories		Yes
38.	AC /DC Boards & Junction Boxes		Yes
39.	Tools & Plant		Yes
40.	Furniture		Yes



**ANNEXURE-A-24****LIST OF APPROVED VENDORS FOR SUB-STATION EQUIPMENTS / MATERIAL****A ) LIST OF APPROVED VENDORS FOR 132 KV SIDE EQUIPMENTS**

Sl.No.	Name of equipment		Name of the vendor
1	63, 40 MVA, 132/33 KV Power Transformer	1	M/s BHEL
		2	M/s CGL
		3	M/s TELK Kerala
		4	M/s Areva / Alstom
		5	M/s ABB
		6	M/s EMCO, Thane
		7	M/s Andrew Yule, Chennai
		8	M/s Bharat Bijilee, Mumbai
		9	M/s Toshiba T&D System India Pvt.Ltd., Hyderabad (Formerly M/s Vijai Electricals)
		10	M/s Transformer & Rectifiers, Ahmedabad
		11	M/s Siemens, Gurgaon
		12	M/s. Technical Associates Ltd., Lucknow
2	Tap Changer for Power Transformer	1	M/s BHEL
		2	M/s TELK
		3	M/s Easun MR
		4	M/s MR
		5	M/s CTR
3	132 KV SF6 Circuit Breaker	1	M/s CGL
		2	M/s ABB
		3	M/s Areva / Alstom
		4	M/s Siemens
		5	M/s BHEL
4	132 KV Current Transformer/ Potential Transformers		<i>Shall be provided by CSPTCL</i>
5	132 KV Coupling capacitors	1	M/s CGL
		2	M/s Areva / Alstom
		3	M/s ABB
		4	M/s BHEL
6	132 KV Isolators	1	M/s S & S Power Switchgear, Chennai
		2	M/s Hivelm, Chennai
		3	M/s GR Power, Hyderabad
		4	M/s Siemens
		5	M/s ABB
		6	M/s Areva / Alstom
		7	M/s Power Line Accessories, Raipur
		8	M/s Danke Elect. Switchgears, Vadodara
		9	M/s. Elektrolites (Power)
		10	M/s Universal Isolators
		11	M/s Versatec
		12	M/s G K Electricals
		13	M/s Wigman
		14	M/s Engineers Enterprises, Jaipur

7	120 KV Lightning Arrestor	1	M/s CGL
		2	M/s Oblum, Hyderabad
		3	M/s Elpro
8	132 KV Wave Trap	1	M/s Areva / Alstom
		2	M/s BPL
		3	M/s Quality Power, Sangli.
9	132 KV Control & Relay Panel (without relays)	1	M/s Areva / Alstom
		2	M/s Siemens
		3	M/s ABB
		4	M/s GE
		5	M/s ERL
		6	M/s Danish, Jaipur
		7	M/s Amara Raja
		8	M/s Venson, Bangalore
		9	M/s MaktelControl, Vadodara
		10	M/s Enpro Industrial Automation, Chennai
		11	Ms Schneider Electric
10	Carrier Cabinet for 132 KV	1	M/s ABB, Mumbai (For protection, speech & telemetering)
		2	M/s BPL(For speech & telemetering only)
		3	M/s Puncom (Only for speech)
11	Disc Insulators-90KN/70KN	1	M/s W.S. Insulator, Chennai
		2	M/s BHEL
		3	M/s Aditya/NGK Birla Kolkata
12	132 KV Post Insulators	1	M/s WS Insulators, Chennai
		2	M/s BHEL
		3	M/s Aditya/NGK Birla, Kolkata
		4	M/s Modern Insulator
		5	M/s Insulators & Electricals, Bhopal
		6	M/s Sarvana Global Energy Ltd.
13	Sub-station Hardwares/ Clamps & connectors	1	M/s IAC Electrical, Kolkata
		2	M/s RashtraUdyog
		3	M/s EMI Transmission Ltd., Thane
		4	M/s International Trasmission Product
		5	M/s Klemmen Engineering
		6	M/s Electro mech&transtech
		7	M/s Burma Electro
		8	M/s Aarpee& Associates
		9	M/s AK Power Industries Pvt. Ltd.
		10	M/s Supreme & Co. Kolkata
		11	M/s Modern Malleable
		12	M/s Tag Corporation, Chennai
		13	M/s Star Iron
		14	M/s Tyco
		15	M/s DAC
		16	M/s Eritech
		17	M/s Vinay industries, Rajanandgaon
		18	M/s NIKE Energy manufacturing, Varanasi

**B ) LIST OF APPROVED VENDORS FOR 33 KV SIDE EQUIPMENTS**

Sl.No.	Name of equipment		Name of the vendor
1	33 KV Vacuum Circuit Breaker	1	M/s CGL
		2	M/s Siemens
		3	M/s BHEL
		4	M/s Areva / Alstom
		5	Ms Schneider Electric
2	33 KV Current Transformer / Potential Transformer	1	M/s CGL
		2	M/s Laxmi Engineering
		3	M/s SCT, Gaziabad
		4	M/s Vidyut Control
		5	M/s Universal MagnoFlux, Indore
		6	M/s Heptacare Power Ind, Meerut
		7	M/s Hivoltrans Elect.
		8	M/s Mehru Elect & Mech, Bhiwadi
		9	M/s Epitrans(for CT only)
		10	M/s Kapco(for PT only)
		11	M/s GYRO
		12	M/s Ambarnath
3	33 KV Isolators	1	M/s S& S PowerSwitchgear, Chennai
		2	M/s Hivelm, Chennai
		3	M/s GR Power, Hyderabad
		4	M/s Siemens
		5	M/s ABB
		6	M/s Areva / Alstom
		7	M/s Power line Accessories, Raipur
		8	M/s DankeElect.Switchgears, Vdr
		9	M/s. Elektrolites (Power) Pvt Ltd, Jaipur
		10	M/s GK Electricals Bhopal
		11	M/s Universal Isolators
		12	M/s Wigman
		13	M/s High tension Howrah
		14	M/s Versatec
		15	M/s Engineers Enterprises , Jaipur
4	33 KV Lightning Arrestor	1	M/s CGL
		2	M/s Oblum, Hyderabad
		3	M/s Elpro
		4	M/s Elektrolite power pvt Ltd Jaipur
5	33 KV Control & Relay Panel (without relays)	1	M/s Areva / Alstom
		2	M/s Siemens
		3	M/s ABB
		4	M/s GE
		5	M/s ERL
		6	M/s Danish , Jaipur
		7	M/s Amara Raja, Tirupati
		8	M/s System Electronics Ltd.
		9	M/s MaktelControl, Vadodara
		10	M/s Venson, Bangalore
		11	M/s Enpro Industrial Automation, Chennai
		12	M/s Hertz Electronics
		13	Ms Schneider Electric

6	Disc Insulators-90KN/70KN	1	M/s W.S. Insulator, Chennai
		2	M/s BHEL
		3	M/s Aditya/NGK Birla, Kolkata
		4	M/s Bikaner Ceramics, Bikaner
7	33 KV Post Insulators	1	M/s WS Insulators, Chennai
		2	M/s BHEL
		3	M/s Aditya/NGK Birla, Kolkata
		4	M/s Modern Insulator
		5	M/s Insulators & Electricals
		6	M/s Sarvana Global Energy Ltd.
8	Sub-station Hardwares/ Clamps & connectors	1	M/s RashtraUdyog
		2	M/s IAC Electrical, Kolkata
		3	M/s Electromech&Transtech, Kolkata
		4	M/s Klemmen
		5	M/s International Trasmission Product
		6	M/s Burma Electro
		7	M/s Aarpee& Associates, Kolkata
		8	M/s AK Power Industries Pvt. Ltd.
		9	M/s Supreme & Co. Kolkata
		10	M/s EMI Transmission Ltd., Thane
		11	M/s Modern Malleable
		12	M/s Tag Corporation, Chennai
		13	M/s Star Iron
		14	M/s Tyco
		15	M/s DAC
		16	M/s Eritech
		17	M/s Vinay industries, Rajnandgaon
		18	M/s NIKE Energy manufacturing, Varanasi

### C )LIST OF APPROVED VENDORS FOR OTHER COMMON EQUIPMENTS/ MATERIAL

SN	Name of equipment		Name of the vendor
1	Energy Meters	1	M/s Secure Meters Ltd. (SEMS)
2	Relays for 400 KV & 220 KV - Distance (Numerical), Differential & REF (numerical), Bay control Unit, Bus bar Protection, Gateway, O/C & E/F, other protective trip and Auxiliary relay, SCADA / SAS)	1	M/s Areva / Alstom
		2	M/s Siemens
		3	M/s ABB
		4	M/s GE
		5	M/s SEL
		6	Ms Schneider Electric
3	Relays for 132 KV & 33 KV -Distance (Numerical), differential & REF (numerical), Over Current / Earth Fault, other protective, trip and Auxiliary relays for 132 KV & 33 KV.	1	M/s Areva / Alstom
		2	M/s Siemens
		3	M/s ABB
		4	M/s GE
		5	M/s SEL
		6	M/s EasunReyrolle
		7	Ms Schneider Electric
4	Ethernet Switch	1	M/s Ruggedcom
		2	M/s CISCO
		3	M/s Hirschmann
		4	M/s Masibus

5	Annunciator Relay	1	M/s Alan
		2	M/s Bhrani
		3	M/s Minilec
		4	M/s JVS
6	Time Synchronizing Unit	1	M/s Arbiter
		2	M/s SEL
		3	M/s Signal & System
		4	M/s MEINBERG
7	LT Power & Control Cable (Armoured and Unarmoured)	1	M/s Universal Cables Ltd,Satna
		2	M/s Finolex
		3	M/s Torrent cables.
		4	M/s Fort Gloster
		5	M/s Ravin cables, Mumbai
		6	M/s KEI Industries
		7	M/s KEC International
		8	M/s Unisef cables Ghaziabad
		9	M/s Maharaja cables New Delhi
		10	M/s RK Electrical Industries
		11	M/s Balaji Cables
		12	M/s Alpha Communication
		13	M/s Nakoda
		14	M/s Capcab India Ltd.
		15	M/s Deco Industries
		16	M/s Insucon Cables
		17	M/s Pasondia Cables
		18	M/s Scot Innovation (Ekta Cables)
		19	M/s Dashmesh Cables, Mumbai
		20	M/s Omega
		21	M/s NICCO
		22	M/s Havells
8	Fibre Optic Cables	1	M/s Treston
		2	M/s Fine Core
		3	M/s AMP
		4	M/s Birla Furukawa
		5	M/s Sterlite Technologies Ltd.
9	EHV Cables	1	M/s Poly cab
		2	M/s Havells
		3	M/s KEI
		4	M/s Universal
10	Capacitor Bank	1	M/s Shreem Electrical Ltd.
		2	M/s ABB
		3	M/s BHEL
		4	M/s Mehar
		5	M/s Havells
		6	M/s Universal Cables Ltd,Satna
		7	M/s Madhav Capacitors, Pune

11	Battery Set	1	M/s Exide Industries Ltd., Kolkata
		2	M/s AMCO Batteries Ltd, Chennai
		3	M/s AmaraRaja Batteries Ltd,Tirupati
		4	M/s HBL Nife, Hyderabad
		5	M/s BUI Pvt Ltd, Pune
		6	M/s Kirloskar Batteries, Bangalore
12	Battery charger	1	M/s Chhabi
		2	M/s Dubas
		3	M/s HBL Nife, Hyderabad
		4	M/s Amara Raja
		5	M/s AE
		6	M/s Hind Rectifier
		7	M/s Panwa Engineering
		8	M/s ARMO Electricals, Nagpur
		9	M/s AFCO Industrial
		10	M/s Redtron
13	High Mast & its Luminaries	1	M/s Bajaj
14	Light Fixtures/fan & Exhaust fan	1	M/s CGL
		2	M/s Philips
		3	M/s GE
		4	M/s Bajaj
		5	M/s Wipro
		6	M/s Havells
		7	M/s Khaitan(Fans only)
		8	M/s Polar (Fans only)
		9	M/s HPL India Ltd (for lighting fixtures & Luminaires only)
15	Furniture	1	M/s Godrej
16	Filter Machine	1	M/s Vaccum Plant, Pune
		2	M/s Fowler westrup, Bangalore (earlier name M/s John Fowler Bangalore)
17	DG Set	1	M/s Jackson
		2	M/s Cummins
		3	M/s Kirloskar
		4	M/s GE Power System
		5	M/s Shriram Honda
18	RTU	1	M/s ABB
		2	M/s GE
		3	M/s Honeywell
		4	M/s Chemtrol, Goa
19	Steel Structure for Gantry & equipment support structure / Lighting pole/mast etc	1	M/s KSK
		2	M/s Vijay Transmission
		3	M/s Ashutosh Electrical, Raipur
		4	M/s Shreem Electrical Ltd. Jaisinghpur
		5	M/s Indo East Corporation Pvt. Kolkata
		6	M/s Nandan Steel & Power Ltd, Raipur
		7	M/s Ratna Engineering Works, Raipur
		8	M/s IVRCL TLT Ltd, Nagpur
		9	M/s B K Infrastructure Pvt Ltd Raipur
		10	M/s. R.R. Ispat, Raipur

20	Earth Wire (7/3.66 mm)	1	M/s Bharat Wire Ropes, Thane
		2	M/s UIC Udyog Limited, Kolkata
		3	M/s Ramswarup Ind. Corp. Nadia
		4	M/s ManoharlalHiralal, Gaziabad
		5	M/s Ratlam Wires, Ratlam
		6	M/s Usha Martin
21	ACSR Moose conductor	1	M/s Gupta Cable
		2	M/s North East conductor
		3	M/s Unity Conductors
		4	M/s Galaxy Transmission Ind. Sangali
		5	M/s Apar Industry, Silvasa/Nalagarh
		6	M/s Shashi Cables, Lucknow
		7	M/s JSK (Formerly Hiren)Ind. Silvasa
		8	M/s Smita Conductor Khanvel
		9	M/s Prem Conductors, Silvasa
		10	M/s Lumino
		11	M/s Sterlite Technologies Ltd.
		12	M/s Mahavir Transmission Ltd Dehradun
22	ACSR Zebra conductor	1	M/s Sterlite Technologies Ltd.
		2	M/s Gammon India Silvasa
		3	M/s LuminoInd.Ltd Howrah
		4	M/s Smita Conductor Khanvel
		5	M/s Prem Conductors, Silvasa
		6	M/s Galaxy Transmission Ind. Sangali
		7	M/s Gupta Power infrastructure Ltd.
		8	M/s North East conductor
		9	M/s Apar Industries
		10	M/s Unity Conductors
		11	M/s Omega
		12	M/s Pioneer
		13	M/s Venkateshwara wires Jaipur
		14	M/s Rajputana cables and conductor Korba
		15	M/s Mahavir Transmission Ltd Dehradun

**Note:-**

- 1) The names of the vendors are subject to further verification of various documents viz. valid type test report, ISI license (wherever applicable), drawing and GTP etc. at the time of approval for individual project. The inclusion of names of various manufacturers in this list will not relieve the obligation of manufacturer / contractor for furnishing the aforesaid documents.
- 2) Any other items/component not covered in these lists - Reputed make subject to prior permission from CSPTCL duly furnishing all their credentials and documents ought by office of ED /CE (Planning & Project).
- 3) CSPTCL will take into account our past experience with various vendors/ suppliers with regards to quality of their equipment, its performance and their after sales service while making a final selection of vendors.
- 4) Equipments/material of those vendors / suppliers, who are debarred / blacklisted from future business with CSPTCL or successor power companies of erstwhile CSEB, shall not be accepted.

**ANNEXURE-A-25****QUANTITY OF MAJOR EQUIPMENTS/ MATERIALS TO BE SUPPLIED  
FOR 132/33 KV SUB-STATION BAIJALPUR (Distt. Kabirdham)****(A) OUTDOOR SWITCH YARD EQUIPMENTS :-**

S.No.	Particular	Quantity	
1)	40 MVA, 132/33KV Power Transformer	02	Nos.
2)	132 KV SF <sub>6</sub> circuit breaker complete	05	Sets
3)	132 KV Isolator with support insulator & Earth Switch	02	Sets
4)	132 KV Isolator with support insulator & without Earth Switch	14	Sets
5)	132 KV Lightning Arresters	12	Nos.
6)	132 KV Waves Traps. 0.5 mH, 630 A	04	Nos.
7)	132 KV Solid Core Insulator	27	Nos.
8)	132KV coupling capacitor	04	Nos.
9)	ProgramableLMU (Coupling Device 125 $\Omega$ - 300 $\Omega$ ) complete set with protective device.	02	Set
10)	33/0.415 KV, 200 KVA, Station Transformer	02	No
11)	33 KV Vacuum Circuit breaker complete	09	Nos.
12)	33 KV/110 V Potential Transformer	06	Nos.
13)	33 KV Current Transformers having ratio 800-400/1-1-1-1 A	09	Nos.
14)	33 KV Current Transformers having ratio 800-400/1-1-1 A	18	Nos.
15)	33 KV, 12 MVAR, Capacitor Bank (72 + 08 units) complete with series reactors, structure and NCT10-5/1-1Amp	01	Set
16)	33 KV Lightning Arresters	24	Nos.
17)	33 KV Isolator with single earth Switch 800 Amp.(with structure & Solid core insulator)	05	Sets
18)	33 KV Isolator without earth Switch 800 Amp.(with structure & Solid core Insulator)	05	Sets
19)	33 KV Isolator without earth Switch 1200 Amp.(with structure & Solid core Insulator)	18	Sets
20)	33 KV Isolator without earth Switch 1600 Amp. (with structure & Solid core Insulator)	01	Nos.
21)	33 KV Bus sectional isolator 1600Amp	01	No.
22)	33 KV Solid Core Insulators	47	Nos.
23)	33 KV D.O. Fuse set complete	02	Set
24)	CT/PT Junction boxes	18	Nos.
25)	Lighting High Mast	03	Nos.
26)	Unarmoured/ Armoured Control & Power Cables	As per Annex.B-4	

Note:-132 KV Current Transformer & 132 KV Potential Transformer shall be provided by CSPTCL.



**(B) INDOORCONTROL ROOM EQUIPMENTS:**

<b>S.No.</b>	<b>Particular</b>	<b>Quantity</b>	
1.	132 KV Control & Relay Panel (Duplex type) for 40 MVA transformer	02	No.
2.	132 KV Control & Relay Panel (Duplex type) for feeders	02	Nos.
3.	132 KV Control & Relay Panel (Duplex type) for Bus Transfer	01	No.
4.	33 KV Control & Relay Panel (Simplex type) for 40MVA Xmer	02	No.
5.	33 KV Control & Relay Panel (Simplex type) for 33KV feeders	05	Nos.
6.	33 KV Control & Relay Panel (Simplex type) for 33KVBus Transfer bay	01	No.
7.	33 KV Control & Relay Panel (Simplex type) for 33KV,12 MVAR Capacitor Bank	01	No.
8.	Carrier Cabinet (Twin Channel) incl. 2 Nos. meant for feeding end.	04	Nos.
9.	EPAX 16/8 lines with operator console	01	No.
10.	Electronic Push button Telephones Sets	10	Nos.
11.	110V, 300Ah, Battery Set (55 Cells)	01	Set
12.	48 V, 300Ah, Battery Set (24 Cells)	01	set
13.	110V, 300AH, Battery Charger with separate two float & one Boost charger (one float shall be in standby mode).	01	No.
14.	48V, 300AH, Battery Charger with separate two float & one Boost charger (one float shall be in standby mode).	01	No.
15.	ACDB with MCB & HRC fuses, space for 2 <sup>nd</sup> incomer & 20% spare provision for out going circuits (duly wired)	01	No.
16.	DCDB 110 V DC with HRC fuses, space for 2 <sup>nd</sup> incomer & 20% spare provision for out going circuits (duly wired)	01	No.
17.	DCDB 48 V DC with HRC fuses, space for 2 <sup>nd</sup> incomer & 30% spare provision for out going circuits (duly wired)	01	No.
18.	Sub-station ADLS comprising of desktop Computer with UPS, Printers and other components.	01	Set.
19.	Desktop Computer with UPS & Dot matrix printer.	01	Set
20.	GPS time synchronising clock with external large display	01	Set
21.	RTU with interface panel	01	Set
22.	Spare relays	01	Set
23.	T&P's and Testing instruments	As per Annex.B-7	

\* \* \*

**ANNEXURE A-26****ILLUSTRATIVE EXAMPLE FOR CAPITALISTION OF LOSSES**

Particulars	Range Prescribed (KW)	Quoted by bidders					
		M/S A	M/S B	M/S C	M/S D	M/S E	M/S F
For 63 MVA Transformer							
No Load loss (KW) offered	18 to 20	19	20	17	21	18.5	19
Load loss (KW) offered	93 to103	94	92	100	96	104	101
Aux loss (KW) offered	1.8 to 2	1.5	2	1.9	1.8	2	2.2
Diff No Load loss		1	2	0	Bid non responsive due to excessive No load loss	Bid non responsive due to excessive load loss	Bid non responsive due to excessive auxiliary loss
Diff Load loss		1	0	7			
Diff Aux loss		0	0.2	0.1			
Capitalization for no load loss (Diff lossx401840.00)		401840	843680	0			
Capitalization for load loss (Diff lossx213780)		213780	0	1496460			
Capitalization for no load loss (Diff lossx160700)		0	0	16070			

**ANNEXURE A-27****CHECK LIST**  
**(To be kept in Envelope-II)**

S. No.	Items	Reference	Declaration (Strike-out whichever is not applicable)	Page No.
1.	Duly & properly filled Questionnaire	Annexure-A-3	Yes/No	
2.	Self-attested copies of audited balance sheets and profit & loss account statement of sole bidder/each partner of JV for last 5 financial years(i.e., FY 2015-16 to FY 2019-20).	--	Yes/No	
3.	A Self-attested certificate issued by chartered accountant showing 'Annual Turnover' & 'Net worth' including assets and liability of the sole bidder/each partner of JV for the last five financial years (FY 2015-16, 2016-17, 2017-18 & 2018-19, 2019-20)	--	Yes/No	
4.	A Self-attested certificate in original of Chartered Accountant indicating details (break-up) of available 'Liquid assets' (LA) for sole bidder/each partner of JV. <b>Such certificate should have been issued not earlier than 3 months prior to the date of bid opening</b>	--	Yes/No	
5.	Evidence of access to or availability of credit/facilities	Annexure-A-7	Yes/No	
6.	Certificate issued by Chartered Accountant <i>(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)</i>	Annexure A-28	Yes/No	
7.	Declaration by the bidder <i>(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV (Separately)).</i>	Annexure A-29	Yes/No	
8.	Self attested detailed order copy along with annexures containing BoQ/ scope of work in support of technical experience criteria of PQR for having constructed & commissioned 1 (one) No. 132KV OR 110KV (or above voltage class) Sub-station of at-least two voltage level on turn key basis (with or without supply of power transformer) during last 5 years (between 1st Apl'2015 & 31st March'2020) <i>against order issued by Power utilities owned and controlled by Central or State Govt. or PSUs or Govt. organizations. The date of order should not be older than 7 years from the date of issue of NIT of the instant tender.</i>	--	Yes/No	

9.	Self attested copy of Performance certificate for successful commissioning & satisfactory operation of above mentioned Sub-station for a period of atleast one year (from the date of commissioning) indicating date of commencement of work and its commissioning (constructed by sole bidder / any of the partners) as on date of NIT of the instant tender.	--	Yes/No	
10.	Copy of Valid 'A' class Electrical Contractor License issued by CG anugyapanMandal/ CG state licensing board in the name of sole bidder / <b>lead partner</b> of the joint venture/ consortium <u>or</u> an undertaking to submit 'A' class electrical contractor license issued by C.G. AnugyapanMandal / CG State licensing Board within 30 days after issue of LOA, by the sole bidder or lead partner of the JV/consortium.	--	Yes/No	
11.	Copy of EPF code number/ EPF registration No. allotted by EPF Commissioner in the name of the sole bidder / <b>Lead partner</b> of the JV	--	Yes/No	
12.	Pre-contract Integrity pact in prescribed format	Annexure A-22	Yes/No	
13.	Deviation from technical specification/ conditions	Annexure A-9	Yes/No	
14.	Deviation from the commercial condition of contract	Annexure A-10	Yes/No	
15.	Undertaking by the Joint Venture Partners	Annexure A-20	Yes/No	
16.	Power of Attorney for Joint Venture	Annexure A-21	Yes/No	
17.	Undertaking for Personnel Capabilities (To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)( <i>Separately</i> )	Annexure A-4	Yes/No	
18.	Undertaking for Equipment Capabilities (To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)( <i>Separately</i> )	Annexure A-5	Yes/No	
19.	Power of attorney issued to legally authorised signatory	--	Yes/No	
20.	Litigation History of the Bidder (To be furnished for Sole bidder/Lead Partner as well as other Partner of JV)( <i>Separately</i> )	Annexure A-12	Yes/No	

Date

Place

SIGNATURE OF BIDDER

NAME

DESIGNATION

(SEAL)

**ANNEXURE – A-28****CERTIFICATE ISSUED BY CHARTERED ACCOUNTANT**

*(To be furnished for Sole bidder/Lead Partner as well as other Partner of JV in original)*

*(Please ensure the language of the formate is maintained to avoid bid rejection)*

Name of the bidder (Sole bidder/JV partners) :

- a) All payment obligations (principal / Interest) on outstanding debentures (i.e. debentures which have not yet been redeemed) have been discharged and no such payment as on **30.06.2020** is outstanding / overdue.
- b) The bidding company is presently not in default in payment of any bank loan or interest thereon for more than three months or any loan account of the bidder has not been classified as NPA (Non performing assets) by the creditor/ lending bank as on date of issue of NIT.
- c) The bidding company is not going through the process of insolvency or liquidation as on the date of issue of NIT. Even, if at a later date up to placement of order against the instant tender, it comes to the notice of CSPTCL that the sole bidder/ any partner of JV has been going through the process of insolvency or liquidation, their bid will be rejected.

Date

SIGNATURE OF CHARTERED  
ACCOUNTANT

Place

NAME

(SEAL)

**ANNEXURE – A-29****DECLARATION BY THE BIDDER**

*(To be furnished by Sole bidder/Lead Partner as well as other Partner of JV Separately)*

*(Please ensure the language of the formate is maintained to avoid bid rejection)*

Name of the bidder (Sole bidder/JV partners) :

- 1) (Name of the bidder) M/s .....is not debarred/ blacklisted by Bank/State Govt/Central Govt/State PSU/CPSU/SEB/ public utility as on date of issue of NIT.
- 2) All the documents/ statements/ attachments/ information submitted by (Name of the bidder) M/s..... in proof of the qualifying requirements are authentic / genuine /correct and in case, any of the said documents / statements / attachments / information is found to be false / fake / misleading, the bid will be disqualified and action will be taken as per relevant provisions of the tender.

Date

SIGNATURE OF BIDDER

Place

NAME

DESIGNATION

(SEAL)

# **SECTION-IV**

## ***(PRICE BIDS ANNEXURES)***

**ANNEXURE - B**

**Abstract of Offered Prices for Supply, Civil, Erection, Testing & Commissioning items for  
Construction of 132/33 KV S/S Baijalpur(Silhati) Distt.-Kabirdham  
(E-Bidding purpose format)**

Sl. No.	PARTICULARS	Annexure Particulars	Offered amount inclusive of all taxes & other charges
(A)	Supply Items		
1	132 KV Side S/S Yard & Control Room Equipments:	B -1	
2	33 KV Side S/S Yard & Control Room Equipments	B -2	
3	Conductor, Clamps & Connectors, Earthing Material etc	B -3	
4	Cables & Battery & Battery Charger	B -4	
5	Luminaire & Misc. Equipments	B -5	
6	Supply of G. I. Steel Structure	B -6	
7	T & Ps, Instruments	B -7	
8	Furniture	B -8	
9	Substation Automation Data Logging system	B -9	
(A)	<b>Sub Total of Annexures B-1 to B-9</b>		
(B)	Civil Works	C-1	
(C)	Erection, Testing & Commissioning works		
i	Erection Charges	D-1	
ii	Testing & Commissioning Charges	D-2	
(D)	<b>Sub Total of Annexures (D-1)+(D-2)</b>		
(E)	<b>Total offered amount (A+B+C+D)</b>		
(F)	Discount offered on total amount of the project i.e.(E), if any in percentage	..... (in %)	..... (in Amount)
(G)	<b>Net amount offered after discount</b>		

**Rupees in words** \_\_\_\_\_

Date  
Place

SIGNATURE OF BIDDER  
NAME  
DESIGNATION  
(SEAL)



**PRICE BID ANNEXURE - B-1****132KV SIDE OUTDOOR & CONTROL ROOM EQUIPMENTS FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
1	40 MVA, 132/33 KV Power transformer complete with EHV grade one transformer oil, OLTC, RTCC panel, air cell breathing arrangement, pressure relief devices, NIFPS along with MS tank & all other accessories, with oil & accessories as per specifications including online DGA <b>(5-Gases)</b> monitoring device, tools & spares with terminal connectors and clamps. <i>(The prices should be offered inclusive of type &amp; special test charges)</i>	No.	2						
2	132 KV SF <sub>6</sub> circuit breaker with structure & clamps complete.	No.	5						
3	132 KV Coupling Capacitor with clamps complete.	No.	4						
4	Lightning Arrestors 120 KV with clamps complete.	No.	12						
5	Isolator (3-φ) with clamps & earth switch 800 A (with support insulator)	Set	2						
6	Isolator (3-φ) with clamps & without earth switch 800 A (with support insulator)	Set	14						
7	132 KV Solid core Post Insulators	No.	27						
8	132 KV Wave trap with clamps	No.	4						
9	LMU (Phase to Phase coupling)	Set	2						
10	Carrier Cabinet (Twin Channel)	No.	4						
11	EPAX (Exchange for 16/8 lines) with operator console	No.	1						
12	RTU Cabinet with interface panel (Set of 2No. Panels – 1 No.RTU Panel + 1 No. Interface Panel)	Set	1						
13	Electronic Push Button Telephone	No.	10						
14	132 KV control & relay panel for 40 MVA X'mer.	No.	2						

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
15	132 KV control & relay panel for feeders	No.	2						
16	132 KV control & relay panel for Bus transfer bay.	No.	1						
17	GPS based time synchronising clock with large display.	Set	1						
18	<b>Spare relays*</b>								
	i) Numerical Differential Relay as per tender specification	No.	1						
	ii) Numerical Distance protection Relay as per tender specification	No.	1						
	iii) Numerical Directional O/C and E/F Relay as per tender specification	No.	1						
	iv) Non Directional Numerical O/C and E/F Relay as per tender specification	No.	1						
	v) Trip Relays	No.	2						
	<b>TOTAL ANNEXURE – ( B- 1 )</b>								

Note :-

01. Please indicate ex-works price, Package freight & insurance and GST in respective columns
02. Cess under B&OCWA: - Applicable cess @ 1% (except the cost of power transformer) shall be deducted from each bill.
03. Payment for RTU shall be done only after its successful commissioning & integration with our SCADA system XA21.
04. Over Current relays shall be provided with trip value recorder and date & time stamping
05. \*The make, model and technical specifications of spare relays should be exactly same as approved for the similar relay for C&R panel
06. ***Bidders are requested to go through the tender specification before quoting the rate***

**Signature of the Bidder**

**PRICE BID ANNEXURE - B-2****33 KV SIDE OUTDOOR & CONTROL ROOM EQUIPMENTS FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Qty.	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
1	33KV Vacuum Circuit Breaker with Structure & clamps complete.	No.	9						
2	33KV Curent Transformer with clamps complete of ratio 800-400/1-1-1 Amp for Transformer/ Transfer bus bay	No.	9						
3	33KV Curent Transformer with clamps complete of ratio 800-400/1-1-1 Amp for feeder/capacitor bay.	No.	18						
4	33KV/110V Potential Transformer with clamps complete.	No.	6						
5	33 KV Lightning Arrester with clamps complete.	No.	24						
6	33 KV Isolator with single earth Switch 800 Amp ( with insulators & clamps complete)	Set	5						
7	33 KV Isolator without earth Switch 800 Amp (with insulators & clamps complete)	Set	5						
8	33 KV Isolator without earth Switch 1200 Amp (with insulators & clamps complete)	Set	18						
9	33 KV Isolator without earth Switch 1600 Amp (with insulators & clamps complete) for bus section)	Set	01						
10	33 KV Solid core Insulator	No.	47						
11	33 /0.415KV, 200 KVA Station X'mer (with Oil & Accessories) & clamps complete with distribution box as per tender specification etc.	No.	2						
12	33KV, 12 MVAR Capacitor Bank (72 units + 8	Set	1						

Sl. No.	Particular	Unit	Qty.	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
	spare), complete with structures, series reactor, NCT CT ratio 10-5/1-1 Amp with terminal connectors complete								
13	33 KV DO Fuse Set with terminal connectors complete	Set	2						
14	33 KV control & relay panel for 40MVA X'mer	No.	2						
15	33 KV control & relay panel for 33KV feeders	No.	5						
16	33 KV control & relay panel for 33KV transfer bus.	No.	1						
17	33 KV control & relay panel for 33KV, 12 MVAR capacitor bank	No.	1						
	<b>TOTAL ANNEXURE – ( B- 2 )</b>								

Note :-

01. Please indicate ex-works price, Package freight & insurance and GST in respective columns
02. Cess under B&OCWA: - Applicable cess @ 1% shall be deducted from each bill.
03. *Bidders are requested to go through the tender specification before quoting the rate*

**Signature of the Bidder**

**PRICE BID ANNEXURE - B-3**  
**CONDUCTOR, CLAMPS, CONNECTORS & HARDWARES, DISC INSULATORS, EARTHING & STRINGING MATERIAL**  
**FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
1	ACSR Zebra Conductor	Km	4.0						
2	Galvanised Steel Earth Wire 7/3.66 m.m.	Km	2						
3	G.I. Flats for Earthing 65 x 8 mm for both 132 KV as well as for 33 KV switchyard.	MT	25						
4	G.I. Flats for riser 50 x 6 mm	MT	10						
5	G.I. Earth Spikes-25 mm Dia./2500 mm length	No.	100						
6	<b>Material for complete earth pit with 100 mm Outer Dia. x 3 Mtr. long (class B) G.I. pipe including nut bolts etc for earthing of X'mer Neutrals, PTs &amp; LAs as per approved layout</b>								
(i)	For transformer earthing ( 4 pipe earthing)	No.	4						
(ii)	For other equipments (2 pipe earthing)	No.	20						
7	Steel support for cable trays size 50x50x6mm	MT	3						
8	<b>GI Cable trays</b>								
(i)	GI Cable Trays – 100 m.m. size	Mtr.	150						
(ii)	GI Cable Trays – 300 m.m. size	Mtr.	100						
(iii)	GI Cable Trays – 450 m.m. size	Mtr.	150						
(iv)	GI Cable Trays – 600 m.m. size	Mtr.	700						
9	G.I. Nuts & Bolts of assorted sizes	MT	5						
10	<b>Various types of clamps, spacers etc.</b>								
(i)	T' clamps for Dog run to Zebra tap	No.	30						
(ii)	'T' clamps for Panther run to Zebra tap	No.	14						
(iii)	'T' Clamp Double Zebra to Single Zebra	No.	45						

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
(iv)	'T' Clamp single Zebra to single Zebra	No.	102						
(v)	PI Clamp for holding Single Zebra Conductor	No.	48						
(vi)	PI Clamp for holding Double Zebra Conductor	No.	29						
(vii)	Pad Clamp for Zebra Conductor	No.	16						
(viii)	Earth wire bond	No.	48						
(ix)	Spacers for Twin Zebra ( spacing 250mm)	No.	131						
(x)	PG clamp for Zebra to Zebra	No.	30						
(xi)	PG clamp for Panther to Zebra	No.	14						
(xii)	PG clamp for Panther to Panther	No.	14						
<b>11</b>	<b>Disc Insulators:</b>								
(i)	Tension Disc Insulator 90 KN (Anti fog type )	No.	1160						
(ii)	Suspension Disc Insulator 70 KN (Anti fog type)	No.	390						
<b>12</b>	<b>Hardware assembly for 132 KV system</b>								
(i)	Double tension H/w assembly for twin ACSR Zebra bolted Type.(with/without TB)	No.	12						
(ii)	Double tension H/w assembly for Single ACSR Zebra bolted Type.(with/without TB)	No.	12						
(iii)	Single tension H/w for Single ACSR Zebra bolted Type. .(with/without TB)	No.	24						
(iv)	Single Suspension H/w for Single ACSR Zebra drop type clamp	No.	12						
(v)	Single Suspension H/w for Single ACSR Zebra through type clamp	No.	02						
(vi)	Single Suspension H/w for Single ACSR Zebra for wave trap clamp type	No.	04						
<b>13</b>	<b>Hardware assembly for 33 KV system</b>								
(i)	Double tension H/w assembly for twin ACSR Zebra bolted Type. .(with/without TB)	No.	18						
(ii)	Double tension H/w assembly for single ACSR	No.	12						

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
	Zebra bolted Type. .(with/without TB)								
(iii)	Single tension H/w for Single ACSR Zebra bolted Type. .(with/without TB)	No.	48						
(iv)	Single Suspension H/w for Single ACSRZebra drop type clamp	No.	27						
(v)	Single Suspension H/w for Single ACSRZebra through type clamp	No.	15						
14	Tension Hardware for Earth Wire	No.	60						
15	PG clamp for E/W	No.	15						
16	Pad clamp for E/W	No.	15						
17	Cleat type clamp E/W	No.	60						
18	Any other hardware, clamps, spacers, etc (which is not specified above but required as per site conditions & direction of officer incharge of CSPTCL	No.	15						
<b>TOTAL ANNEXURE – ( B- 3 )</b>									

Note :-

01. Please indicate ex-works price, Package freight & insurance and GST in respective columns
02. Cess under B&OCWA: - Applicable cess @ 1% shall be deducted from each bill.
03. ***Bidders are requested to go through the tender specification before quoting the rate***

**Signature of the Bidder**

**PRICE BID ANNEXURE - B-4****CONTROL & POWER CABLES, BATTERY & BATTERY CHARGER FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
	<b>Unarmoured copper Control cables with numbered core:-</b>								
01	4 C, 4 sq. mm	Km	3.0						
02	2 C, 2.5sq. mm	Km	2.5						
03	4 C, 2.5 sq. mm	Km	5						
04	8 C, 2.5 sq. mm	Km	2.0						
05	12 C, 2.5 sq. mm	Km	4						
06	19 C, 2.5sq. mm	Km	4						
	<b>Armoured Aluminium/ copper XLPE Power Cables :-</b>								
07	3.5 C, 240 sq. mm Aluminium	Km	0.5						
08	4C, 16 Sq.mm Aluminium	Km	2						
09	1C, 240 sq. mmAluminium	Km	0.2						
10	3.5 C, 120 sq. mmAluminium	Km	0.5						
11	4 C, 10 sq mm (Copper)	Km	0.5						
12	Flexible/multistrand copper cable, size 50sqmm for interconnection between 110 V & 48 V Battery set to respective Battery Chargers (with copper lugs)	Km	0.1						
	<b>PLCC Cables :-</b>								
13	10 pair jellified armoured telephone cables	Km	0.2						
14	H F (Co-axial cable) cable (125Ω)	Km	0.6						
15	6 pair PVC telephone cables	Km	0.2						



Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
16	Telephone drop wire	Km	0.2						
17	<b>Lead Acid Battery : 110 V, 300 A H</b>	Set.	1						
18	<b>Lead Acid Battery : 48 V, 300 A H</b>	Set.	1						
19	<b>Battery Charger - 110 V, 300 A H</b> , with two float & one Boost charger (one float shall be in standby mode).	No.	1						
20	<b>Battery Charger - 48 V, 300 A H</b> , with two float & one Boost charger (one float shall be in standby mode).	No	1						
<b>TOTAL OF ANNEXURE - ( B - 4 )</b>									

Note:-

01. Please indicate ex-works price, Package freight & insurance and GST in respective columns.
02. Cess under B&OCWA: - Applicable cess @ 1% shall be deducted from each bill..
03. Bidders are requested to go through the tender specification before quoting the rates

**Signature of the Bidder**

**PRICE BID ANNEXURE - B-5****LUMINAIRES, HIGH MAST, ACDB/DCDB BOARD & OTHER MISCELLANEOUS EQUIPMENTS FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
1	LED Flood Light Luminaries, 100W complete set with fixtures	Set	6						
2	LED general area lighting (1x30W) complete set	Set	6						
3	Indoor, Decorative LED Luminaries 1x36 Watts, complete set	Set	32						
4	Indoor, LED Industrial Luminaries, 1x36 Watts, complete set	Set	18						
5	Indoor, Decorative LED Luminaries 1x16 Watts, complete set	Set	10						
6	LED Decorative Outdoor lamp (25 W) each for gate	No.	4						
7	High Mast along with LED flood light luminaries (height of tower shall be 20 Mtr. and number of luminaries should be 8 Nos. 240 W on each mast & meet illumination as per tender specifications. (Complete with structure & Luminaries )	No.	3						
8	Octagonal pole (with str complete) assembled with 1 meter arm with lighting fixture of 50W LED	No.	10						
9	56" size 230 V AC Ceiling fans for control room (12), AE room (2), Carrier room (2), AC DC room (4), Back & Front lobby (1 each) Store (1).	No.	25						
10	18" Exhaust fans 230 V-AC, Single phase for Control room, Battery room & Store room	No.	4						
11	12" Exhaust fans 230 V-AC, Single phase for toilet	No.	2						
12	Cooler (1400 rpm, exhaust fan) for control Room (2 No.), Carrier Room (1 No.) & AE room (1 no.) (fan 18", 900 rpm)	No.	4						

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
13	ACDB with 2 inlets of 400 A having change over arrangement with MCB protection with back up fuses. The ACDB shall be provided with 6 Nos. 3 phase 100 Amp outlets having MCB with back up fuse protection. Further the ACDB shall be provided with the 20 Nos. of 32A DP switch fuse outlets with MCB with back up fuses ,6 nos 3 phase 32 A four pole.	No.	1						
14	DCDB 110 V DC with HRC fuse with isolation switch having at least 20 Nos. 32A out going feeders.	No.	1						
15	DCDB 48 V DC with HRC fuses, space for 2 <sup>nd</sup> incomer & 30% spare provision for outgoing circuits (duly wired)	No.	1						
16	CT Junction Box with 48 Disconnecting type Connectors with 20% extra connector.	No.	08						
17	CT/PT Junction Box with 24 Disconnecting Type Connectors with 20% extra connector.	No.	10						
	<b>Main Switches for extension of AC Supply</b>								
18	For Transformer Filtration (200 Amp.)	No.	1						
19	For welding machine (100 Amp.)	No.	3						
20	For lighting distribution (100 Amp)	No.	2						
21	Bay Marshalling Kiosk/junction box for other purpose as per tender specifications	No.	6						
22	Rechargeable emergency light	No.	2						
23	First Aid Box with Chart	No.	1						
24	Illuminated single line diagram board	No.	1						
	<b>TOTAL OF ANNEXURE – ( B –5)</b>								

Note:01. Please indicate ex-works price, Package freight & insurance and GST in respective columns.

02. Cess under B&OCWA :- Applicable cess @ 1% shall be deducted from each bill..

03. The quantity of luminaires for control room building & switchyard lightning of S/S shall meet the recommended lux level as per CBIP manual 3.5.1 & IS standarad.

04. Bidders are requested to go through the tender specification before quoting the rates.

**Signature of the Bidder**

**PRICE BID ANNEXURE - B-6****G. I.STEEL STRUCTURE FOR SUB-STATION SWITCH YARD FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Wt. per unit in MT (incl FB)	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2		3	4	5	6	7	8	9	10
	<b>G.I.STRUCTURE FOR</b>									
1	132 KV Gantry Column	1.242	Nos.	16						
2	132 KV Gantry Beam	0.570	Nos.	10						
3	132 KV LA	0.172	Nos.	15						
4	132 KV CT	0.142	Nos.	18						
5	132 KV PT	0.128	Nos.	6						
6	132 KV Coupling Capacitor	0.164	Nos.	6						
7	132 KV PI	0.175	Nos.	17						
8	132 KV Isolator with single earth switch	0.540	set	3						
•	132 KV Isolator without earth switch	0.528	set	16						
9	132 KV Main Bus Bar structure 3BO4	1.590	Nos.	3						
10	132 KV Auxiliary Bus Bus Bar structure 3BO4	1.590	Nos.	3						
11	33 KV Gantry Column	0.853	Nos.	22						
12	33 KV Gantry Beam	0.352	Nos.	14						
13	33 KV CT (T type structure for 3Φ )	0.218	Nos.	10						
14	33 KV PT (T type structure for 3Φ)	0.233	Nos.	2						
15	33 KV PI (T type structure for 3Φ)	0.166	Nos.	7						
16	33 KV PI (T type structure for 3Φ) HL	0.20	Nos.	2						
17	33 KV LA on LV side of Power Xmers& Capacitor Bank(T type str)	0.262	Nos.	3						

Sl. No.	Particular	Wt. per unit in MT (incl FB)	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2		3	4	5	6	7	8	9	10
18	33 KV Isolator with single earth switch.	0.415	Set	6						
20	33 KV Isolator without earth switch.	0.345	Set	25						
21	33 KV Main Bus Bar 1BO4 (Double Zebra) with 1 No. section isolator	0.823	Nos.	4						
22	33 KV Transfer Bus Bar (Single Zebra)	0.823	Nos.	4						
23	Structure for D.O. Set	0.356	Nos.	2						
24	Loading / Un-loading Gantry Structure	2.500	Nos.	1						
	Total Weight of Structure	110.445								
	<b>TOTAL OF ANNEXURE – ( B –6)</b>									

**NOTE:-**

01. Please indicate ex-works price, Package freight & insurance and GST in respective columns.
02. Cess under B&OCWA :- Applicable cess @ 1% shall be deducted from each bill.
03. Bidders are requested to go through the tender specification before quoting the rates
04. Quantities shown above includes structure for equipments for 1 No. future 33 KV feeder bay.
05. Total Weight of GI Structures (including foundation bolts) shall not be less than 100.445 MT for above quantities of Structures.

**Signature of the Bidder**

**PRICE BID ANNEXURE - B-7****FIRE FIGHTING EQUIPMENT, T &P's AND TESTING INSTRUMENTS FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
	<b>Fire Fighting Equipments: -</b>								
1	Fire Bucket 9/10 Ltr capacity made of 20 swg GI Sheet	No.	6						
2	Bucket Stand for set of 6 fire buckets	No.	1						
3	Carbon-di-oxide (CO <sub>2</sub> ) type fire extinguisher- capacity- 22.5 Kg, average discharge time- 20-60 sec., filled weight – 66-69 Kg, empty weight-43.5 – 46.5 Kg, test pressure-250 Kg/ cm <sup>2</sup> trolley mounted complete with 05 mtr discharge hose & nozzle, confirming to IS:2878:2004. Make Bharat/New Bharat/ Kanadia/ Ceasefire	No.	4						
4	Dry chemical powder (DCP) type fire extinguisher trolley mounted, capacity- 50 Kg with 2Kg CO <sub>2</sub> capsule, average discharge time 40-60 sec., filled weight - 107-110 Kg, empty weight – 57 – 60 kg, test pressure-30 Kg/cm <sup>2</sup> with hose pipe and nozzle, confirming to IS:10658:1999. Make Bharat/New Bharat / Kanadia/ Ceasefire	No.	2						
5	Water mist and CAF fire extinguisher capacity 50 Ltr., trolley mounted (desing: High Pressure) make: Aska Equipment Ltd., Model No. 02/050 using Spl. AFFF compound with Fire Rating 55A, 2338, 1000V with one Spare compressed air cylinder 6 ltr x 300 bar (steel), 10 Nos. O-rings for the pressure vessel, One Can 5 ltr. Special AFFF compound and 1No.Tool kit	No.	1						
6	Water mist and CAF fire extinguisher back pack capacity 10 Ltr. , make: Aska Equipment Ltd., Model No. 02/010 using Spl. AFFF compound with Fire Rating 55A, 2338, 1000V with one Spare compressed air cylinder 2 ltr x 200	No.	1						

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
	bar (steel), 10 Nos. O-rings for the pressure vessel, One Can 5 ltr. Special AFFF compound & 1No.Tool kit –								
7	Mechanical foam type trolley mounted fire extinguisher capacity-50 Ltr confirming to IS:13386:1992.Make Bharat/New Bharat / Kanadia/ Ceasefire	No.	2						
8	Neoprene Rubber Sheet Size, 3 mm, 5'x3' make Gujrat Cork & Rubber Pvt. Ltd confirming to latest IS15652:2006	No.	25						
9	132 KV Discharge Rods with leads of reputed make as approved by CSPTCL	No.	6						
10	DO operating Rods suitable for 33 KV	No.	2						
11	DE-Spanner Set of 25 make Taparia	Set	2						
12	Ring Spanner Set of 25 make Taparia	Set	2						
13	Tubular - Spanner of 25 make Taparia	Set	2						
14	Aluminium Ladder : 20' long after extension	No.	1						
15	Aluminium Pedestal type Ladder Extensible 20' long	No.	1						
16	Torches ( 4 - cell ) make Eveready	No.	3						
17	33 KV Hand Gloves seamless type confirming to relevant IS (in pairs), Make – Crystal	Pair	4						
18	Motorised automatic Oil Testing Kit - 0-100 KV make – MEGGER model-OTS-100 AF/ Baur model-DTA100C/ Motwane model OTS 100 A	No.	1						
19	Digital Capacitance Meter make Motwane/Kusam/ Meco	No.	1						
20	Multi-meter ( A-V-O ) for AC / DC measurement Make Motwane DM4750 cat 4/Rishabh multi 20 / Fluke	No.	2						

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
	Model-187								
21	Digital Tong Testers –(One No. 0-1000 A) make Motwane DCM30A / Rishabhrish clamp 1000A	No.	2						
22	Digital Milli-Ampere Meter (Tong tester) 0- 200 mA make Motwane DCM – 10A/ Kyoritsu model 2010.	No.	2						
23	Digital Insulation Tester, 1 KV – make Megger / Motwane / Rishabhrish insu20	No.	1						
24	Digital Insulation Tester, 5 KV ( in steps of 1KV, 2KV & 5 KV) Range 0-100 000 Mega Ohms - Make MeggerMIT525/Vanguard IRM 5000 / Motwane 5KPI	No.	1						
25	Digital Earth Tester (4 -Terminals) complete make – Motwane model DET-20 / Rishabh MI2124.	No.	1						
26	Bench Vice - 8”	No.	2						
27	Drill Machine – Stand Model up to 1” Drill bits make Bosch/ Ralli Wolf/Wolf	No.	1						
28	Bench Grinder (0.5 H.P.) make Bosch/ Wolf	No.	1						
29	Chain Pulley Block 5 Tonnes capacity of reputed make	No.	1						
30	Vacuum Cleaner (500 W) Philips/GE/Eureca Forbes	No.	1						
31	SF6 gas leakage detector for Circuit Breaker (3g) / year sensitivity, on-board diagnostics indicating charging status and warning of low battery or infrared cell failure, shall include hard plastic case, NiMH power stick adapter/recharger, tip filters and infrared cell.	No.	1						
32	Fire detection & alarm system based on smoke detectors along with accessories complete as per technical specifications.	set	1						



Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>	<i>8</i>	<i>9</i>	<i>10</i>
(i)	Smoke Detector	No.	15						
33	Air Conditioners 2 tonne capacity (Split type)	No.	5						
<b>TOTAL OF ANNEXURE - ( B -7 )</b>									

**NOTE :-**

01. Please indicate ex-works price, Package freight & insurance and GST in respective columns.
02. Cess under B&OCWA: - Applicable cess @ 1% shall be deducted from each bill.
03. All the T &P should be as per latest amended I.S.S.
04. Wherever make is not specified, the approval of same from CSPTCL will be required.

**Signature of the bidder**

**ANNEXURE - B-8****FURNITURE FOR CONTROL ROOM FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
1	Officer's Table size -66" x 33"	Nos.	1						
2	Table for Control Room Operator size - 4 ½' x 2 ½'	Nos.	4						
3	Computer table - size 1200 (W) x 600 (D) x 750 (H) mm for automatic data logging system	Nos.	1						
4	Chairs - Full Arm Rest Type	Nos.	10						
5	Stools	Nos.	2						
6	Steel Almirah ( Big 78" - with Locker)	Nos.	1						
7	Steel Almirah ( Big 78" without Locker)	Nos.	1						
<b>TOTAL OF ANNEXURE - ( B – 8 )</b>									

**Note :Please note that all furniture shall be of “Godrej make”**

01. Please indicate ex-works price, Package freight & insurance and GST in respective columns.
02. Cess under B&OCWA: - Applicable cess @ 1% shall be deducted from each bill.

**Signature of the Bidder**

**PRICE BID ANNEXURE - B-9****AUTOMATIC DATA LOGGER SYSTEM FOR 132/33 KV S/S BAIJALPUR**

Sl. No.	Particular	Unit	Quantity	Unit rate (Ex-works Price)	Package, Freight & insurance	Total Unit Rate = 5+6	GST @ 18% on Sl.No.7	Total Unit Rate (FORD) = 7+8	Total Amount = Sl. No.4 x Sl.No.9
1	2	3	4	5	6	7	8	9	10
1	Substation Automatic Data Logger System for acquisition of Data from meters & relays as per clause 15 of Section III-B of tender specification and comprising of equipments / components listed below* (Make: RBH/ Amitech/Venson/any other make on approval of CSPTCL)	Nos.	1						
2	Work station computer DELL/HP/HCL/ Lenovo make with UPS (APC/Wipro/Intex make 600 VA), RAM 4GB, Hard Disk 500GB	Nos.	1						
3	Laser jet Printer Size A4, Make-Samsung 2850D/Canon-LP2900B, Memory 256MB expendable up to 1GB	Nos.	1						
<b>TOTAL OF ANNEXURE - ( B -9 )</b>									

Note - **Bidders are requested to go through the tender specification before quoting the rates.**

\* Computer System Configuration consisting of :-

- 1) Dual Core Processor, SDRAM- 4GB, HDD-500 GB, Drive-52X, Ethernet Card, Serial Ports – min. 4 Nos, USB port- min 2 nos, 29” LCD Monitor, Operating System – Windows XP or latest version higher than specified.
- 2) Gateway : Minimum 1 No
- 3) Ethernet switches : minimum 1 No ( with 6 Nos redundant ports )
- 4) Laser Printer – 1 No. (For Reports & Disturbance records)
- 5) Dot matrix printers – 2 Nos. (One each for Alarms and log sheets)
- 6) Communication infrastructure between Bay level units, Station HMI, Printers, redundant LAN etc. as required
- 7) 1 KVA or higher size inverters as per requirement: 1 No.
- 8) ADLS Panel for housing Ethernet switch, Gateway, UPS & various connectors
- 9) Any other equipment necessary for automatic data logging and not listed here.
- 10) Please indicate ex-works price, Package freight & insurance and GST in respective columns.
- 11) Cess under B&OCWA :- Applicable cess @ 1% shall be deducted from each bill.

**Signature of the Bidder**

**PRICE BID ANNEXURE – C-1****CIVIL WORKS FOR 132/33 KV S/S BAIJALPUR****(Rates of individual items shall be quoted; rate in lot shall not be acceptable)**

Sl. No.	PARTICULARS	Unit	Quantity	Unit rate	GST@ 18% on unit rate	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
<b>I.</b>	<b>FOUNDATION OF:</b>						
1.	132/33 KV, 40MVA Xmer (Suitable for 40 MVA X-mer), complete with oil recovery pit, supply and fixing of rail NIFPS foundations etc. complete in all respects as per drawings, specifications and as per direction of Engineer in charge of CSPTCL.	Nos.	2				
2.	132 KV Gantry Column	Nos.	16				
3.	132 KV Main/Auxiliary Bus Bar 3BO4	Nos.	6				
4.	132 KV SF <sub>6</sub> Breaker	Nos.	5				
5.	132 KV Isolator	Set	19				
6.	132 KV CT	Nos.	18				
7.	132 KV LA	Nos.	15				
8.	132 KV PT	Nos.	6				
9.	132KV CC	Nos.	6				
10.	132 KV PI	Nos.	17				
11.	33 KV Gantry Column	Nos.	22				
12.	33 KV Bus Bar 1BO4 (Main)	Nos.	4				
13.	33 KV Transfer Bus Bar 1 BO4	Nos.	4				
14.	33 KV VCB	Nos.	9				
15.	33 KV Isolator	Sets	31				
16.	33 KV CT & PT	Nos.	12				
17.	33KV PI	Nos	8				

18.	33 KV LA	Nos.	3				
19.	33/ 0.4 KV, 200 KVA, Station Transformer	Nos.	2				
20.	36 KV, 12 MVAR capacitor bank and associated equipments (Capacitor + Reactors +NCT etc.)	Set	1				
21.	33 KV DO set structure	Nos.	2				
22.	Loading /Un-loading Gantry	Nos.	1				
23.	<b>Construction of</b>						
	Control Room Building Modified type-IV with associated facilities including internal and external electrification with concealed <b>fire resistant</b> copper wiring, wiring of smoke/ heat detector points, ceiling fan points, Exhaust fan points, tube light points, indoor decorative luminary points and fitting thereof, main switch & LDB with MCBs, telephone points, LAN points, internal & external water supply and sanitation including septic tank for 50 users, man holes etc., mineral fibre false ceiling in Control Room, Officer chamber & carrier room, rolling shutters in Control room Hall and filter M/c room. Pre-construction anti-termite treatment, internal cable trenches covered with 6 mm thick MS chequered plate, specified floor & wall finishes, Aluminium/ PVC /wooden doors, windows with reflective glasses, grills etc. complete as per specifications, approved drawings approval and direction of Engineer-in-charge of CSPTCL ( <b>Min. Area of control room 372.00 Sq.M+Porch of 22.00 Sq.m.</b> )	No.	1				
25.	<b>External Cable Trenches.</b>						
	<b>Y-1 Type buried Cable Trench</b> Width x Depth=200 mm.x 500mm direct buried type cable trench as per tender specification and approved drawings, direction and approval of Engineer-In-Charge of CSPTCL constructed as indicated in technical specifications for civil works	RM	380				
	<b>Y-2 Type RCC branch Cable trench</b> Width x Depth=325 mm.x 305mm with GI Cable trays of 300mm width supported on HDG angles at height of 150 mm from bottom of trench shall be provided. M.S. angles of min. size 50x50x6 @ 500 mm c/c shall be	RM	85				

	suitably embedded in cable trench walls to support cable trays. Cable trench covers shall be doubly reinforced R.C.C. covers as per approved drawings, specifications, direction and approval of Engineer-In-Charge of CSPTCL.						
	<b>Y-3 Type RCC branch cable trench</b> Width x Depth=850 mm.x 600 mm with 2 tiers of 450 mm width GI cable trays supported on HDG angles at height of 100 mm and 350 mm from bottom of trench shall be provided. M.S. angles (Annex. B-3) of min. size 50x50x6 @ 500 mm c/c shall be suitably embedded in cable trench walls to support cable trays. Cable trench covers shall be doubly reinforced R.C.C. covers as per approved drawings, specifications, direction and approval of Engineer-In-Charge of CSPTCL.	RM	80				
	<b>Y-4 Type RCC Main cable trench</b> Width x Depth=1200 mm x 1000 mm in 132KV & 33KV Switch Yard having 3 layers of 600mm wide GI cable trays supported on HDG angles at height of 100 mm, 350 mm and 600 mm from surface of trench. Cable trench shall be covered with RCC cast in situ slab. M.S. angles (Annex. B-3) of min. size 50x50x6 @ 500 mm c/c shall be suitably embedded in cable trench walls to support cable trays. At every 2.0 m distance 700mm wide opening covered with 6.0 mm thick steel chequered plate cover shall be provided. Chequered plate cover shall be duly stiffened and fixed to the frame grouted in cable trench wall and RCC top slab, as per approved drawings, specifications, direction and approval of Engineer-In-Charge of CSPTCL	RM	200				
26	Complete External & internal water supply arrangement with <b><u>two numbers</u></b> 150 mm diameter tube well bores, each with min. 5000 litre per hour water output with 3-phase water cooled submersible pumps of KSB/ Kirlosker make of min. 2 H.P. or more as per approval of CSPTCL's engineer-in-charge, Crompton Greaves /Havells make control panels, Finolex/Havells make cables, two interconnected overhead tanks (ISI marked) of 1,000 litres capacity each, above Control Room Building, with complete water supply arrangements from both the bores to water tanks,	Nos.	1				

	from tank to control room building and from both the bores as well as from tank to all the earth pits with ISI marked class 'B' GI pipe lines, fittings, fixtures etc. of approved make as per specifications, in standard manner, as per direction and approval of engineer-in-charge of CSPTCL.						
27	Construction of RCC road with side drains, laid over CC 1:3:6 base, WBM sub base and over size metal soling complete as per specifications, approved drawing and direction of engineer in charge of CSPTCL						
	(i) 5.0 m wide inside switchyard upto the main gate of the S/s.	R.M	120				
	(ii) 5.0 m wide from S/s main gate to the main gate of area fencing	R.M	25				
	(iii) 3.0 m wide towards filter room & porch.	R.M	60				
28	Construction of RCC box culvert for cable trench – road crossing as per approved drawing, specifications & direction of engineer-in-charge of CSPTCL	Nos.					
	(i) 5.0 m wide	No.	01				
	(ii) 3.0 m wide	No.	02				
29	Construction of box culvert for road crossing as per provided drawing, specifications & direction of engineer-in-charge of CSPTCL	No.	1				
30	<b>Yard Levelling -</b>						
(A)	Yard levelling upto required level through cutting in soil & disposal of excavated material in filling area of switch yard or as directed by Engineer in charge with all leads and lifts with all labour, material, T&P transportation stacking, spreading, compaction by mechanical means, dressing etc. Complete in all respect including applying approved herbicides in entire area, providing required drains etc. as per site condition specifications, direction & approval of engineer in charge of CSPTCL. (The material obtained from cutting shall be used for filling of low lying area of switchyard with proper compaction using vibratory plate compactor etc. and rates shall be quoted considering this factor).	Cu.M	3850				
(B)	Yard levelling up to required level through <i>supplying and filling with suitable non expansive, hard soil</i> including, spreading, compacting by	Cu.M	8150				

	mechanical means, dressing etc. complete with all labour, material i.e. moorum etc., T&P, transportation etc. complete in all respect including applying approved herbicides in entire area providing required drains etc. as per site condition, specifications, direction & approval of Engineer in charge of CSPTCL. <b>Note: Borrow area shall be arranged by the contractor at his own cost.</b>						
31	Providing, stacking, spreading and compacting with mechanical vibrator, sand stone dust of 100 mm compacted thickness in the yard area as per specifications, direction and approval of engineer in charge of CSPTCL.	Cu.M	2000				
32	Yard Metalling complete with 40 mm nominal single size <b>ungraded crusher</b> broken hard metal 100 mm thick including providing, stacking, spreading of metal, all transportation, loading and unloading, screening at site all material, labour, royalty,taxes etc. complete as per specifications , direction and approval of engineer-in-charge of CSPTCL.	Cu.M	1000				
33	Steel Main gate with detachable support, 2.4 mtr high, 6 mtr wide (min. weight 300 Kg.) with wicket gate 1.5 Mtr wide, fixed on 150 mm dia MS tube fixed on RCC foundation through base plate, bolts etc complete in all respect with guiderails and lights as per provided drawing, specifications, direction and approval of Engineer-in-charge of CSPTCL.	Nos	02				
34	Substation sign board (1800x1200 mm) size with GI support structures and illumination arrangement in front of substation as per specifications & direction of engineer-in-charge of CSPTCL.	Nos.	01				
35	Foundations for Octogonal pole (str complete) assembled with 1 meter arm with lighting fixture of 50W LED to be installed as per approved drawings, specifications & direction of engineer-in-charge of CSPTCL.	Nos.	10				
36	Foundations for Lighting HIGH MAST structures as per approved drawings, specifications & direction of engineer-in-charge of CSPTCL.	Nos.	3				
37	Construction of Rainwater harvesting pit as per specifications, provided drawing and direction of Engineer in charge of CSPTCL. (i/c connecting hume pipe between cable trench to Rainwater harvesting pit and from Rainwater harvesting pit to natural outlet at suitable point as per specification and direction of engineer in charge of CSPTCL)	Nos.	01				



38	Construction of RCC sump tank for collecting burnt X'mer oil for all the X-mers (Size min. 133% of biggest X'mer oil capacity below inlet pipe bottom level or as per ISS) with submersible pump of 3 HP capacity for dewatering/draining of oil as per approved drawing & direction of engineer-in-charge of CSPTCL. <b>The inlet pipe shall be min 300 mm GI pipe C class.</b>	Nos.	01				
39	Construction of 2400mm high un-climbable hot dip galvanised 75mm x 75mm x 8 mm gauge chain link mesh yard fencing with 450 mm vertical height V shaped extension having six rows of barbed wire, brick masonry wall, RCC beam at bottom with PCC foundation etc., complete as per approved drawing, specifications and direction of engineer-in-charge of CSPTCL.	RM	210				
40	Providing and laying 1.0 Mtr. wide concrete path way <b>if required</b> with 100 mm thick RCC 1:1.5:3 with 8 # bars @300 c/c/ b/w laid over 150mm thick PCC 1:5:8, complete in all respects as per directions of engineer in charge of CSPTCL.	Sq.M.	100				
41	Construction of kutcha drain of min size 0.5 m at bottom, 1.30 m top with depth 0.4 m, with 22.5 cm thick grouted stone pitching on sides, 300 mm at top on either side and 0.95 m wide 100 mm thick 1:2:4 p.c.c. bottom to arrest rain water as per specification and direction of Engineer-in-charge of CSPTCL.	RM	250				
42	Glow sign board of sub-station (1800x1200mm size) with internal illumination, duly protected by wire mesh, with steel support on the top of the control room as per direction of Engineer-in-charge of CSPTCL.	Nos.	01				
43	Construction of Chain Link Mesh Fencing <b>Cum</b> RCC Retaining wall as per specification, provided drawing and direction of Engineer-in-charge of CSPTCL. (i) With soil retaining height above NGL up to 1. 0 m height. (ii) With soil retaining height above NGL up to 2. 0 m height. (iii) With soil retaining height above NGL up to 3. 0 m height.	R.M R.M. R.M.	125 170 55				

44	Providing 22 cm thick grouted stone pitching (without quarry-spalls) with individual stones of 22 cm depth and min. size 0.014 cu.m in cement mortar 1:6	Sq.M	100				
<b>TOTAL OF ANNEXURE - (C-1)</b>							

**Bidders are requested to offer rates for following “Extra items” which *if required* may be used for execution of the project. Please note that these rates shall not be used for comparative evaluation purpose.**

i)	Providing and placing in position RCC M-20 (1:1.5:3) in foundations, sub structures for columns, beams, footings etc., including all material, labour, T& P, curing etc., complete in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL.	Cu .M	NIL				
ii)	Providing and placing in position Steel Reinforcement bars Fe 415 for RCC WORK in foundations, sub structures for columns, beams, footings etc including all material, labour,T&P ,binding with 9mm annealed binding wire etc. complete in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL.	Kg.	NIL				
iii)	Providing and placing in position frame work for RCC work in foundations, sub structures for columns, beams, footings etc. For all heights/depths including all material, labour, T&P complete in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL.	Sq.M	NIL				
iv)	Back filling with excavated material obtained from excavation of foundations, cable trenches etc. around foundations including compaction by mechanical means, watering, all material, labour, T&P etc. complete in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL.	Cu .M	NIL				
v)	Excavation in all types of soil for foundations, sub structures, for columns, beams, footings etc., for all depths/height i/c all material, labour, T& P in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL	Cu .M	NIL				

vi)	<b>Excavation in soft rock/disintegrated rock</b> for foundations, sub structures, for columns, beams, footings etc., for all depths/height i/c all material, labour, T& P in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL	Cu .M	NIL				
vii)	<b>Excavation in hard rock</b> for foundations, sub structures, for columns, beams etc., for all depths/height <b>with blasting</b> i/c all material, labour, T& P in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL	Cu .M	NIL				
viii)	Excavation in hard rock for foundations, sub structures, for columns, beams etc., for all depths/height <b>without blasting</b> i/c all material, labour, T& P in all respects as per technical specifications, approved drawings and direction of engineer in charge of CSPTCL	Cu .M	NIL				

**NOTE:-**

- 1) Rates are required to be quoted for each and every item, even if the item has NIL quantity.
- 2) The “**Extra items**” will be got executed only in case of change in FGL. Additional quantities got executed on account of change in FGL **ONLY** shall be payable.
- 3) **EXECUTION OF “EXTRA ITEMS” OF CIVIL WORKS :-** In the event of execution of extra item mentioned in price bid Annexure C-1 (Civil Works), on completion of substation, total ordered value of supply of material, civil works and erection charges of substation in the tender shall be worked out with the unit rate of L-2 bidder. In case the total value when calculated with the unit rates of L-2 bidder is found lower, then the total payment shall be limited to the lower of the two. This condition may be kept in view while quoting the rates.
- 4) For expensive soils, the fill materials and other protections etc. to be used under the foundation is to be got approved by CSPTCL. The cost of backfill around foundation shall be included in rates quoted for civil foundation work and no payment on this account shall be admissible.
- 5) Type of substation soil :- Black Cotton Soil.,
- 6) a) Finished Ground level – 293.90M, (b) Finished Yard Level – 294.20M, (c) Foundation Top Level – 294.40M, (d) Finished Floor Level of Control Room – 295.00M

**Signature of the Bidder**

**PRICE BID ANNEXURE – D-1**  
**ERECTION CHARGES FOR 132/33 KV SUB-STATION BAIJALPUR**  
**(Rates of individual items shall be quoted; rate in lot shall not be acceptable)**

Sl. No.	Particular	Unit	Quantity	Unit rate	GST@ 18% on unit rate on Sl.No.5	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
1	<b>STRUCTURE:</b> Erection of S/S structure including fixing and alignment of templates for grounded/ bolted and type structure, foundation tightening of nut bolts, washers etc.	MT	110				
2	Stringing of Conductors alongwith insulator strings, clamps, jumpering, spacers, droppers etc						
	i) Twin Zebra ACSR	RM	400				
	ii) Single Zebra ACSR	RM	3200				
	iii) Overhead shield wires.	RM	2000				
3	<b>Rate for installation of :-</b> a) 40MVA,132/33KV, X'mer complete with marshalling box, control cabinet with associated control, RTCC – panel & other accessories.	No.	2				
	b) Erection of station transformerwith marshalling box, control cabinet with associated accessories complete	No	2				
	c) Erection of 36 KV, 12 MVAR capacitor bank, its structure and associated equipments complete.(Capacitor + Reactors +NCT etc.)	Set	1				
4	<b>Rate for erection of circuit breakers :-</b>						
	i) 132 KV CBs	No.	5				
	ii) 33 KV VCBs	No.	9				
5	<b>Rate for erection of isolators , pipe, alignment of contacts &amp; checking of operation etc.</b>						

Sl. No.	Particular	Unit	Quantity	Unit rate	GST@ 18% on unit rate on Sl.No.5	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
	i) 132 KV Isolators	Sets	16				
	ii) 33 KV Isolators	Sets	29				
6	<b>Rate of erection of Current Transformer &amp; fixing of junction box including all accessories &amp; making all connections etc.</b>						
	i) 132 KV CTs	No.	15				
	ii) 33 KV CTs	No.	27				
7	<b>Erection of CVT/PT &amp; fixing of junction box including all accessories &amp; making all connections etc.</b>						
	i) 132 KV PT	No.	6				
	ii) 132 KV CC	No.	4				
	iii) 33 KV PT	No.	6				
8	<b>Erection of L.A. &amp; fixing of Leakage Counter including all accessories &amp; making all connections etc.</b>						
	i) 132 KV L.As	No.	12				
	ii) 33 KV L.As	No.	24				
9	<b>Erection of PI including all accessories</b>						
	i) 132 KV Post Insulators	No.	27				
	ii) 33 KV Post Insulators	No.	47				
10	<b>Erection of C&amp; R panels</b>						
	i) 132 KV C&R Panels for 40 MVA transformer/feeder/ bus transfer	No.	5				
	ii) 33 KV C&R Panel for 40 MVA transformer/feeder/Bus Transfer/Capacitor bank.	No.	9				
11	Erection of 33 KV DO set.	Set	2				
12	Erection of 132 KV Wave traps with overhead suspension.	No.	4				

Sl. No.	Particular	Unit	Quantity	Unit rate	GST@ 18% on unit rate on Sl.No.5	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
13	<b>Erection of</b>						
14	1. CT / PT junction box	No.	18				
	2. Bay Marshalling Kiosk/ junction box for other purpose all accessories & making all connections etc.	No.	6				
	<b>Erection of</b>						
	1. Main AC Distribution Board	No.	1				
	2. Main DC Distribution Board (110V & 48V DC)	No.	2				
	3. Main Switches for extension of AC Supply	Set	1				
15	<b>Erection of other works :-</b>						
	1. 110 V Stationary Lead Acid Battery Set	Nos.	1				
	2. Battery Charger of 110 V Battery	Nos.	1				
	3. 48 V Stationary Lead Acid Battery Set	Nos.	1				
	4. Battery Charger of 48 V Battery	Nos.	1				
16	Installation & fitting of perforated type GI cable Trays over the steel support of min. size 50x50x6 @ 500 mm c/suitably embedded in cable trench walls to support cable trays, accessories on cable racks in cable trenches.	Job	1				
17	<b>Cable Installations:-</b> Laying of all types of control & power cables on racks/ cable trays/ GI conduit pipes, dressing of cables & all accessories for armoured control cables. Cable termination's including fixing of cable glands, lugs for control/ power cables & cable numbering tags.	Job	1				
18	<b>Earthing Installations:</b> Rates for installations including jointing equipment termination, fixing & clamping & hardware's such as saddle, clamps, cleats, plugs, nut-bolts washers & welding etc.						

Sl. No.	Particular	Unit	Quantity	Unit rate	GST@ 18% on unit rate on Sl.No.5	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
	1. 25 mm X 2500 mm G.I. rods, earth electrodes directly driven in to earth including excavations as required & welding etc.	Nos.	100				
	2. Providing Steel risers including welding to the earth mat at one end & bolting to the structures at the other end for 50 x 6 mm G.I. flats.	RM	4000				
	3. Construction of Earth Pits of size 1.5 m x 1.5 m x 3.0 m with side walls of 500 mm above FGL (duly filled with charcoal powder/clay/sodium based bentonite clay with BC soil) except for water supply as latest amended ISS, complete with interconnection of equipments.						
	a) 4 pipe	Nos.	4				
	b) 2 pipe	Nos.	20				
	4. Providing earth mat of 65x8 mm GI flats duly buried in earth (min 600mm deep) with welding complete.	RM	6000				
19	Erection & Installation of Yard Lighting :- Installations of light fixtures on gantry columns, supply connections to the light fitting from nearest supply board in the yard etc complete.	Job	1				
20	Erection of High Mast.(Complete with Str. & Luminaries)	Nos.	3				
21	Erection of RTU cabinet complete	Nos.	1				
22	Erection of PLCC cabinet complete	Nos.	4				
23	Erection of EPAX Exchange complete	Nos.	1				
24	Erection of LMU complete	Sets	2				
25	Erection of Automatic Data logging system.	Sets	1				
26	Erection of Octogonal lighting poles.(Complete with Str. & Luminaries)	Nos.	10				
27	Installation of Electronic Push Button Telephone	Nos.	10				

Sl. No.	Particular	Unit	Quantity	Unit rate	GST@ 18% on unit rate on Sl.No.5	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
28	Installation of GPS based time synchronising clock with large display.	Set	1				
29	Installation of Fire detection & alarm system based on smoke detectors along with accessories complete as per technical specifications.	Set	1				
<b>TOTAL OF ANNEXURE – D-1</b>							

Note 01. Please indicate Unit rate and GST in respective columns

02.Cess under B&OCWA :- Applicable cess @ 1% shall be deducted from each bill.

**Signature of the Bidder**



**PRICE BID ANNEXURE – D-2****TESTING & COMMISSIONING CHARGES FOR 132/33 KV S/S BAIJALPUR**

Sl.No.	Particular	Unit	Quantity	Unit rate	GST@ 18% on unit rate	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
1.	132/33 KV, 63 MVA, Power Transformer complete	Nos.	2				
2.	132 KV, SF6 circuit breaker complete	Nos.	5				
3.	132 KV Current Transformer complete	Nos.	15				
4.	132 KV Potential Transformer complete	Nos.	6				
5.	132 KV Coupling Capacitor complete	Nos.	4				
6.	132 KV Lightning Arresters complete	Nos.	12				
7.	132 KV Isolator With Earth switch/ without earth switch with support insulator complete	Set	16				
8.	132 KV Wave trap complete	Nos.	4				
9.	33/0.415 KV, 200 KVA, Station Transformer complete	Nos.	2				
10.	33 KV VCB's complete	Set	9				
11.	33 KV Potential Transformer complete	Nos.	6				
12.	33 KV, 12 MVAR, Capacitor Bank complete with associated equipments (Capacitor+ reactor+NCTetc)	Set	1				
13.	33 KV Current Transformer complete	Nos.	27				
14.	33 KV Lightning Arresters complete	Nos.	24				
15.	33 KV Isolator with insulator with & without earth switch complete	set	29				

Sl.No.	Particular	Unit	Quantity	Unit rate	GST@ 18% on unit rate	Total Unit Rate = 5+6	Total Amount = Sl. No.4 x Sl.No.7
1	2	3	4	5	6	7	8
16	132 KV Control & Relay Panel for 40MVA X'mer, feeders & bus transfer complete	Set	5				
17.	33 KV Control & Relay Panel for 40MVA X'mer, feeders, Capacitor bank & Bus transfer complete.	Set	9				
18.	Twin Channel Carrier Cabinet complete	Nos.	4				
19.	a) Electronic Exchange 16/8 lines complete	Nos.	1				
	b) Electronic Push Button Telephone sets complete	Nos.	10				
20.	110V, 300AH, Battery Set (55 Cells) complete	Set	1				
21.	48 V, 300AH, Battery Set (24 Cells) complete	Set	1				
22.	110V, 300 AH, Battery Charger complete	Set	1				
23.	48V, 300 AH, Battery Charger complete	Set	1				
24.	Automatic Data logging system complete	Set	1				
25.	RTU complete	set	1				
26.	Lighting High Mast complete	Nos.	3				
27.	Fire detection & alarm system based on smoke detectors along with accessories complete as per technical specifications.	Set	1				
<b>TOTAL OF ANNEXURE - D-2.</b>							

Note:-

- Note 01. Please indicate Unit rate and GST in respective columns  
 02. Cess under B&OCWA :- Applicable cess @ 1% shall be deducted from each bill.

**Signature of bidder**